

Product datasheet for **MG211218**

Diap3 (BC028920) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Diap3 (BC028920) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Diap3
Synonyms:	Dia2, mDia2, p134MDia2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG211218 representing BC028920
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGAGTGACAAGAGGAGTCTTTCCTTGTGGCAAAGCCATGGATCCCAGGCAGCCCGCTATGATGGCAG
 ACGTGGTGAAGCTTCTGTCTGCAGTGTGATTGTCGGCGAGGAAAGCATCCTTGAAGAAGTGTAGAAAGC
 CTTGACTTCAGCTGGAGAAGAAAGAAAGATTGACAGATTTTTTCCATTGTGGAAGGCCTCCGGCATAAC
 TCAGTGAACCTGCAAGTTGCTTGTATGCAGCTCAAAATGCTCTCGTTACATCTCCTGATGATTTGGACT
 TCAGGCTTCACCTCAGAAATGAATTTATGCGTTGTGGATTGAAAGAGATATTGCCAAACTTAAAGGGCAT
 TAAGAATGATGGCCTGGATATACAACCTTAAAGTCTTTGATGAGCACAAGAAGAAGATTTGAGTGAGTTT
 TTCCATCGCCTTGAAGACATTAGAGCTGAACCTGATGAAGCATCTGATGTTTACAGCATGTTATGGGACA
 CAGTTAAGGAACTCGAGCAGAGGGACATTTTCTTCTATTCTTCAGCATCTCCTGCTCATTGCAATGA
 TCGTTTTATAAGAGAGCAGTATTTCAAATTAATTGATGAGTGTGTGTACAGATTGTGTACATAGAGAT
 GGAACGGACCCTGACTTCACATACAGAAAAAGACTAGATTTGGACTTAAGTCAGTTTGTAGATGTTTGCA
 TAGATCAGGCCAAACTAGATGAGTGGGAAGAGAAAGCATCCGAACATTGCAAGAAATTTGAAAAAGAGTG
 TACTGACCACCAAGAAACCCAGGCTCAATTGCAGAAAAGAGAGGCAAAGATTAATGAGCTTCAAGCAGAG
 TTACAAGCTTTTAAATCCAGTTTGGTGCCTTGCCACCTGGTACAAAAATTCCTTTGCAACCTTCAGTAG
 AAGGTGAAGCTGGCCCTTCAGCCCTTCTCCTGCCCCACCAGCACTCAGTGGAGGAGTGCCGCTCCCCC
 ACCGCCCTCCTCCACCACCCACCCTCCAGGAATGCCAATGCCATTTGGTGGCCCTGTACCACCA
 CCACCTCCTCTGGGATTCCTGGTGGGCAAAGCTCTATTCCATTAACCTGCCATTTGGTTGAAACCAA
 AGAAGAATTTAAGCCTGAAATCAGCATGAGAAGATTGAATGGTTAAAGATCGGACCAAATGAAATGTC
 TGAGAAGTCTTCTGGATCAAAGTAAATGAAAATAGATGAAAATAGGGATTTGCTTTGTAACCTTGAG
 AACACTTTTTGTTGCCAAGACAAAGAGAAAAGGAATACAATGACTTTGATGAGAAGAAAGTTATTAAGA
 AGAGAATGAAGGAACTTAAATTTCTAGATCCTAAAATGCTCAGAACCTTCAATCTTCTGAGCTCCTT
 CCGGGTGCATATGAGAAAATCAGGACGATGATTTGGAAGTGGATGAAACACAGTTGTCAGAGTCCATG
 ATTCAGAACTTAATAAGCACCTTCTGATGAGGAGCAGTTGAAGTCATTGTCCCAGTTTGAAGTGACT
 ATAACAGTTTGTGTGAGCCTGAGCAGTTCGCTGTTGTGATGAGCAATGTGAAGAGACTCCGGCCACGGCT
 CAGTGCTATTCTTTAAGCTTCAATTTGAAGAGCAGGTGAACAACATCAAACCTGACATCATGGCTGTC
 AGTACTGCCTGCGAGGAGATCAAGAAGAGCAAAGGCTTTAGCAAGTTGCTGGAACCTGTGTTGCTAATGG
 GAAACTACATGAATGCTGGCTCCCGAAATGCTCAAACCTTCGGATTTGACCTTAGCTCTCTGTAAACT
 GAAGGATACAAAATCTGCAGATCAGAAAACCACTCCTCCATTTCTGGTAGATGTATGTGAAGAAAAG
 CATGCTGACATCCTTCACTTTGTGGACGATTTGGCACATTTAGACAAAGCTAGCAGAGTCTCTGTAGAAA
 TGCTGGAAAAGAAGCTGAAGCAGATGGGAAGGCAGCTTCAACAGCTTGAAGAATTTGGAACCTTTCC
 CCCTCCTGAGGACTTGCATGACAAGTTTGTGATAAAGATGTCCAGCTTCGTTATCAGTGCGAACGAGCAG
 TATGAAAACCTCCACACTACTGGGCAGCATGACACAATTGTACCAGAGTATAATGGGCTACTATGCTG
 TCGACATGAAGAAGGTTCCGTGGAAGAGTTTTTAAATGATCTGAACAACCTCAGAACTTCATTTATGCT
 AGCATTAAAGGAAAACATCAAAAAACGAGAAGCAGCAGAAAAGGAGAAAACGTGCCAGGATAGCGAAAGAG
 CGAGCAGAGAAAAGAGCGACTTGAACGCCAGCAAGAGAAAAGCGCTTACTAGAAAAGAAAACCTGAGGGAG
 ATGAGACAGGAGTGATGGATAGTCTGCTGGAGGCTTGCAGTCAGGGGCTGCCTTCCGCGACAGAAGAAA
 AAGGACACCAAAGCTGAAAGATATTCGGCAGAGTCTCAGCCGATGTCTCAGAGGCTGTTCTCAAAGTT
 TGTAACCATGAAAATCAGAAAATGCAGTTGACAGAAGGGTACGTCCACACCACAGTATCAATTGCAACT
 CCACCAGGACTCCAGTCGCCAAGGAGCTTAATTAATCTAGACACTCATGCGTCTACAGGGAGGATCAA
 GGCAGTTGAGAAGGAAGCCTGTAATGCAGAAAGCAACAGAAAAAGGAAATGGAACCTTCTGGCTCTGTT
 GCTAAAAGCGAATCAGTTCTGAAGTTGAAGCCCTGCTGGCAAGATTACGAGCTTTA

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >MG211218 representing BC028920
 Red=Cloning site Green=Tags(s)

MSDKRSL SLLAKAMDPRQPAMMADVVKLLSAVCI VGEESILEEVLEALTSAGEERKIDRFFSIVEGLRHN
 SVNLQVACMQLINALVTPDDLDFRLHLRNEFMRCGLKEILPNLKGIKNDGLDIQLKVFDEHKEEDLSEF
 FHRLIEDIRAELDEASDVYSMLWDTVKETRAEGHFLSILQHLLLRNDRFIREQYFKLIDECVSQLVLRHD
 GTDPDFTYRKRDLDL SQFVDVICIDQAKLDEWEEKASEHCKKFEKECTDHQETQAQLQKREAKINELQAE
 LQAFKSQFGALPPGTKIPLQPSVEGEAGPSALPPAPPALSGGVPPPPPPPPPPPPPLPGMPMPFGGPVPP
 PPPLGFLGGQSSIPNLNLPFGLKPKKEFKPEISMRRLNWLKIGPNEMSENCFWIKVNVENKYENRDLLCKLE
 NTFCCQDKEKRNNDNDFDEKKVIKKRMKELKFLDPKIAQNLSIFLSSFRVPYEKIRTMILEVDETQLSESM
 IQNLIKHLPDEEQKLSLQFRSDYNLSLCEPEQFAVMSNVKRLRPRLSAILFKLQFEEQVNNIKPDIMAV
 STACEEIKKSKGFSKLLLELVLLMGNYMAGSRNAQTFFGFDLSSLCKLKDTKSADQKTTLLHFLVDVCEEK
 HADILHFVDDLAHLDKASRVSVEMLEKNVKQMGRLQLEKNLETFPPPEDLHDKFVIKMSFSVISANEQ
 YEKSTLLGSMTQLYQSIMGYYAVDMKKVSVVEEFNDLNNFRTSFMLALKENIKKREAAEKEKRARIAKE
 RAEKERLERQKEKRLLEMKTGEDETGVMDSLLEALQSGAAFDRRRKRTPKLKDIRQSLSPMSQRPVLKV
 CNHENQKMQLTEGSRPHHSINCNSTRTVPKELNYNLDTHASTGRIKAVEKEACNAESNRKKEMELLGSV
 AKSESVPVEALLARLRL

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI


Cloning Scheme:



ACCN: BC028920

ORF Size:	2787 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC028920.1
RefSeq Size:	3770 bp
RefSeq ORF:	2789 bp
Locus ID:	56419
Cytogenetics:	14 E1
Gene Summary:	Actin nucleation and elongation factor required for the assembly of F-actin structures, such as actin cables and stress fibers (PubMed:10678165, PubMed:23558171). Required for cytokinesis, stress fiber formation and transcriptional activation of the serum response factor (PubMed:10678165, PubMed:23558171). Binds to GTP-bound form of Rho and to profilin: acts in a Rho-dependent manner to recruit profilin to the membrane, where it promotes actin polymerization (PubMed:10678165). DFR proteins couple Rho and Src tyrosine kinase during signaling and the regulation of actin dynamics (PubMed:10678165). Also acts as an actin nucleation and elongation factor in the nucleus by promoting nuclear actin polymerization inside the nucleus to drive serum-dependent SRF-MRTFA activity (PubMed:23558171). [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG211218