

Product datasheet for **MG211286**

Ap2b1 (BC046772) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ap2b1 (BC046772) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Ap2b1
Synonyms:	1300012O03Rik; AI788979
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>MG211286 representing BC046772
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCCGCATCGCC

ATGACTGACTCCAAGTACTTCAACAATAAGAAGGGAGAAATTTTGAATTAAGAGCTGAACTCAACA
 ATGAAAAGAAAAGAAAAGAGGAAGGAGGCTGTGAAGAAAGTGATTGCTGCTATGACCGTGGGAAGGACGT
 GAGCTCTCTCTCCAGATGTGGTGAAGTGCATGCAGACTGACAACCTGGAAGTAAAGAAGCTCGTGAC
 CTCTATCTGATGAACTATGCCAAGAGTCAGCCAGACATGGCCATCATGGCTGTCAACAGCTTTGTGAAGG
 ATTGTGAAGATCCCAATCCTTTGATTGAGCCTTGGCAGTTAGAACCATGGGATGCATCCGGGTGGACAA
 GATTACAGAGTATCTCTGTGAACCCCTCCGCAAGTGTGAAGGATGAAGACCCCTATGTTCCGAAAACG
 GCAGCAGTATGCGTGGCAAACTCCATGATATCAATGCCAGATGGTGAAGATCAGGGATTTCTGGATT
 CTCTGCGGGATCTCATAGCAGATTCAAACCAATGGTGGTGGCTAATGCTGTAGCAGCATTGTCTGAGAT
 CAGTGAGTCTACCCAAACAGCAACTTACTTGATCTGAACCCCTCAGAATATCAATAAGCTGCTCACAGCC
 CTGAATGAATGCACTGAATGGGGCCAGATTTTCATCCTGGACTGCCTGTCTAATTAACAACCTAAAGATG
 ACCGGGAAGCTCAGAGCATCTGTGAGCGAGTAACGCCTCGGCTCTCCACGCCAACTCTGCAAGTGGTGT
 TTCAGCCGTAAGTCTAATGAAGTTTCTAGAATTGTTGCCAAGGACTCTGACTACTACAATATGCTG
 CTAAGAAGTTAGCACCTCCACTGTGCAGTTGCTGTCTGGGGAGCCAGAAGTACAGTACGTCGCCCTGA
 GGAACATCAACCTAATTTGCCAGAAAAGGCTGAAATCTGAAGCAGGAAATCAAGGTCTCTTTGTGAA
 GTACAATGATCCTATCTATGTTAACTAGAGAAGTTAGACATCATGATTGCTTGCATCCCAAGCCAAC
 ATTGCTCAGGTTCTGGCGGAGCTGAAGGAATAGCCACTGAAGTTGATGTGGACTTTGTTCCGAAAGCTG
 TGAGGGCATTGGACGGTGTCCATCAAAGTGGAGCAATCAGCAGAACGCTGTGTAAGCACACTGCTTGA
 TCTAATCCAGACCAAAGTAAATTATGTGGTCCAAGAGGCAATTGTTGTCATCAGGGACATCTCCGAAAA
 TACCCCAACAAGTATGAAGTATTATTGCCACCCTCTGTGAAAACCTGGACTCCCTGGATGAACCCGATG
 CCCGAGCAGTATGATTTGGATTGTAGGAGAATATGCTGAAAAGTTCGATAACGCAGATGAATTACTAGA
 GAGTTTCTGGAAGGTTTTCATGACGAAAGCACCCAGGTGCAGCTCACACTGCTCACCGCCATAGTGAAG
 CTGTTTCTCAAGAAGCCATCAGAAACACAGGAGCTGGTCCAACAGGTCTTGGACTTAGCCACACAGGACT
 CCGATAACCTGACCTTCGAGATCGGGTTATATATATTGGCGCCTTCTTCAACTGACCCTGTGACAGC
 CAAAGAAGTGGTGTGTCTGAGAAGCCATTGATCTCTGAGGAGACAGACCTCATTGAGCCTACCCTCCTG
 GATGAGCTCATCTGCCACATTGGTTCTTTGGCCTCTGTGTACCACAAACCTCAAATGCTTTTGTGGAAG
 GGAGTCATGGGATTCATCGCAAACACTTCCAATTCATCATGGGAGCACTGATGCAGGTGATAGCCCGT
 TGGCACCACCACTACAACCAACCTGGAGCAGCCTCAGGTCATTCCCTCTCAAGGTGACCTTCTGGGGAT
 CTTTTGAATCTTGACCTGGGTCCCCAGTGAATGTCCCAGCAAGTGTCTCCATGCAGATGGGAGCGGTGG
 ATCTTTTAGGAGGAGGACTGGATAGCCTGCTTGGCAGTGACCTTGGCGGGGGCATTGGAGGAAGTCCGGC
 AGTAGGACAGTCTTCATCCCGTCATCAGTGCCTGCGACCTTCGCTCCTTCACTACTCCTGTGTGGTC
 AGCAGTGGTCTGAATGACCTGTTGAGCTTTCCACTGGGATAGGCATGGCACCTGGCGGATATGTGGCTC
 TAAGGCGGTCTGGCTACCTGCAGTAAAGGCTAAAGGCTTGGAGATTTCCGGGACGTTTACTCACCGCCA
 AGGCATATCTATATGGAATGAACTTCAACCAACAAAGCTCTGCAGCATATGACAGACTTTGCCATCCAG
 TTTAACAAGAATAGCTTCGGTGTATCCCAAGCACTCCCTTGGCCATACATACTCACTGATGCCAAACC
 AGAGCATTGACGTCTCTGCGGCTCAACACCTTGGGCCAGTCATGAAGATGGAGCCCTGAATAACCT
 GCAGGTGGCTGTTAAAAACAATATTGATGTCTTCTACTTCAGCTGCCTCATCCCCTCAATGTGCTTTTT
 GTAGAAGATGGCAAAATGGAGCGCCAGGTCTTCTTGAACGTGGAAGGATATCCCAATGAAAATGAAC
 TCCAGTTTCAGATTAAGGAATGTCATTTAAATGCTGACACAGTTTCCAGCAAGTTGCAAAAACAACATGT
 TTACACTATTGCCAAGAGGAACGTGGAAGGGCAGGACATGCTGTACCAGTCCCTGAAGCTCACTAATGGC
 ATTTGGATTTTGGCAGAGCTGCGGATCCAGCCAGGAAACCCCAATATACGCTGTCGCTGAAGTGTAGAG
 CCCCTGAAGTCTCTCAGTACATCTATCAGGTCTACGACAGCATTTTGAAAAAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG211286 representing BC046772
Red=Cloning site Green=Tags(s)

MTDSKYFTTNKKGEIFELKAELNNEKKEKRKEAVKKVIAAMTVGKDVSSLFPDVVNCMQTDNLELKKLVY
 LYLMNYAKSQPDMAIMAVNSFVKDCEDPNPLIRALAVRTMGCIRVDKITEYLCEPLRKCLKDEDPYVRKT
 AAVCVAKLHDINAQMVEDQGFLDSLRLDIADSNPMVVANAVAALSEISESHPNLNLLDLNPQNKLLTA
 LNECTEWGQIFILDCLSNYNPKDDREAQSI CERVTPRLSHANSVVL SAVKVLKMFLELLPKDSDYNNML
 LKKLAPPLVTL LSGEPEVQYVALRNINLIVQKRPEILKQEI KVFV KYNDPIYVKLEKLDIMIRLASQAN
 IAQVLAELKEYATEVDVDFVRKAVRAIGRAIKVEQSAERCVSTLLDLIQTKVNYVYVQEAIVVIRDIRK
 YPNKYESIATLCENLDSLDEPDARAAMIWIVGEYAERIDNADELLESFLEGFHDESTQVQLTLLTAIVK
 LFLKKPSETQELVQVLSLATQSDNPDLRDRGYIWRLLSTDPVTAKEVVLSEKPLISEETDLIEPTLL
 DELICHIGSLASVYHKPPNAFVEGSHGHRKHLPIHHGSTDAGDSPVGT TTTTNLEQPQVIPSQDLLGD
 LLNLDLGPVNVQVSSMQMGAVDLLGGGLD L LGGDLGGGIGGSPAVGQSFIPSSVPATFAPSPTPAVV
 SSSLNDL FELSTGIGMAPGGYVAPKAVWLPVAKAKGLEISGTFTHRQGHIMEMNFTNKALQHMTDFAIQ
 FNKNSFGVIPSTPLAIHTPLMPNQSIDVSLPLNTLGPVMKMEPLNQLQAVKNNIDVYFVFSCLIPLVLF
 VEDGKMERQVFLATWKDIPNENELQFQIKECHLNADTVSSKLQNNVYTI AKRNVEGQDMLYQSLKLTNG
 IWILAELRIQGNPNYTL SLKCRAPEVSQYIYQVYDSILKN

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: BC046772

ORF Size: 2855 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC046772 , AAH46772
RefSeq Size:	3038 bp
RefSeq ORF:	2855 bp
Locus ID:	71770
Cytogenetics:	11 C

Gene Summary:

Component of the adaptor protein complex 2 (AP-2). Adaptor protein complexes function in protein transport via transport vesicles in different membrane traffic pathways. Adaptor protein complexes are vesicle coat components and appear to be involved in cargo selection and vesicle formation. AP-2 is involved in clathrin-dependent endocytosis in which cargo proteins are incorporated into vesicles surrounded by clathrin (clathrin-coated vesicles, CCVs) which are destined for fusion with the early endosome. The clathrin lattice serves as a mechanical scaffold but is itself unable to bind directly to membrane components. Clathrin-associated adaptor protein (AP) complexes which can bind directly to both the clathrin lattice and to the lipid and protein components of membranes are considered to be the major clathrin adaptors contributing the CCV formation. AP-2 also serves as a cargo receptor to selectively sort the membrane proteins involved in receptor-mediated endocytosis. AP-2 seems to play a role in the recycling of synaptic vesicle membranes from the presynaptic surface. AP-2 recognizes Y-X-X-[FILMV] (Y-X-X-Phi) and [ED]-X-X-X-L-[LI] endocytosis signal motifs within the cytosolic tails of transmembrane cargo molecules. AP-2 may also play a role in maintaining normal post-endocytic trafficking through the ARF6-regulated, non-clathrin pathway. The AP-2 beta subunit acts via its C-terminal appendage domain as a scaffolding platform for endocytic accessory proteins; at least some clathrin-associated sorting proteins (CLASPs) are recognized by their [DE]-X(1,2)-F-X-X-[FL]-X-X-X-R motif. The AP-2 beta subunit binds to clathrin heavy chain, promoting clathrin lattice assembly; clathrin displaces at least some CLASPs from AP2B1 which probably then can be positioned for further coat assembly (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:


Circular map for MG211286