

Product datasheet for **MG211368**

Ap2a1 (BC031433) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ap2a1 (BC031433) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Ap2a1
Synonyms:	Adtaa
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG211368 representing BC031433
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCCGGTGTATCCAAAGGCGATGGCATGCGTGGGCTCGCCGTGTTTCATCTCCGACATCCGGAAGTCA
 AGAGCAAAGAGGCTGAGATCAAGAGGATCAACAAGGAAGTGGCCAACATCCGTTCCAAGTTCAAAGGGGA
 CAAGGCCTTGGATGGCTACAGTAAAAAGAAGTATGTGTGAAGCTGCTTTCATATTCCTGCTTGGCCAT
 GACATTGACTTTGGACATATGGAGGCCGTGAACCTGCTAAGCTCTAACAAGTACACGGAGAAGCAGATAG
 GGTACCTGTTTCATCTCAGTCTGGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGT
 GAATGACCTGGCCAGTCGCAACCCACCTTCATGTGCCTGGCCTTGCACTGTATCGCTAACGTGGGCAGC
 CGTGAGATGGGCGAGGCTTTTGTGCAGACATCCCGAATCCTGGTGGTGGGACAGCATGGACAGTG
 TGAAGCAGAGTGGCCCTATGCCTACTGCGACTCTACAAGGCCCGCCGACTTGGTGGCCATGGGCGA
 GTGGACGGCAGTGTAGTGCCTTGTCAATGATCAGCACATGGGAGTGGTACAGCTGCTGTCAGCCTC
 ATCACCTGTCTCTGCAAGAAGAATCCGGATGACTTCAAGACCTGTATCTCCCTGGCTGTGTCTCGTTAA
 GCCGGATCGTCTCCTCAGCCTCCACTGACCTCCAGGACTACACTTACTACTTCGTTCTGCAACCCTGGCT
 CTCTGTGAAGCTACTGCGGCTGCTCCAGTGTACCCACCACCAGAGGATGCAGCCGTGAAAGGGCGGTTA
 GTGGAGTGTCTGGAGACTGTGCTCAACAAGGCCAGGAGCCTCCCAAGTCCAAGAAGGTGCAGCACTCCA
 ACGCAAAGAAGCTATCCTCTTTGAGACCATTAGCCTCATCATCCACTATGACAGTGAGCCCAACCTCCT
 GGTCCGCGCTGCAACCAGCTGGCCAGTTCCTGCAGCACCAGGAGACTAACCTGCGCTACCTGGCCCTG
 GAGAGCATGTGCACGCTGGCCAGCTCCGAGTTCCTCCACGAGGCCGTCAAGACCCACATTGATACAGTGA
 TTAATGCCCTCAAGACGGAGCGGACGTCAGTGTGAGGCAGCGGGCGGCTGATCTCCTGTATGCCATGT
 TGACCCGGAGCAATGCCAAGCAGATTGTGTGAGAGATGCTGCGGTACCTGGAGACTGCTGACTATGCCATC
 CGAGAGGAGATCGTGTGAAGGTGGCCATCCTGGCTGAGAAGTATGCAGTGGACTACAGCTGGTACGTGG
 ACACCATCTCAACCTCATCCGCATCGCGGGGACTATGTGAGCGAGGAGGTGTGGTACCGCGTGTGCA
 GATCGTACCAACCGTGTGACGTCCAGGGTTATGCTGCCAAGACAGTGTGGAGGCCCTCCAGGCCCA
 GCCTGTGATGAGAATGGTGAAGGTGGTGGCTACATCCTTGGGGAGTTTGGGAAGTGGATTGCTGGGG
 ACCCACGCTCCAGCCACCAGTGCAGTTCCTGCTGCTGCACTCCAAGTTCACCTGTGCAGCGTGGCCAC
 CCGCGCTCTGTTGCTGTCCACCTACATCAAGTTCATCAACCTCTCCCTGAGACCAAGGCCACCATCCAA
 GGGGTTCTGCGTCCGGCTCCAGCTGCGAAATGCCGACGTGGAGCTACAGCAGCGGGCCGTGGAGTACC
 TCAACCTCAGCTCCGTAGCCAGCACCGATGTTCTGGCTACGGTGTAGAAAGAAATGCCCCATTTCCCGA
 GCGGGAGTCCGTCCATCTTGGCCAAGCTGAAGCGCAAGAAGGGCCCTGGGGCAGCCAGTGCCTTAGATGAC
 AGCCCGAGGGACACCAGCAGCAATGACATCAATGGGGGTGTGGAGCCACCCCCAGCACTGTGTCGACCC
 CCTCACCTCCGCGGACCTCTTAGGGCTGCGGGCAGCCCTCCCTGCTGCACCCCGGCTCCCGTAGG
 CGGGAACCTCCTGGTGGATGTCTTCTGACGGCCCCACTGCACAGCCAGCCTGGGGCCCACTCCTGAG
 GAGGCTTCTCAGCGAGCTGGAGCCCCCTGCCCTGAGAGCCCCATGGCTTTGTTGGTGAACCAAGT
 CGTGTGAAGAATAGTGGGTCTTGTGTTGAGAACCAGCTGCTGCAGATTGGAGTCAAGTCTGAGTTCCGG
 CAGAACCTGGGCCGATGTATCTTCTATGGCAACAAGACTTCTGTGCAAGTCCAGAAGTCTTGGCCCA
 CCGTGGTCCATCCTGGGACCTCCAGACTCAGCTGGCGGTGCAGACCAAGCGTGTGGCGGCAAGTGGGA
 CGGTGGCGCACAGGTGCAGCAAGTACTCAACATTGAGTGTCTGCGAGACTTCTGACGCCGCCACTGTTG
 TCGGTGCGCTTCCGGTACGGTGGCACCAGCCAGTCCCTCACTCTGAAGCTCCAGTGACCATCAACAAAT
 TCTTCCAGCCACAGAGATGGCGGCCAAAGACTTTTTCCAGCGCTGGAAGCAGCTGAGCCTCCCTGCA
 GGAGGCACAGAAAATCTTCAAAGCCAACCCAGTGGATGCTGAAGTACTAAGGCCAAGCTTCTGGGG
 TTTGGCTCTGCTTCTGGAACAATGTGGATCCCAACCTGAGAAGTCTTGGGTGCTGGAATCATCCAGA
 CGAAGGCCCTGCAGTGGGGTGTCTGCTTCGGCTGGAGCCCAATGCCAGGCCAAATGTACCGTCTAAC
 CCTGCGCACAGCAAGAGCCTGTCTCCGTCACCTGTGTGAGCTGCTGGCCAGCAGTTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG211368 representing BC031433
 Red=Cloning site Green=Tags(s)

MPAVSKGDGMRGLAVFISDIRNCKSKEAEIKRINKELANIRSKFKGDKALDGYSKKKYVCKLLFIFLLGH
 DIDFGHMEAVNLLSSNKYTEKQIGYLFISVLVNSNSELIRLINNAIKNDLASRNPFTMCLALHCIANVGS
 REMGEAFAADIPRILVAGDSMDSVKQSAALCLLRLYKASPDLPVPMGEWTRVHLLNDQHMVVTAAVSL
 ITCLCKKNPDDFKTCISLAVSRLSRIVSSASTDLQDYTYFVFPAPWLSVKLLRLLQCYPPEDAAVKGR
 VECLLETVLNKAQEPPKSKVQHSNAKNAILFETISLIHVDSEPNLLVRACNLGQFLQHRETNLRYLAL
 ESMCTLASSEFSHEAVKTHIDTVINALKTERDVSVRQRAADLLYAMCDRSNAKQIVSEMLRYLETADYAI
 REEIVLKVAILAEKYAVDYSWYVDITLNLIRIAGDYVSEEVWYRVLQIVTNRDDVQGYAAKTVFEALQAP
 ACHENMVKVGGYILGEFGNLIAGDPRSSPPVQFSLHSHKFLCSVATRALLLSTYIKFINLFPETKATIQ
 GVLRAGSQLRNADVELQQRAVEYLLSSVASTDVLATVLEEMPPFPERESSILAKLKRKKGPGAASALDD
 SRRDTSNDINGVEPTPSTVSTSPSADLLGLRAAPPAAPPAPVGGNLLVDVSDGPTAQPSLGPTE
 EAFLESEPPAPESPMALLADPAPAADPGPEDIGPPIPEADELLNKFVCKNSGVLFFENQLLQIGVKSEFR
 QNLGRMYLFGNKTSVQFQNFLLPTVVHPGDLQTQLAVQTKRVAQVDGGAQVQVNLNIECLRDFLTPPLL
 SVRFRYGGTAQSLTLKLPVTINKFFQPTEMAAQDFQWRKQLSLPLQEAQKIFKANHPMDAEVTKAKLLG
 FGSALLDNVDPNPENFVGAGIIQTKALQVGCLLRLEPNAQAQMYRLTLRTSKEPVSRLCELLAQQF


TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:


ACCN: BC031433

ORF Size: 2933 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC031433](#), [AAH31433](#)

RefSeq Size: 3407 bp

RefSeq ORF: 2933 bp

Locus ID: 11771

Cytogenetics: 7 B3

Gene Summary:

Component of the adaptor protein complex 2 (AP-2). Adaptor protein complexes function in protein transport via transport vesicles in different membrane traffic pathways. Adaptor protein complexes are vesicle coat components and appear to be involved in cargo selection and vesicle formation. AP-2 is involved in clathrin-dependent endocytosis in which cargo proteins are incorporated into vesicles surrounded by clathrin (clathrin-coated vesicles, CCVs) which are destined for fusion with the early endosome. The clathrin lattice serves as a mechanical scaffold but is itself unable to bind directly to membrane components. Clathrin-associated adaptor protein (AP) complexes which can bind directly to both the clathrin lattice and to the lipid and protein components of membranes are considered to be the major clathrin adaptors contributing the CCV formation. AP-2 also serves as a cargo receptor to selectively sort the membrane proteins involved in receptor-mediated endocytosis. AP-2 seems to play a role in the recycling of synaptic vesicle membranes from the presynaptic surface. AP-2 recognizes Y-X-X-[FILMV] (Y-X-X-Phi) and [ED]-X-X-X-L-[LI] endocytosis signal motifs within the cytosolic tails of transmembrane cargo molecules. AP-2 may also play a role in maintaining normal post-endocytic trafficking through the ARF6-regulated, non-clathrin pathway. The AP-2 alpha subunit binds polyphosphoinositide-containing lipids, positioning AP-2 on the membrane. The AP-2 alpha subunit acts via its C-terminal appendage domain as a scaffolding platform for endocytic accessory proteins. The AP-2 alpha and AP-2 sigma subunits are thought to contribute to the recognition of the [ED]-X-X-X-L-[LI] motif (By similarity).[UniProtKB/Swiss-Prot Function]