

Product datasheet for **MG211379**

Rnf111 (BC069835) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Rnf111 (BC069835) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Rnf111
Synonyms:	ARK, Arkadia
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>MG211379 representing BC069835
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGC**

ATGTCTCAATGGACTCCTGAATTTAACGAGCTCTACACCCTAAAAGTGGCTATGAAGAGTGGGACTCCTG
 ATGCGCCCACTACACAGGAGAGTCTGAAGCGGTCCTTCTGCACCACAGCCCTAGGGGCCACCAAGAG
 CTTCCCTGCAGAAGTGGAGATGATTAATAGCAAAGTGGGAATGAATTCTCTCATCTGTGTGATGATTCT
 CAAAAACAAGAGAAGGACATGACTGGCAACCAGCAAGAACAAGAAAAAGTGGTGTGTGAGAAAAAGC
 GCAAAAGCCAGCAGGCTGGCCCTCATATGTGCAGAACTGTGTCAAAGAAAATCAGGAAATCCTAGGGCG
 CAGACAACAGCTAGAGACACCGAGTGATGAGGATAATGACTCTTCCTTAAGTGAGTGTCTGTCTTCTCCC
 TCATCTAGTCTCCATTTTGGGGCTCTGATACAGTGACTTCAGATGAGGATAAAGAAGTCTCGGTGAGAC
 ATACCCAGCCTGTTCTGAGTGTAAAAGTAGAAGTACAGTGCAAGGTCTCACAAGTGGCCTCGAACTGA
 GGCAGATCCTGTGCCAAGTTTGTAAATGAAAAGACCTTGTTCATGGCAGTGCCTAAGGAGAGTCACA
 TGCAAGAAAGAGGCTGGTGAAGAGCAGCTCTCGCAGAGGACACAGAAGCAGAAGGAGAGGATGCTAGTGC
 AGAGGAAGAAGCGGGAGGCGCTAGCTCAGAGGAAGTATGCTCTTCTCTCCAGCTCCAGTACTCCAGTGA
 GAATGACCTCAGCAGCGATTCTCGTCCAGCTCCTCCACCGATGGAGAAGAGGACCTGTGTGCATCTGCC
 AGTGAGAACCCAGCAACCCCGCTGCTCCCTCAGGAAGTATTGATGAAGATGTTGTGGTGATAGAAGCCT
 CCTTCACTCCCAGGTCACTGCCAATGAAGAAATTAATGTTACCTCAACTGACAGTGAAGTGGAGATTGT
 TACAGTTGGAGAAAGCTATCGGTCTCGTTCAACCTTGGACACTCCAGATCTCATTGGAGCCAAGTTCA
 AGTTCGCATACAGGACGGCCACAGGAGTCTCGAAACCGCAGTAGGATCTCTACTGTTATACAGCCCTGA
 GGCAGAATGCAGCAGAAGTTGTGGACCTTACTGTTGATGAAGATGAACCTACTATAGTACCAACCACTTC
 TGCTAGAATGGACTCACAACTACTAGTGCTTCCATTAAACAATTCAAATCCATCTACCTCTGAGCAAGCC
 TCTGATACTACTTCAACTGTGGCAGTAGCCAGCCTTCCACAGTGTGAGAGACTGAAGCTACTCTTACAA
 GCAATAGTGCACTGGTTCTTCTGTGGCGATGACGTGAGGAGAACTGCATCTAGTGCTGTCCAGAAAG
 TGGTCTCTCTGCAATGCCAAGGTACCTTCTGCTGCCCCAGCACTCACCATGTGGAGGGACATCACAG
 AGCCATCATGCATTAGCACACCCCACTCAAGTTGTTTTAGCAGCATGGCCACCATTTTACAGTACACC
 ACCATCACCACATACTCCCAACCCAGCTGTCCAGTTTCTCCTTCACTGACCTGCTTGGCCAGT
 GGAAAGACCTCAAGTACAGGCGCCTTGTGGAGCAATAGCAGCTCTGGTCCAGTACCATGACCAGCAG
 GCATTGCCAGTCGATCTGAGCAACAGTGTCTCAGGACTCATGGAAGTGGGGTTTCCATGGTGCATCTG
 CTTTTGACCCCTGCTGCCCTGTACATCTTCCCGGCTGCAAGTCTTGGCCATCAGGCTGCTGCTGCCCC
 GACTCAGCCATTATCAATAGATGGCTATGGCTCCAGCATGGTTGCCAGCCCCAGCCCCAGCCCCCTCCA
 CAGCCTTCTCTTTCGTATGTGGCACTACATGCCACCTCCGATGCTTCCTTGACAAGACCACTGCACC
 ATCAAGCCTCAGCTTGCCATCACTCTCATGGAAATGCCCTCCCCAGACTCAGCTCCCCCTCAAGTGA
 TTACGTGATTCCGCATCTGTCCATGCTTTCATTCTCAGATATCTTCTCATGCAGCATCTACCCCTGTG
 GCACCACCGCCGCAACACATTTAGGCAGTACAGCGGCACCCATCCCTCAGCATCTTCTCCTGCTCACC
 AGCCGATTTACACCATATTTCCAGCCCCAGCACCTTACGCCAGAGACTGCACCTCATGAAGTATGCA
 GAGGATGGAAGTTCAGAGGAGGAGGATGATGCAGCATCCAACGCGGCACATGAACGGCCCCCGCCCAT
 CCACATAGGATGCACCCAACTATGGCCATGGGCATCATATTATGTGCTCAAACCATGTCTTCCATC
 CTCGCCAGGCTCCAGAGAGAAGTGCCTGGGAAGTGGGATTGAAGCTGGAGTAACTGCAGTACCTACAC
 ACCTGGTGTCTGCACCCTCACCTGGCCATTACCAAGCCCCGCTCGACTTCATCACCTCCAGTTAGGA
 GCACCTTCTTTAATGGTTCCTGACATGGCAGGCTATCCTCACATCCGTTATATTTCTTCCAGATTGGATG
 GAGCATATTAGAGGTCTTTTAGGGCAATTTTGAAGATGCACATATCCACATAAATAAAAAGAGGAAA
 TGTCATCTGGAGCCTCCAGGAACAATTGAAAGATGCACATATCCACATAAATAAAAAGAGGAAA
 CTGCACTGCAACAAGATGGGAAGAAGGAGTGAAGAACACAGAGGAAAAATGACTATCTGTTTGT
 CTATTTTAGAGGAAGGTGAAGATGTGAGCGCCTTCCATGTATGCACCTTTCCACCAAGTGTGTGTTGA
 TCAGTGGCTGATACCAATAAGAAGTGGCCATATGCAGAGTGGACATCAGAGGCCAGCTGCCAAGTGAA
 AGT

ACGCGTACGCGGCGGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >MG211379 representing BC069835
 Red=Cloning site Green=Tags(s)


MSQWTFEFNELYTLKVAMKSGTPDAPTTQESLKAVLLHPQPLGATKSFPAEVEVINSKVGNEFSHLCDDSS
 QKQEKDMTGNQQEQEKSQVVRKKRSQQAGPSYVQNCVKENQEILGRRQQLETPSDEDNDSSLSECLSSP
 SSSLHFGGSDTVTSDDEKEVSVRHTQPVLSAKSRSHSARSHKWPRTEADPVPSLLMKRPFHGSALRRVT
 CRKRLVKSSSSQRTQKQKERMVQRKKREALAQRYALLSSSSSSSENDLSSSSSSSSSTDGEEDLCASA
 SENPSNPAAPSGSIDEDVVVIEASFTPQVTANEEINVTSTDSEVEIVTVGESYRSRSTLGHSRSHWSQGS
 SSHTGRPQESRNRSRISTVIQPLRQNAAEVVDLTVDDEPTIVPTTSARMDSQTTASINNSNPSTSEQA
 SDTTSTVASSQPSTVSETEATLSNSATGSSVGDDVRRASSAVPESGPPAMPRLPSCCPQHSPCGGTSQ
 SHHALAHPHSSCFQGHGHHFQHSHHHHTHPAVPVSPFSDPACVPERPVQAPCGANSSSGSSYHDQQ
 ALPVDLSNSALRTHGSGGFHGASAFDPCCPVTSSRAAVFGHQAAPQPLSIDGYGSSMVAQPQPQPPP
 QPSLSSCRHYMPYPYASLTRPLHHQASACHSHGNAPPQTQPPQVDYVIPHPVHAFHSQISSHAASHPV
 APPPPHGLSTAAPIPQHLPPAQPISSHIPAPAPSAQRLHPHEVMQRMVQRRRMMQHPTRAHERPPPH
 PHRMHPNYGHHHIVPQTMSSHPRQAPERTAWELGIEAGVTAATYTPGALHPLAHYHAPPRLHHLQLG
 ALPLMVPDMAGYPHIRYISSGLDGASFRGPFGRNGFEELIHLEERLGNVNRGASQGTIERCTYPHKYKKRK
 LHCKQDGEEGTEEDTEEKCTICLSILEEGEDVRRLLPCMHLLFHQVCVDQWLITNKKCPICRVDIEAQLPSE
 S

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: BC069835

ORF Size: 2943 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	BC069835 , AAH69835
RefSeq Size:	4725 bp
RefSeq ORF:	2945 bp
Locus ID:	93836
Cytogenetics:	9 39.53 cM

Gene Summary:

E3 ubiquitin-protein ligase required for mesoderm patterning during embryonic development (PubMed:11298452). Acts as an enhancer of the transcriptional responses of the SMAD2/SMAD3 effectors, which are activated downstream of BMP (PubMed:14657019). Acts by mediating ubiquitination and degradation of SMAD inhibitors such as SMAD7, inducing their proteasomal degradation and thereby enhancing the transcriptional activity of TGF-beta and BMP (PubMed:14657019). In addition to enhance transcription of SMAD2/SMAD3 effectors, also regulates their turnover by mediating their ubiquitination and subsequent degradation, coupling their activation with degradation, thereby ensuring that only effectors 'in use' are degraded (By similarity). Activates SMAD3/SMAD4-dependent transcription by triggering signal-induced degradation of SNON isoform of SKIL (By similarity). Associates with UBE2D2 as an E2 enzyme (By similarity). Specifically binds polysumoylated chains via SUMO interaction motifs (SIMs) and mediates ubiquitination of sumoylated substrates (PubMed:23530056). Catalyzes 'Lys-63'-linked ubiquitination of sumoylated XPC in response to UV irradiation, promoting nucleotide excision repair (By similarity). Mediates ubiquitination and degradation of sumoylated PML (PubMed:23530056). The regulation of the BMP-SMAD signaling is however independent of sumoylation and is not dependent of SUMO interaction motifs (SIMs) (PubMed:23530056).[UniProtKB/Swiss-Prot Function]

Product images:


Circular map for MG211379