

Product datasheet for **MG211388**

Arhgef2 (NM_008487) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Arhgef2 (NM_008487) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Arhgef2
Synonyms:	AA408978; GEF; GEF-H1; GEFH1; Lbcl1; Lfc; LFP40; mKIAA0651; P40
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG211388 representing NM_008487
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGTCTCGGATCGAATCCCTCACTCGCGCGGGATCGACCGGAGCAAGGAGCAGGCAACCAAGACCCGGG
 AAAAGGAGAAGATGAAGGAAGCTAAAGATGCCCGCTATACCAACGGCCACCTCTTACCACCATCTCCGT
 CTCGGCATGACCATGTGCTATGCCTGTAACAAGAGCATCACAGCCAAGGAAGCCCTCATTGTCTCTACA
 TGTAACGTGACCATCCACAACCGCTGTAAGACACCCCTGGCCAACTGTACCAAGGTCAAGCAGAAGCAAC
 AGAAAGCTGCACTGCTGAGGAACAACACTGCTTTGCAGTCTGTCTCCCTTGAAGTAAGACGACCACCAG
 AGAGCGGCCAACGTCTGCCATTTACCCTCCGACAGCTTCCGGCAGTCCCTCCTGGGTTCTCGCGGGGC
 CTCTCCTCTTATCTTTGGCCAAAAGTGTTCCTACTACCAACATTGCTGGACATTTCAATGATGAGTCTC
 CTCTGGGGCTGCGTCAGATCCTCTCCAGTCCACAGACTCCCTCAACATGCGGAACCGAACCTGTCCGT
 GGATCCCTTATTGATGAAGGTGTAGAAGTGTCTACAATGAGCTGATGAGCGACTTTGAGATGGATGAG
 AAGGACTTTGAGCGGATTCTTGAGGCCTTGCCGTGGACAGCAGCTTCTGCAGCAGCACAAAAAGGAAG
 TGATGAAGAAGCAAGATGTCATCTATGAGCTGATCCAGACAGAGCTGCACCACGTGAGAACCTTGAAGAT
 TATGACCCGCCTCTTTCGCACTGGGATGCTGGAAGAGTTGCAGATGGAGCCAGAAGTGGTCCAGGGCCTG
 TTCCCCTCGTGGATGAACTCAGTGACATTCACACACGTTTCTTAATCAGCTTCTGGAACGGCGCGCC
 AGGCTCTATGTCCAGGCAGCACCCGGAACCTTGTATCCATCGTTTGGGTGACTTGTCTATCAGTCAGTT
 CTCAGGTTCCAATGCTGAGCAGATGCGCAAGACCTACTCAGAGTCTGCAGCCGCCACACCAAGGCCTTA
 AAGCTCTATAAGGAGCTGTATGCTCGAGACAAACGCTTCCAACAGTTCATCCGAAAAATGACCCCGTCA
 GTGTGTTGAAGCGGCATGGAGTTCAGAAATGCATTCTCCTGGTACTCAGCGGATCACAAATACCTGT
 GCTCATCAACCGAATCCTGCAGAATCCACGGGGTTGAAGAAGAGTACCAAGACTTGGCGTCAGCCCTA
 GGACTAGTGAAGGAGTTGTTGTCCAATGTGGACAGGATGTGCACGAGCTGGAGAAGAGGCCCGCCTGC
 AGGAGATTTACAACCGAATGGATCCCGGGCTCAGACCCCGTACCTGGCAAGGGCCCTTTCGGCCGAGA
 TGAACCTTTACGGAGAAAACCTTATCCATGAAGGCTGCCTGCTCTGGAAGACAGCCACAGGCCGCTTCAA
 GATGCTCTGTTGCTGCTGATGACAGAGTGTCTGTTTCTCCAGGAAAAGGACCAGAAATACATTTTCA
 CATCCCTGGACAAGCCCTCAGTGGTGTCTTGCAGAACCTCATCGTAAGAGACATAGCCAACCAGGGCAA
 AGGGATGTTTCTGATTAGTTCTGGACCGCTGAGATGTATGAGGTGCATGCGCGCTCCGAGACGACCGG
 ACTACCTGGATCCGTGTCATCCAGCAGAGTGTGCGCCTGTGCCCTCCAGGGAGGACTTTCCTCTGATCG
 AGACAGAGGATAAGGCGTATCTCCGGAGGATCAAGACGAAACTGCAGCAGAAAAACAGGCGCTAGTGGA
 GCTGCTACAGAAGAATGTTGAGCTGTTTCCGAGATGGTCCACTTCCAGGCCCTAAAGGCTGGCTTCGTT
 GGAATGCCCCACCCGCCTGCCAGGGGCCTTTTCCGTCTTGTAGTCTTTGAGTCCCTCCGAGGCGAGC
 GCCTGCTAAAGGATGCCCTCCGTGAAGTGAAGGCCTGAAAGACCTGCTGTTGGGCCCATGTGTGGACCT
 GCCAACGACATCCCGAGAACCAGCCTTACCCTTGGACTCTGACAGCGGTAGCTGTCTGGGGTCACTGCC
 AATGGAGAGGCCAGAACCTTCAATGGCTCCATTGAACTCTGTAGAGCAGACTCAGATCCAGCCAGAAGG
 ATCGGAATGGAATCAGTTGAGGTCAACACAGGAGGAGGTGTTACAGCCATTGATCAATCTTTATGGACT
 TCTACATGGCCTGCAGGCTGTTGTGGTCCAGCAGGAAAGACTGATGGAAGCCCTGTTCCCTGAGGGCCCT
 GAACGGTGGGAAAAGCTATCCCGAGCCTTCTCGGGATGGTGAAGCTGGCCGGGCTGCGGTTGCTTCTG
 TAACTCCTGAGAAGCAGGCCACGGAGCTGGCACTACTGCAGAGGCAACACACCCTGTTGCAGGAAGACT
 GCGGCGCTGCCAGCGCTCGGGGAAGAGCGGGCAACTGAAGCTGGCAGCCTGGAAGCCAGGCTCCGAGAG
 AGCGAGCAAGCCCGGCCCTGCTGGAGCGGAGGCTGAAGAGATCCGCGGCAGCTTGCAGCCTTGGGCC
 AAAACGAGCCACTCCCGGAGAAGCGCCCTGGGCTCGCAGGCCTCTGGACCCACGGCGCCGAGCCTTCC
 AGCGGGCAGCCTTATACTTGAAGTCAATCCCCCAGCCAGTGCAGGCCATGACCCCTGGATTTG
 CCTGTGACTGTTGTTCCCTCCACCGACCTTTGATGACCGAGAGGCGCAAGAATTTGGTAGCCCCGAGG
 ATCGACTGCAGGACAGCAGTACCTGATACTGGTAGTGAGGAGGAAGTCAAGTCCGCTGTCTCCACC
 TCACAGTCTCGAGACTTCAACCGAATGCAGGACATTCTGAAGAGACAGAAAGCCGAGATGGGGAGCC
 ACAGCTTCAGAGAGC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG211388 representing NM_008487
 Red=Cloning site Green=Tags(s)

```
MSRIESL TRARIDRSKEQATKTREKEKMEAKDARYTNGHLFTTISVSGMTMCYACNKSITAKEALICPT
CNVTIHNRCCKDTLANCTKVQKQKAALLRNNTALQSVLSRKTTRRPTSAIYPSDSFRQSLGSRRG
LSSLAKSVSTTNIAGHFNDESPLGLRQILSQSTDNLNMRNRTLSVESLIDEGVEVFYNELMSDFEMDE
KDFEADSWSLAVDSSFLQQHKKVEMKKQDVIYELIQTELHHVRTLKIMTRLFRTGMLLEELQMEPEVVQGL
FPCVDELSDIHRFLNQLLERRRQALCPGSTRNFVIHRLGDLLISQFSGSNAEQMRKTYSEFCSRHTKAL
KLYKELYARDKRFQQFIRKMTRSAVLKRHGVQECILLVTQRITKYVPLINRILQNSHGVEEYQDLASAL
GLVKELLSNVDQDVHELEKEARLQEIYNRMDPRAQTPVPGKPGFGRDELLRRKLIHEGCLLWKTATGRFK
DVL LLLMTDVLVFLQEKDQKIYFTSLDKPSVVS LQNLIVRDIANQAKGMFLISSGPPMEYEVHAASRDDR
TTWIRVIQQSVRLCPSREDFPLIETEDKAYLRRIKTKLQKQNALVELLQKNVELFAEMVHFQALKAGFV
GMPPPALPRGLFRLESFESLRGERLLKDALREVEGLKDLLLGPCVDLPTTSREPALPLDSDSGSCP GVTA
NGEARTFNGSIELCRADSDSSQKDRNGNQLRSPQEEVLQPLINLYGLLHGLQAVVVQQRERLMEALFPEGP
ERWEKLSRANSRDGEAGRAAVASVTPEKQATELALLQRQHTLLQEELRRCQRLGEERATEAGSLEARLRE
SEQARALLEREAEIIRRLAALGQNEPLPAEAPWARRPLDPRRRSLPAGDALYLSFNPPQPSRGHDRLDL
PVTYRSLHRPFDREAQELGSPEDRLQDSSDPDTGSEEEVSSRLSPPHSPRDFTRMQDIPETESRDGEP
TASES
```

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN: NM_008487

ORF Size: 2955 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_008487.2](#), [NP_032513.2](#)

RefSeq Size: 3131 bp

RefSeq ORF: 2958 bp


Locus ID: 16800

UniProt ID: [Q60875](#)

Cytogenetics: 3 F1

Gene Summary:

Activates Rho-GTPases by promoting the exchange of GDP for GTP. May be involved in epithelial barrier permeability, cell motility and polarization, dendritic spine morphology, antigen presentation, leukemic cell differentiation, cell cycle regulation, innate immune response, and cancer. Binds Rac-GTPases, but does not seem to promote nucleotide exchange activity toward Rac-GTPases. May stimulate instead the cortical activity of Rac. Inactive toward CDC42, TC10, or Ras-GTPases. Forms an intracellular sensing system along with NOD1 for the detection of microbial effectors during cell invasion by pathogens. Involved in innate immune signaling transduction pathway promoting cytokine IL6/interleukin-6 and TNF-alpha secretion in macrophage upon stimulation by bacterial peptidoglycans; acts as a signaling intermediate between NOD2 receptor and RIPK2 kinase. Contributes to the tyrosine phosphorylation of RIPK2 through Src tyrosine kinase leading to NF-kappaB activation by NOD2. Overexpression activates Rho-, but not Rac-GTPases, and increases paracellular permeability (By similarity). Involved in neuronal progenitor cell division and differentiation (PubMed:28453519). Involved in the migration of precerebellar neurons (PubMed:28453519). [UniProtKB/Swiss-Prot Function]

Product images:


Circular map for MG211388