

## Product datasheet for **MG211427**

### Hltf (NM\_009210) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Hltf (NM_009210) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Hltf
Synonyms:	AF010600; BC057116; P113; Smarca3; Snf2l3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MG211427 representing NM\_009210  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGTCCTATACGTTACAGAGGGTCTGTTTGAAGTATTCGCAGTCTGTCCAGTATGGATCACACGAAA  
 ATATTCCAAGACTTTCATACTCAACTTTCTTGCCACATTTTGAATTCCAAGACATTATTCCTCCAGATGA  
 CTTCTAACGAGTGATGAAGAGCAAGATTTGGTTTTATTTGGAATATGAGAGGACAAGTTGTTGACTA  
 CGCTATTACACAGGAGTTGTAATAATAATGAAATGGTTGCTTTACAACGAGAGCCTAATAATCCCTATG  
 ATAAGAATGCTATTAAGTAAATAATGTGAATGGAAATCAGGTTGGCCATATAAGAGAGAGATTGCAGC  
 TGCCGTGGCCTATATCATGGACAACAAATTGGCACAAGTGAAGGTGTAGTTCCTTTTGGTGCAAGTAAT  
 ACTTTTACCATGCCTCTTATATGACTTCTGGGAAAAGAAGAAAATAGAAACGTGGTTTTAGAGCAGT  
 TGAAGAAACATGGATTTAAGTTGGTCCCACACCAAAGACTTTAGGGTCGAGTTGGAGAACGCATGGGG  
 CTCTGGAAGAGCTGGACCAAGCTATAGTAGGCCGCTCATGTGGCAGTACAGATGACAACGACCAGCTC  
 AAAACGGAATTTGACAAATTTTGAAGATTTAAAGAAGATGATAGAACTGTTGAAATGGAACCGCTG  
 AGGCTATTGAAACACCGTTGCTTCCACACCAAAAAACAAGCTCTAGCTTGGATGATCGCACGAGAGAACAG  
 TAAAGAATACCACCTTCTGGGAACAGCGCAATGACTTATTTAATAACAATAACAAATTTTTCTGTG  
 AAGGAACGACCGGAAAATGTTTATGGAGGAATTTAGCGGATGATATGGGTTTGGCAAAACTCTTACTG  
 CTATTGCTGTCATTCTTACCAACTTTGATGATGGCAGGCCCTTCTCAGTAAAGAGAGGCAAGAAGAATCA  
 TCCAGGAAAGGAATACAAGGATGAGACCATTAAACGCAGAGGAAGTAATATGGACAAGAAGGAAGATGGA  
 CACTCAGAGTCATCCACGTGTGGTGAAGAACCAGTATTTAGGAACTCCGGAGAAGAGTAGCTGTACTC  
 TGTGCGAGCTGTCTAGCGTCTGCCCTAAGAGAAGAAAAATTTCTGTACAGTACATTGAAAGTATTCTC  
 AGAGGAAATCGAGACAAGCGAAGCTGCCCAAGAAAATGAAAGGCAAGCTGAAAAATGTACAGTTAAATACT  
 AAAAGTAGAGTAAAAGGATCATCTAAGGTTAAGGAAGATTCAAAAATTTGCACTTACTTTTTTGCCTCTG  
 CAACACAAAGGAAAATGTTGAAAAAAGGCATGTCTATGATGGAGTGCTCAGAGGCATGTGACACTGGAGA  
 GAGGACAAGAGCAACTGATCATCTGTCCACTCTCTGTGCTCAGCAACTGGATTGACCAGTTTGGACAA  
 CATGTAATAATCAGAAGTGCCTTGAATTTTTATGTTTATTATGGTCTGATCGTATTAGAGATTCAGCCT  
 GGCTTTCAAAACAGGATATTATTTGACTACTTACAATTTTTAACTCATGATTGGAACATAAGATGA  
 TAGTCCATTGCATAGCATCAAGTGGTTAAGGGTGATCCTGGATGAAGGCCATGCCATTGAAATCCAAAC  
 GCTCAGCAGACAAAAGCTGTACTTGAGTTAGAGGCAGAAAAGAAGATGGGTATTGACAGGTAATCCTATCC  
 AGAATTTTAAAGGACTTGTGGTCTCTTCTGTCTTCTTAAACTTAAGCCATTTATTGATAGAGAGTG  
 GTGGTATAGGATCATACAGCGTCTGTCACTACAGGAGATGAGGGAGGACTTAGGCGTTTACAGTCTTA  
 ATAAAAATATCACGCTTAGAAGAACAAGACAAGCAAAATTAAGGGAAACCTGTTTTGGAGTTGCCAG  
 AAAGGAAAGTATTTATTCAGCACACTTCTGTGAGAAGAAGAGAGAAAGATTTATCAGTCTGTTAAAAA  
 TGAAGGCAAGGCTGCCATTGGAAGGTATTTTACTGAAGGGACTGTCTTGCACACTATGCAGATGTCTTG  
 GGTCTTCTGCTTAGATTGCGGCAGATTTGTTGCCATACCCATCTTCTTACAAACGGAATGTCTTCAAGTG  
 GCCCTCCAGAAGTGACACGCTGAAGAGCTGAGAAAGATGTTAATAGAGAAGATGAAGATAATTTCTGAG  
 CTCTGGTTCAGATGAGGAATGTGCAATCTGCCTGGATTCTTAACTTTCTGTGATAACCCACTGTGCA  
 CACGTGTTCTGTAACCTTGTATCTGTAGGTCATTACAGTGAGCAGCCACATGCAAAGTGTCTTTGT  
 GCAGAAATGAGATACATGGAGATAATCTATTAGAATGTCTCCCGAAGAATTGGCATGTGACAGTGACAA  
 AGAGTCCAGTATGGAATGGAAGTCCAGCTCAAAGATTAATGCTCTAATGCATGCTTTGATTGAATTACGG  
 ACAAAGGACCCCAACATAAAAAGTTTAGTTGTTTCTCAGTTTACCACATTCTGTCTTTAATAGAAACAC  
 CTCTTAAAGCCTCAGGATTTGTGTTTACTCGTTTATAGATGGTCCATGGCTCAAAGAAAAGAGTTGAATC  
 AATTCAGCGTTTTCAAACACAGAAGCAGGATCTCCTACGATAATGCTACTGTCTTAAAGCAGGTGGA  
 GTTGGCTTGAATCTCTGCGCAGCTTCTCGAGTGTCTTAAATGGATCCCGCCTGGAATCCTGCTGCAGAAG  
 ATCAGTGTCTTACCGGTGCCATCGACTTGGCCAGAAGCAAGAGGTGATCATCAGAAAATTCATTGTGAA  
 GGACTCTGTGGAAGAAAATATGTTGAAAATACAGAACACGAAGCGAGACCTTGCAGCTGGAGCCTTTGGC  
 ACTAAGAAAACAGACGCCAATGACATGAAACAAGCTAAAATCAACGAAATCAGAAGTTAATTGACTTG

**ACGCGT**ACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >MG211427 representing NM\_009210  
 Red=Cloning site Green=Tags(s)

```

MSYTFTRGPVWKYSQSVQYGSHENIPRLSYSTFLPHFEFQDIIPPDDLTSDEEQDLVLFGTMRGQVVGL
RYYTGVVNNEMVALQREPNNPYDKNAIKVNNVNGNQVGHKREIAAAVAYIMDNKLAQVEGVVPGASN
TFTMPLYMTFWGKEENRVVLEQLKKHGFKLGPPTKTLGSSLENAWGSGRAGPSYSRPAHVAVQMTDQL
KTEFDKLFEDLKEDDRTVEMEPAEAIEPTLLPHQKQALAWMIARENSKELPPFWEQRNDLYNTITNFSV
KERPENVHGGILADDMGLGKTLTAIAVILTNFDDGRPLL SKRGKKNHPGKEYKDETIKRRGSNMDKKEDG
HSESSTCGEEPSISGTPEKSSCTLSQLSSVCPKRRKISVQYIESSDSEEIETSEL P Q K M K G L K N V Q L N T
KSRVKGSSKVKEDSKFALTFASATQRKMLKKGMSMMECSEACDTGERTRATLII CPL SVL SNWIDQFGQ
HYKSEVHLNFYVYYPDRIRDSAWLSKQDIILTTYNILTHDYGTKDD SPLHSIKWLRVILDEGHAI RNP N
AQQTKAVLELEAERRWVL TGPIQNSLKDLSL SFLKLPKPIDREWYRIIQRPVTTGDEGLRRLQSL
IKNITLRRTKSKIKGKPVLELPERKVIQHITLSEEERKIYQSVKNEGKAAIGRYFTEGTVLAHYADV L
GLLLRLRQICCHTHLLTNGMSSSGPSRSDTPEELRKMLIEKMKIILSSGSDEECAICLDSLTFPVI THCA
HVFCKPCICQVIHSEQPHAKCPLCRNEIHGDNLLECPPEELACDSDKESSEWSSKINALMHALIELR
TKDPNIKSLVVSQFTTFLSLIETPLKASGFVFTRLDGSMAQKRVESIQRFQNTAAGSPTIMLLSLKAGG
VGLNLCAASRVFLMDPAWNPAAEDQCFDRCHRLGQKQVEIITKFIKDSVEENMLKIQNTKRDLAAGAFG
TKKTDANDMKQAKINEIRTLIDL
    
```


TRTRPLE - GFP Tag - V


Restriction Sites:

Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



**Plasmid Map:**


**ACCN:** NM\_009210

**ORF Size:** 3009 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_009210.3](#), [NP\\_033236.2](#)

**RefSeq Size:** 4955 bp

**RefSeq ORF:** 3012 bp

**Locus ID:** 20585

**UniProt ID:** [Q6PCN7](#)

**Cytogenetics:** 3 6.15 cM

**Gene Summary:**

Has both helicase and E3 ubiquitin ligase activities. Possesses intrinsic ATP-dependent nucleosome-remodeling activity. This activity may be required for transcriptional activation or repression of specific target promoters (By similarity). These may include the SERPINE1, to which this protein can bind directly. Plays a role in error-free postreplication repair (PRR) of damaged DNA and maintains genomic stability through acting as a ubiquitin ligase for 'Lys-63'-linked polyubiquitination of chromatin-bound PCNA (By similarity).[UniProtKB/Swiss-Prot Function]