

Product datasheet for **MG211532**

Ank2 (BC059251) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ank2 (BC059251) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Ank2
Synonyms:	ankyrin>B<, Ankyrin-2, Ankyrin-B, ankyrin B
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG211532 representing BC059251 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGACGGAGGTCCTTGATGTTTCTGATGAAGAGGGTGATGACACTGTGACAGGTGATGGGGGAGAATACC
TCAGGCCAGAAGATCTCAAGGAGCTCGGAGATGACTCACTGCCAGCAGTCAGTTCCTGGATGGCATGAA
CTACCTTCGGTACAGTCTGGAGGGAGGAAGATCCGACAGCCTCCGGTCTTCAGTTCGACAGGTCTCAC
ACTCTGAGCCATGCATCGTACCTGAGGGACAGTGCCATGATTGACGACACGGTTGTGATCCCCAGCCACC
AGGTGTCTGCGCTAGCCAAGGAGGCAGAAAGGAATTCCTATCGTCTGAGCTGGGGCACTGAGAACTTAGA
CAACGTGGCTCTTCTCCAGTCTATTCAATTCAGGTTTCTAGTCAGTTTTATGGTGGATGCCCGTGGT
GGTGCCATGCGAGGATGCAGACACAATGGACTCAGAATCATTATCCCACCTCGGAAATGCACAGCCCAA
CTCGCGTCACCTGCCGCTTGTGAAACGCCATCGACTGGCAACAATGCCGCCATGGTGGAAAGGAGAAGG
CCTGGCCAGCCGCTGATTGAAGTCGGACCTTCGGGAGCTCAGTTTCTGGGCCCGTGTGCTGGAGATC
CCTCACTTCGCCGCTCTTCGAGGAAAGGAGAGGGAGCTGGTGGTCTGCGCAGTGAATGGGGACAGCT
GGAAAGAGCATTCTGCGACTACACTGAGGATGAATTGAACGAAATCCTTAATGGCATGGATGAAGTGT
GGACAGTCCAGAAGACCTGGAAAAGAAACGAATCTGCCGATCATCACTCGTACTCCACAGTACTTT
GCGGTGGTGTCTCGCATCAAACAGGACAGCAACCTGATTGGCCCGAGGGTGGAGTACTGACAGCACAG
TGGTGTACAGGTGCAAGCCGTCTTCCAGAGGGCGCACTCACCAAGCGCATTTCGAGTAGCCCTACAGGC
TCAACCTATGCATAGTGAATTGGTAAAGAAGATCTTAGGCAACAAGCCACCTTCAGCCCAATAGTCACT
TTGGAACCCAGGAGAAGAAAATCCACAAGCCAATTACTATGACTATTCTGTCCCCAAAGCTTCAAGTG
ATGTCATGCTGAATGGTTTTGGGGGAGACGCCAACCTTAAGATTACTGTGCAGCATAACAGGTGGAAC
TACGCTGCCAGTGGGAAGACATCACAGGAACAACGCCACTAACATTTGTCAATGAGTGTGTTTCTTT
ACAACCAAGTGTCTGCCAGTTCTGGCTGATAGACTGTCGACAGATTCCAGGAGTCTGTTGCCTTTCAT
CACAAGTGTATAGAGAAATATCTGTGTCCATATATGGCCAAATTTGTAGTGTTCGCAAGTACATGA
CCCCATTGAAGCCAGTTGCGGTGTTTCTGTATGACAGATGACAAAGTAGATAAGACCCTTGAACAACAA



[View online >](#)

```
GAAAATTCTCTGAGGTGGCCAGGAGCAGGGATGTGGAGGTATTGGAAGGAAAACCTATTTATGTTGATT
GTTTTGGCAACCTGGTTCCACTAACCAAGAGTGGCCAACATCATATTCAGCTTTTTGGCTTCAAAGA
AAATAGACTTCCTCTCTTTGTCAAGGTTCTGTGACACAACCCAGGAACCTTGCGGGCGACTCTCATTTATG
AAGGAACCCAAATCCACAAGAGGACTGGTGCATCAAGCTATTTGCAACTTAAACATCACCCCTGCCAATTT
ATGCCAAGGAATCGGAGTCAGATCAAGAGCCGGAGGAAGATCGGTATGACATCCGAAAAAATCCCCA
AGATGAGCAGGAGCGGATGGAAGAAAGGCTGGCTTACATCGCTGATCACCTTGGCTTCAGCTGGACAGAA
TTAGCAAGAGAAGTGGATTTCACTGAGGAGCAAATTCACCAAATTCGAATCGAGAACCCCAACTCCCTTC
AAGATCAGAGCCACGCACTGCTCAAGTACTGGCTGGAGAGGGATGGGAAGCATGCCACAGATACCATCCT
CATCGAATGCCTACCAAGATCAACAGGATGGACATTGTACATCTCCTGGAGACCAACACAGAGCCCTC
CAGGAGCGCATGGGCCGAGCTATGCAGAAATAGAGCAGACCATTACGCTGGACCACAGTGAAGGATTTT
CAGTCTTCCAGACGAGCTCTGTGCTGCCAAGGAGAAGAAGGAGCAGGAAGCTTCCAAAGAAAGCGAGTC
TAGCGACCACCCGCCATGGTCTCCGAAGAAGACATATCTGTGGTTATTCCACATTTCCAGGATTGCCTC
CCCAAACTGAAGGGGACAGCCAGCAGCAGCACTGTCTCCTCAAATGCACCAGGAGCCAGTTCAACAAG
ATTTCTCAGGGAAAACGCAAGACCAGCAGGAATATTATGTAACAACACCAGGGGCAGAAGTGAAGACCC
TCAGAAGGCCACAGCCGTTCTGACTCTCTGTAAAGACTCCTGAGGACATCAGTACCCCTCCTGAGGGA
ACAAAGCCTTGTCTCCAGACCCCGGTGACTAGCGAACGTGGTTCTCCGATTGTGCAAGAACCTGAGGAGG
CTTCCGAGCCAAAGAGGAGAGTTCTCCAAGGAAAAGTACCTGGTCAATTGTTGAGTCAACAGACGACCA
GTCTCAGGTCTTTGAAAGACTGGATGGTATGCCGCTTTTCAAAGGGGAGACGATATGCCTGACATACCC
CCAGAGACGGTCACAGAGGAAGAATATGTTGATGAGAAATGGACACACCCGTGGTGAAGAAGTTACCCGGA
AAATCATTAGGCGGTACGTTTCCCTCTGATGGCAGAGAGAAGGAGGAGTTACCATGCAGGGAATGCCTCA
GGAGCCAGTCAACATTGAGGATGGGACAATTATCCAAAGTGATAAAGCGCGTGGTATTGAAGAGTGAC
ACCCAGCAGTCAGAGGTGACTTTGTCTGAACCCAGCGTTTTGTCCAGTACCTCACAGTTTCAGGCCGAGC
CAGTAGAAGGCCGTAGAGTCAGCAAAGTTGTTAAAACAACCATGGTACACGGAGAACGGATGGAGAAGAG
TCTTGGGACTCTAGCTTAGCCACTGACCTTCTTCAGCCAAAGATGACTTTGAAGAGGACAACAATGAG
```

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>MG211532 representing BC059251
 Red=Cloning site Green=Tags(s)

```
MTEVLDSDEEGDDTVTDGGEYLRPEDLKELGDDSLPSSQFLDGMNYLRYSLLEGGRSDSLRSFSSDRSH
TLSHASYLRDSAMIDDTVVIPSHQVSALAKEAERNYSYRLSWGTELDNVALSSSPIHSGFLVSFMDVARG
GAMRGRHNGLRIIIPPRKCTAPTRVTCRLVKRHLATMPPMVEGEGLASRLIEVGPSGAQFLGPVIVEI
PHFAALRGKERELVVLRSSENGDSWKEHFCDYTEDELNEILNGMDEVLDSPEDLEKKRICRIITRDFPQYF
AVVSRIKQDSNLIGPEGGVLSSVVVSQVQAVFPEGALTKRIRVGLQAQPMHSELVKKILGNKATFSPIVT
LEPRRRKFHKPITMTIPVPKASSDVMLNGFGGDAPTLRLLCSITGGTTPAQWEDITGTTPLTFVNECVSF
TTNVSARFWLIDCRQIQESVAFASQVYREIICVPYMAKVVFAKSHDPIEARLRCFCMTDDKVDKLEQQ
ENFSEVARSRDVEVLEGPPIYVDCFGNLVPLTKSGQHHIFSFFAFKENRLLPLFVKVRDTTQEPGRLSFM
KEPKSTRGLVHQAI CNL NITLPIYAKESESDQEPEEEIGMTSEKNPQDEQERMEERLAYIADHLGFSWTE
LARELDFTEEQIHQIRIENPNSLQDQSHALLKYWLERDGHATDITLIECLTKINRMDIVHLLTNTPEL
QERMGRSYAEIEQTITLDHSEGSVLPDELCAAKEKKEQEASKESESSDHPMVSEEDISVGYSTFQDCL
PKTEGDSAAAALSPQMHQEPVQQDFSGKTQDQQEYVVTTPGAEVDPQKATAVPDLSLCKTPEDISTPPEG
TKPCLQTPVTSERGSPIVQEPPEASEPKEESSPRKTSLVIVESTDDQSQVFERLDGDAAFQKGDMDIP
PETVTEEEYVDENGHVVKVTRKIIIRRYVSSDGTKEEVTMQGMPQEPVNIEDGDNYSKVIKRVVLKSD
TQQSEVTLSEPSVLSSTSQFAEPVEGRRVSKVVKTTMVHGERMEKSLGDSSLATDLPSAKDDFEEDNNE
```

TRTRPLE – GFP Tag – V


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: BC059251

ORF Size: 3152 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC059251 , AAH59251
RefSeq Size:	4997 bp
RefSeq ORF:	3152 bp
Locus ID:	109676
Cytogenetics:	3 56.07 cM
Gene Summary:	<p>Plays an essential role in the localization and membrane stabilization of ion transporters and ion channels in several cell types, including cardiomyocytes, as well as in striated muscle cells. In skeletal muscle, required for proper localization of DMD and DCTN4 and for the formation and/or stability of a special subset of microtubules associated with costameres and neuromuscular junctions (PubMed:19109891). In cardiomyocytes, required for coordinate assembly of Na/Ca exchanger, SLC8A1/NCX1, Na/K ATPases ATP1A1 and ATP1A2 and inositol 1,4,5-trisphosphate (InsP3) receptors at sarcoplasmic reticulum/sarcolemma sites (PubMed:12571597). Required for expression and targeting of SPTBN1 in neonatal cardiomyocytes and for the regulation of neonatal cardiomyocyte contraction rate (PubMed:15262991). In the inner segment of rod photoreceptors, required for the coordinated expression of the Na/K ATPase, Na/Ca exchanger and beta-2-spectrin (SPTBN1) (PubMed:19007774). Plays a role in endocytosis and intracellular protein transport. Associates with phosphatidylinositol 3-phosphate (PI3P)-positive organelles and binds dynactin to promote long-range motility of cells. Recruits RABGAP1L to (PI3P)-positive early endosomes, where RABGAP1L inactivates RAB22A, and promotes polarized trafficking to the leading edge of the migrating cells. Part of the ANK2/RABGAP1L complex which is required for the polarized recycling of fibronectin receptor ITGA5 ITGB1 to the plasma membrane that enables continuous directional cell migration (PubMed:27718357).[UniProtKB/Swiss-Prot Function]</p>