

Product datasheet for **MG211557**

Bub1 (NM_009772) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Bub1 (NM_009772) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Bub1
Synonyms:	AL022991; Bub1a; C80208; D2Xrf87
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG211557 representing NM_009772 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGACAACCTAGAAAATGTCTTTCGCATGTTTGAAGCCCATATGCAAAGCTACACGGTAATGACCCAC
TTGGAGAATGGGAAAGCTTTATAAAGTGGGTAGAAGAGAATTTTCTGACAATAAAGAATACTTGATGAC
ATTATTAGAACATTTAATGAAGGAATTTTACATAAGAAGAACTACCACAATGATTCAAGATTCATCAAT
TATTGCTTAAATTTGCTGAGTACAACAGTGACCGTCATCAGTTTTTTGAGTTTCTGTACAACAGGGAA
TTGGAACCAAGTCATCATATATACATGTCCTGGCAGGGCATCTGGAAGCCCAGGAGAGCTGCAGCA
TGCCAGTGCTATTTTTAGACAGGAATTCACAATGAGGCTGAACCTAAAGAACTACTACAGCAACAATAC
AGGCTATTTCCAAGCACGCCTTACTGGAATCCATTTGCCAGCTCAAGCTACAACCTCAGAACCTTTGCATA
GTGCACAGATTTTAAACCAAGTTATGATGACAACTCAAGTCCAGAAAAAACTCAGCCTGTGTTCCTAG
GAGTCAGGGTTCAGAATGTTCTGGTGTGGCATCTTCCACTTGTGATGAAAAGTCTAATATGGAACAAAGG
GTGATCATGATTTCCAAGTCAGAATGCTCTGTGAGTCTGTGTCAGTCACTGTGGCACCCCAAGCCTGAGGCTCAGCAAG
TTATGTACTGCAAGGAAAAGCTTATTCGTGGAGATTGAGAATTTCTTTTGAAGAACTGAGAGCCCAGAA
ATATAATCAAAGGAAGAAGCATGAGCAGTGGGTTAGTGAAGACAGAAATATATGAAAAGGAAAGAAGCA
AATGCTTTTGAAGAGCAATTATTAACAGAAAATGGATGAACCTCACAAGAAATTCATCAAGTGGTGG
AATTGTCACACAAGGACCTTCTGCTTCTGAGAACAGGCCTGATGTTAGTCTAGTATGTGTTGGACAAAA
TACTTGCTCCCAGCAGGAATTGAGGGTCCAAGTCTTTCATCCATCAGTCATCAGACCTCAGAGAGTTCA
GGAGAGAAACCACAGGAAGAACCTTCTGTTCTTATGGTAAATGCTGTTAACAGCACTTTGCTGTTCC
CAGCTGCCAACCTGCCAGCTCTTCTGTTCTGTAAGTGGCCAGTCATTGACAGACTCCAGATGTGTGAA
TCAAAGTGTTCATGAATTCATGCCACAGTGTGGACCAGAAAACAAAAGAAGTGTGTGAAACAAATAAAGTT
GCCAGCATTAAATGATTTTCATACAACCTCAAACACATCATTGGGAATGGTTCAAGGAACACCATGCAAAG
TGCAGCCATCACCAACTGTCCACACCAAGGAAGCATTAGGTTTCATCATGGACATGTTTCAGGCTCCAAC
ACTTCTGACATTTCTGATGATAAAGATGAATGGCCATCTCTGGACAAAATGAAGATGCATTTGAAGCC



[View online »](#)

```
CAGTTTCAAAAAATGCAGTATCTTCGGGAGATTGGGGAGTTAAAAAATTATGACTTTGTCATCTGCTT
TTCTATTTTTGAAGATGGAAACAAAGAAAATTATGGCTTACCACAGCCTAAAAATAAGCCCTTAGGAGC
TAGGACCTTTGGAGAACGATCTCTCAGTAAATATTCCTCGAGATCAAAATGAAATGCCTCACACTGATGAG
TTTATGGATGATTCAACAGTATGTGGTATTCGCTGCAACAAAACCTAGCTCCCAGTCTAAAAGTATAG
GAGACTTTACATCTGCTGCCAACTTTCGCTACACCATTCCACAAAATTTCCAGCAGATTTAGTACAGAT
TCCAGAAGATAAAGAAAATGTGGTAGCCACACAGTATACACATATGGCTTTGGATTCTTTGAAAGAAAAC
ATAGTGGACCTCTCAAAGGCAGAAAGCTTGGCCAAATCAAGAGAAAATTTAGCATCTTTACCCTGTC
CTAGTCAGCCTGCCACAGGTGGTTTGTTCACCCAGGAAGCAGTGTTCGGCCTTGAGGCTTTTAAATGCAC
AGGCATTGACCATGCGACAGTGGAAAGCCTATCCGATGCCAATGCTGGGCTCCAAGTTGAATGCGTGCAG
ACACTTGGAAATGTCAATGCTCCAAGCTTACTGTTGAGAACCCATGGGATGACGAATTGATTCTTAAAC
TTCTCTCTGGACTTTCTAAGCCAGTTACTTCTATTCAAATACTTTTGTAGTGGCAGAGTAAACTCCAGC
CATCAAGACCAAGACAGAATATCAATTGGGTTCTTTGCTGGTCTATGTGAATCACCTTCTGGAGAAGGA
GCCTTTGCTCAAGTCTTTGAAGCTATTCATGGAGATGTGAGAAATGCCAAAAGTGAACAGAAATGCATTT
TGAAGGTGCAGAGACCTGCCAACTCTGGGAATCTACATTGGGATGCAGCTGATGGAAAGACTAAAGCC
AGAAGTACATCACATGTTTCAAGTTTTATTCTGCTCATTTATTCAAGAATGGCAGCATATTAGTAGGG
GAACTCTACAGCTATGGGACGTTACTAAATGTCATTAACCTCTATAAAAAACCTCTGAAAAAGTATGC
CCCAGGCTCTTGTCTCACTTTCGCTATCAGAATGCTTTACATGGTTGAACAAGTCCACAGCTGCGAAAT
CATTATCGGAGACATTAAGCCAGATAACTTCATACTAGGACACAGATTTTTGGAACAGGCTGATGAAGAC
TTAGCTACCGCTTGGCATTGATTGACCTGGGTGAGATATAGATATGAAACTTTTCCCTAAAGGAACTG
TATTTACAGGAAAATGTGAAACATCTGGTTTTGAGTGTCTGAGATGCTCAGTAAACAGCCATGGAAC
CCAGATTGATTACTTTGGAGTTGCTGCAACAATACTGTATGCTCTTTGGCTCTTACATGAAAGTAAAA
AATGAAGGAGGAGTCTGGAACCTGAAGGTCTTTTGAAGGCTTCTCATTGGATATGTTGGGAGGAAT
TTTTTACATCATGTTGAATATACCGGATTGTCATAATCTCCATCTTTGGATTTCTGAGACAGAATAT
GAAGAAAATTACTTGAACAACAGTATTTCCAACAAGATTAAGACCTTGCCTAATAGGCTAATTGTGATGCTT
TCAGAATATAAGCGTTCAAGAAAA
```

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>MG211557 representing NM_009772

Red=Cloning site Green=Tags(s)

```
MDNLENVFRMF EAHMQSYTGNDPLGEWESFIKWVEENFPDNKEYLMTLLEHLMKEFLHKKNYHNSRFIN
YCLKFAEYNSDRHQFFFLYNQIGTKSSYIYMSWAGHLEAQGELQHASAIFQTGIHNEAEPKELLQQQY
RLFQARLTGIHLPAQATTSEPLHSAQILNQVMMTNSSPEKNSACVPRSQGSECSGVASSTCDEKSNMEQR
VIMISKSECSVSSSVAPKPEAQVVMYCKEKLIRGDSEFSFEELRAQKYNQRKKHEQWVSEDRNYMKRKEA
NAFEEQLLKQKMDLHKKLHQVVELSHKDLPAENRPDVSLVCVGQNTCSQQELRGPSSISHTSESS
GEKPQEEPSVPLMVNAVNSTLLFPAANLPALPVPVSGQSLTDSRCVNQSVHEFMPQCGPETKEVCETNKV
ASINDFHTTPNTSLGMVQGTQPKVQPSPTVHTKEALGFIMDMFQAPTLPI SDDKDEWPSLDQNEFAFEA
QFQKNAVSSGDWGVKKIMTLSSAFP IFEDGNKENYGLPQPKNKPLGARTFGERSLSKYSSRSNEMPHTE
FMDDSTVCGIRCNTLAPSPKSIIGDFTSAAQLSSTPFHKFPADLVQIPEDKENVVATQYTHMALDSCKEN
IVDL SKGRKLGPIQEKISASLPCPSQPATGGLFTQEAVFGLEAFKCTGIDHATVEDLSDANAGLQVECVQ
TLGNVNAPSFTVENPWDELILKLLSGLSKPVTYSNTFEWQSKLPAIKTKTEYQLGSLLYVNHLLGEG
AFAQVFEAIHG DVRNAKSEQKCILKVQRANSWEFYIGMQLMERLKPEVHHMFIKFS AHLFKNGSILVG
ELYSYGTLLNVLNLYKNTSEKVMQALVLTFAIRMLYMVEQVHSCEI IHGDIKPDFILGHRFLEQADE
LATGLALIDLQSIDMKLFPKGTVFTGKCETSGFQCPEMLSNKPWNYQIDYFGVAATIYCMFLFGSYMVKV
NEGGVWKPEGLFRRLPHLDMWEEFFHIMLNI PDCHNLPSLDFLRQNMKLLLEQQYSNKIKTLRNLRIVML
SEYKRSRK
```

TRTRPLE – GFP Tag – V


Restriction Sites:

Sgfl-Mlul

Cloning Scheme:



Plasmid Map:



ACCN: NM_009772

ORF Size: 3174 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_009772.2</u> , <u>NP_033902.2</u>
RefSeq Size:	4334 bp
RefSeq ORF:	3177 bp
Locus ID:	12235
UniProt ID:	<u>O08901</u>
Cytogenetics:	2 62.1 cM
Gene Summary:	<p>Serine/threonine-protein kinase that performs 2 crucial functions during mitosis: it is essential for spindle-assembly checkpoint signaling and for correct chromosome alignment. Has a key role in the assembly of checkpoint proteins at the kinetochore, being required for the subsequent localization of CENPF, BUB1B, CENPE and MAD2L1. Required for the kinetochore localization of PLK1. Required for centromeric enrichment of AUKRB in prometaphase. Plays an important role in defining SGO1 localization and thereby affects sister chromatid cohesion. Acts as a substrate for anaphase-promoting complex or cyclosome (APC/C) in complex with its activator CDH1 (APC/C-Cdh1). Necessary for ensuring proper chromosome segregation and binding to BUB3 is essential for this function. Can regulate chromosome segregation in a kinetochore-independent manner. Can phosphorylate BUB3. The BUB1-BUB3 complex plays a role in the inhibition of APC/C when spindle-assembly checkpoint is activated and inhibits the ubiquitin ligase activity of APC/C by phosphorylating its activator CDC20. This complex can also phosphorylate MAD1L1. Kinase activity is essential for inhibition of APC/CCDC20 and for chromosome alignment but does not play a major role in the spindle-assembly checkpoint activity. Mediates cell death in response to chromosome missegregation and acts to suppress spontaneous tumorigenesis. Essential during early and later stages of embryonic development. Necessary for postimplantation embryogenesis and proliferation of primary embryonic fibroblasts and plays an important role in spermatogenesis and fertility.[UniProtKB/Swiss-Prot Function]</p>