

Product datasheet for **MG211589**

Ret (BC059012) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ret (BC059012) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Ret
Synonyms:	RET9, RET51, PTC
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG211589 representing BC059012 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGAAAGCGACGTCCGGCGCCGAGGGCTGGGGCTGAAGCTGATTTTGCTCCTGCCGCTGCTAGGAG
AAGCCCCACTGGGCTCTATTTCTCAAGGGATGCTTACTGGGAGAGGCTGTATGTAGACCAGCCAGCTGG
CACACCTCTGCTCTATGTCCATGCCCTACGGGATGCCCTGGAGAAGTGCCGAGCTTCCGCTGGGCCAG
CATCTCTATGGCGTCTACCGTACACGGTGCATGAGAATGACTGGATCCGCATCAATGAGACTACTGGCC
TTCTCTACCTCAATCAGAGCCTGGACCACAGTTCTCTGGGAACAGCTCAGCATCCGCAATGGTGGTTTCCC
CCTGCTCACCATCTTCTCCAGGTCTTTCTGGGGTCCACAGCCAGAGAGAGGGAGAATGCCATTGGCCA
GGCTGTACCCGTGTACTTCTCCTTCAACGACACCTTCCCAAATTGTAGCTCCTTCAAAGCCAGG
ATCTCTGCATCCCAGAGACAGCCGTGCTCTTCCGAGTCAGGGAGAACAGGCCCTCCTGGCACCTTCTACCA
CTTCCACATGTTACCCGTGCAGTTCTTTGTCCCAACATCAGTGTGAAGTACAGTCTCTTAGGAGGGGAT
AGTCTGCCCTTCCGTTGTGACCCAGACTGCCTGGAGGTGAGCACTCGCTGGGCCCTGGATCGAGAGCTCC
GGGAGAAGTATGTCTGGAGGCTTTGTGCATAGTGGCAGGCCCTGGTCCCAACAAGAGACGGTGACTCT
GTCCTTCCCAGTGACAGTGTATGATGAGGACGACTCGCGCCACCTTCTCTGGAGGTGTGGCACTGCC
AGCGCGTGGTGGAGTTTAAGCGGAAGGAGGGCACTGTGGTGGCCACCCTGCAGGTGTTTCGATGCGAGATG
TGGTGCCAGCGTCTGGGAGCTGGTGGAGCGGTACACAAACACACTCCTCTCAGGGGACTCCTGGGCCCA
GCAGACCTTCCGGGTGGAGCATTGCGCCATCGAGACCTTGGTCCAGGTCAACAACAACCTCCGTTCCGGCA
ACCATGCACAATTACAAGCTGATTCTCAACAGGAGCCTGTCTATCTCAGAGAGCCGAGTCTGCAGCTCG
CGTCTGGTCAACGACTCAGACTTCCAGGGCCCTGGGGCAGGTGGTATCCTCGTCTCCATTTCAACGT
GTCTGTACTGCCCGTACCCTGAACCTACCAGGGCCTACTCCTTCCCAGTGAATAAGAGGGCCCGCCG
TATGCCAGATCGGAAAGTCTGTGTGGAAAAGTCCAGGAGTTCAGCGGTGTCTCCATCCAGTACAAGC
TGCAGCCTTCCAGCATCAACTGCACTGCCCTAGGTGTGGTACCTCACCCGAGGACACTCGGGACCCT
ATTTGTAATGACACAGAGGCCCTGCGGCGACCTGAGTGCACCAAGCTTCACTACAGGTTAGTCCACT



[View online »](#)

```
GACCGGCAGACCCGACAGACAGCCAGGCTTCGCTAGTGGTCACTGTGGAGGGGACATCCATTACTGAAG
AAGTAGGCTGCCCAAGTCTGTGCAGTAAACAAGAGGCGCCCGAGTGTGAGGAATGTGGTGGCCTGGG
TTCTCCAAGTGGCAGGTGCGAGTGGCGCCAGGGAGATGGTAAAGGGATCACAGGAACTTCTCCACTGC
TCCCCAGTACCAGGACCTGCCCGACGGCCACTGTGATGCTGTGGAGAGCCGGGATGCCAACATTTGCC
CCCAGGACTGTCTCCGTGCCGACATTGTTGGAGGACACGAGCGAGGGGAGCGCCAGGGCATTAAAGCAGG
CTACGGCATCTGCAACTGTTCCCTGATGAGAAGAAATGCTTCTCGAGCCAGAGGACGCCAGGGCCCA
CTGTGTGATGCGCTGTGCCGACGATCATCACAGCTGCCCTTCTCCCTTATCATCTCCATCGCTGTG
CCATCTTCTGTGTGCCACCACCAAGCATGGGCACAAGCCGCCATTGCATCAGCGAAATGACCTT
CTGCCGGCCGGCCAGGGCTTCCAATCAGTTATTCTCCTCAGGCACCCGCCGGCCCTACTGGATTCC
ACGGAGAACCAGGTTCTGTGGACTCTTCAAGATCCCGGAGGATCCAAAGTGGGAATTTCTCGGAAGA
ACTTAGTCTTGGGAAAAGTCTGGGAGAAGGCGAGTTTGGAAAAGTTGTCAAGGCCACAGCCTTCCGTCT
GAAAGGCCGGCAGGATACACCACAGTGGCTGTGAAAATGCTGAAAGAAAACGCCTCCAGAGTGAGTTA
CGAGACCTGTCTGAGTTCAACCTTCTGAAACAAGTCAACCATCCACATGTCATCAAGTTGTATGGG
CCTGCAGCCAGGATGGGCCACTTCTTCTATTGTGGAGTATGCCAAGTATGGCTCCCTGCGGGGATTCT
CCGTGACAGCCGAAGATTGGGCTGCCTATGTGAGCGGTGGAGGCAGCCGCAACTCCAGCTCGCTGGAC
CACCAGATGAAAGGGTACTGACCATGGGTGACCTCATCTCCTTCGCCTGGCAGATCTCGAGGGGTATGC
AGTACTTGGCAGAAATGAAGCTTGTACATCGGGACTTAGCTGCCAGGAACATCTTGGTGGCTGAGGGACG
GAAGATGAAGATTTCCGACTTTGGGCTGTCCCAGATGTTTATGAGGAAGATTCCATGTGAAGAAAAGC
AAGGGCCGGATTCCCGTCAAGTGGATGGCAATTGAGTCCCTTTTCGATCACATCTATACTACTCAAAGTG
ATGTGTGGTCTTTGGAGTGTGCTCTGGGAGATTGTGACCCTGGGAGGCCAACCCCTACCCTGGAATTCC
TCCTGAACGACTTCAACCTTCTGAAGACAGGCCACAGGATGGAGAGGCCAGACAAGAGGCCAGTGTGCTGACATCAGCA
AGGATCTGGAGAAGATGATGGTCAAGAGCAGAGACTACTTGGACCTGGCTGCATCCACACCTTCGGACTC
ACTGCTGTATGACGATGGGCTCTCAGAAGAGGAGACACCCTGGTGGACTGTAACAATGCTCCCTCCCG
CGCTCCCTCCCTTCCACATGGATTGAAAACAACTCTATGGTAGAATTTACATGCATTTACTAGATTC
```

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>MG211589 representing BC059012

Red=Cloning site Green=Tags(s)


```
MAKATSGAAGLGLKILLLLPLLGEAPLGLYFSRDAYWERLYVDQPAQTPLLYVHALRDAPGEVPSFRLGQ
HLYGVYRTRLHENDWIRINETTGLLYLNQSLDHSSWEQLSIRNGGFPLLTIFLQVFLGSTAQREGCHWP
GCTRVYVFSFINDTFPNCSSFKAQDLCPETAVSFRVRENRPPTGFYHFHMLPVQFLCPNISVKYSLGGD
SLPFRCDPDCLEVSTRWALDRELREKYVLEALCIVAGPGANKETVTLSPVTVYDEDDSAPTFSGGVGTA
SAVVEFKRKEGTVVATLQVFDADVVPASGELVRRYTNTLLSGDWAQQTFRVEHSPIETLVQVNNNSVRA
TMHNYKILNRSLSISESRVLQLAVLVNDSDFQGPAGGILVLFHNVSVLPVTLNLPRAYSFPVNRARR
YAQIGKVCVENCQEFSGVSIQYKLPSSINCTALGVVTSPEDTSGTLFVNDTEALRRPECTKLQYTVVAT
DRQTRRQTQASLVVTVEGTSITEEVGCPKSCAVNKRPECECGGLGSPTGRCEWRQGDGKITRNFSTC
SPSTRTCPDGHCDAVESRDANICPDCLRADIVGGERGERQGIKAGYGCNCFPDEKKCFCEPEDSQGP
LCDALCRTIITAALFSLIISILLIFCVCHHHKHGHKPPIASAEMTFCRPAQGFPISYSSSGTRRPSLDS
TENQVPVDSFKIPEDPKWEFPRKNLVLGKTLGEGEFKVVKATAFRLKGRAGYTTVAVKMLKENASQSEL
RDLLSEFNLLKQVNHPHVIKLYGACSDGPLLLIVEYAKYGSRLRFLRDSRKIGPAYVSGGSRNSSSLD
HPDERVLTMGDLSFAWQISRGMQYLAEMKLVHRDLAARNILVAEGRKMKISDFGLSRDVYEEDSYVKKS
KGRIPVKWMAIESLFDHIYTTQSDVWSFGVLLWEIVTLGGNPYPGIPPERLFNLLKTGHRMERPDNCSEE
MYRLMLQCWKQEPDKRPVFADISKDLEKMMVKS RDYDLAASTPSDSL YDDGLSEETPLVDCNNAPLP
RSLPSTWIENKLYGRISHAFTRF
```

TRTRPLE – GFP Tag – V

Restriction Sites:

Sgfl-MluI

Cloning Scheme:

Plasmid Map:


ACCN: BC059012

ORF Size: 3221 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>BC059012, AAH59012</u>
RefSeq Size:	4517 bp
RefSeq ORF:	3221 bp
Locus ID:	19713
Cytogenetics:	6 55.86 cM
Gene Summary:	Receptor tyrosine-protein kinase involved in numerous cellular mechanisms including cell proliferation, neuronal navigation, cell migration, and cell differentiation upon binding with glial cell derived neurotrophic factor family ligands. Phosphorylates PTK2/FAK1. Regulates both cell death/survival balance and positional information. Required for the molecular mechanisms orchestration during intestine organogenesis; involved in the development of enteric nervous system and renal organogenesis during embryonic life, and promotes the formation of Peyer's patch-like structures, a major component of the gut-associated lymphoid tissue. Modulates cell adhesion via its cleavage by caspase in sympathetic neurons and mediates cell migration in an integrin (e.g. ITGB1 and ITGB3)-dependent manner. Involved in the development of the neural crest. Active in the absence of ligand, triggering apoptosis through a mechanism that requires receptor intracellular caspase cleavage. Acts as a dependence receptor; in the presence of the ligand GDNF in somatotrophs (within pituitary), promotes survival and down regulates growth hormone (GH) production, but triggers apoptosis in absence of GDNF. Regulates nociceptor survival and size. Triggers the differentiation of rapidly adapting (RA) mechanoreceptors. Mediator of several diseases such as neuroendocrine cancers; these diseases are characterized by aberrant integrins-regulated cell migration. Mediates, through interaction with GDF15-receptor GFRAL, GDF15-induced cell-signaling in the brainstem which induces inhibition of food-intake. Activates MAPK- and AKT-signaling pathways (PubMed:28846099).[UniProtKB/Swiss-Prot Function]