

## Product datasheet for **MG211632**

### Smarcc2 (NM\_198160) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Smarcc2 (NM_198160) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Smarcc2
Synonyms:	5930405J04Rik
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG211632 representing NM_198160 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGCGGTGCGGAAGAAGGACGGCGGCCCAACGTGAAGTACTACGAGGCCGGACACCGTGACCCAGT  
TCGACAACGTGCGGCTCTGGCTCGGCAAGAACAAGAAGTACATACAAGCAGAACCGCCAACCAACA  
GTCTCTGTCCAGCCTGGTGGTGCAGTTGCTCCAGTTTCAGGAAGAGGTTTTGGCAAACATGTCAGCAAC  
GCACCGCTTACTAACTGCCGATCAAATGTTTCCTAGATTTCAAAGCAGGAGGATCCCTCTGCCATATTC  
TTGCAGCTGCCTACAAATTCAGAGTGACCAGGATGGCGGCGTTACGATTTCCAGAATCCATCAGCAT  
GGACCGCAATGTGAAATGTTTCATGACCATTGAGAAGTCCTTGGTACAGAATAATTGCCTGTCACGACCT  
AACATTTTCTCTGCCAGAAATGAGCCAAACTGCTAGGGAAATTAAGACATTGTTAAGAGACACC  
AGGGAACCATCTCTGAGGATAAGAGCAATGCCTCCCATGTTGTGTATCCTGTCCCAGGGAACCTAGAAGA  
AGAGGAATGGGTACGGCCAGTCAAGAAGGGATAAACAGGTTCTTCTGCACTGGGGCTACTATCCTGAC  
AGCTACGACACGTGGATCCCAGCGAGTGAATGAAGCATCTGTGGAGGACGCTCCCACTCTGAGAAAC  
CGAGGAAGGTCCATGCGAAGTGGATCCTCGACACCGACACATTCAACGAGTGGATGAATGAGGAAGACTA  
CGAAGTCAGTGACGACAAAAGCCAGTCTCCCGCAGGAAGAAGATCTCAGCCAAGACGCTGACAGACGAG  
GTAACAGCCAGATTCAGACAGACGAGACAAGAAGGGGGCAACTATAAGAAGAGGAAGCGCTCTCCCT  
CTCCTTACCCACCCAGAGGCTAAGAAGAAAACGCTAAGAAAGGACCCTCAACACCTTATACCAAGTC  
AAAGCGAGGCCACAGAGAAGAGGAACAAGAAGACCTGACAAAAGACATGGATGAGCCCTCTCCAGTCCCA  
AACGTGGAAGAGGTGACACTCCCCAAAACAGTCAACACTAAAAGGACTCTGAGTCAGCCCCAGTCAAAG  
GCGGCACCATGACTGACCTGGATGAACAGGACGATGAAAGCATGGAGACCACCGCAAGGACGAGGATGA  
GAACAGCACGGGCAACAAAGGCGAGCAGACGAAGAACCCGACCTGCATGAGGACAATGTGACCGAGCAG  
ACCCACCACATCATCCCCAGCTACGCCGCTGGTTTGACTACAACAGCGTCCATGCCATTGAACGGA  
GGGCTCTTCTGAGTTCTTCAACGGCAAGAACAAGTCTAAGACTCCAGAGATCTACTGGCGTATCGGAA  
CTTCATGATTGACTTACCGACTGAATCCCAGGAGTATCTAACATCTACTGCCTGTCGGCGGAATTTG



GCGGGTATGTCTGCGCTATCATGAGGGTCCATGCCTTCCTGGAACAGTGGGGTCTTATTAACACCAGG  
 TAGATGCTGAGAGCCGACCAACCCCAATGGGGCCTCCACCACCTCTCACTTCCATGTCTTGGCGGACAC  
 ACCATCAGGGCTGGTTCCCTTTCAGCCGAAGCCTCCACAGCAGAGCTCTGCTTCCAGCAAATGTGAAC  
 TTCCCTGAGAAGGGCAAGGAGAAACCAGCAGACATGCAGAATTTTGGGCTGCGCACAGACATGTACAAA  
 AGAAGAACGTCCCTCCAAGAGCAAAGCTGCAGCAAGTCCACTCGGGAATGGACGGAGCAGGAGACTCT  
 GCTGCTCCTGGAGGCTTTGAAAATGTACAAGGACGACTGGAACAAAGTATCTGAGCAGTGGGAAGCCGC  
 ACGCAGGACGAGTGCATTTGCATTTTCCGCTTCCATTGAAGACCCATACCTGGAGACTCGGAGG  
 CTCTCTAGGCCCTCTGGCTACCAACCCATCCCCTTCAGTCAGTCAGGCAACCCGTGTATGAGCACCGT  
 TGCTTCTCGCCTCTGTCTGATCCCGAGTTGCCTCTGCTGCTGCGAAGTCAGCCCTAGAAGAGTTC  
 TCAAAAATGAAGGAAGAGGTGCCACAGCTTTGGTGAAGCCACGTGCGTAAGTGAAGGAAGCGGCCA  
 AAGTCACAGGCAAGGCCGACCCAGCCTTTGGTCTGGAGAGTAGCGGCATCGCAGGGACTGCCTCTGATGA  
 GCCTGAGCGCATTGAGGAAAGCGGGACTGAGGAGGCACGGCCAGAGGGCCAGGCAGCAGATGAGAAGAAG  
 GAGCCTAAGGAACCAGGGAAGGAGGGGGCGCTGTGGAGGAAGAAGCAAAGGAGGAATAAGTGAGGTCC  
 CCAAGAAAGATGAAGAGAAAGGGAAGAAGGTGACAGTGAAGAAGTCTGAGAAGTGCAGGGGACCC  
 GATAGTTGATCCTGAGAAAGACAAGGAACCAACAGAAGGGCAGGAGGAAGTCTAAAGGAAGTGGCAGAG  
 CCAGAGGGGGAGAGGAAAACCAAGGTGGAGCGTGACATTGGTGAAGGCAACCTGTCCACAGCTGCAGCCG  
 CAGCCCTGGCCGCTGCTGCAGTCAAGGCCAAGCACTTGGCTGCAGTTGAGGAGAGAAAGTCAAGTCTTT  
 GGTGGCTCTGCTGGTAGAGACCCAAATGAAGAACTAGAGATCAAACCTCCGACATTTTGGAGAGCTGGAG  
 ACAATAATGGACCGGGAGCGAGAGGCGCTGGAATACCAGAGGCAGCAGCTCCTGGCCGACCCGCAAGCCT  
 TCCACATGGAGCAGCTGAAGTATGCAGAGATGAGGGCCCGGCAGCAGCACTTCCAGCAGATGCACCAGCA  
 GCAGCAGCAGCAGCCACCAACCTTGCCCCAGGCTCCCAGCCATACCTCCCACCGGGGCTGTGGACCA  
 CCTACAGTCCATGGTCTAGCTGTGCCTCCAGCCGCTGTGGCCTCTGCCCTCTGGCAGTGGGGCCCTC  
 CTGGAAGCTTGGGCCCTTCTGAACAGATTGGGCAGGCAGGACAACCTGCAGGGCCACAGCCACAACA  
 AGCTGGAGCCCTCAGCCTGGGGCAGTCCACAGGGGTACCCCCCTGGACCCATGGCCCTCACCG  
 TTCCCAACCAACCAACTCCTCCCTCAATGATGCCAGGGCAGTCCAGGCAGCGGGCACCCAGGCGTGG  
 CGGACCCAGGCACCCCGCTGCCTCCAGACCCACAGCTCCAAGCCAGGCACAGTCACCCCTGTGCCACC  
 TCCACAG

ACGCGTACGCGGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:**

>MG211632 representing NM\_198160  
 Red=Cloning site Green=Tags(s)

MAVRKDKGGPNVYEEAADTVTQFDNVRLWLGNKYKYYIQAEPPTNKSLSSLVVQLLQFQEEVFGKHVSN  
 APLTKLPIKCFDFKAGGSLCHILAAAYKFKSDQWRRYDFQNP SRMDRNVEMFMTIEKSLVQNNLSRP  
 NIFLCPEIEPKLLGKLDIVKRHQGTISEDKSNASHVVYPVPGNLEEEWVRPVMKRDKQVLLHWGYYPD  
 SYDTWIPASEIEASVEDAPTPEKPRKVHAKWILD TDTFNEWMNEEDYEVSDDKSPVSRKKISAKLT TDE  
 VNSPDSRRDKKGGNYKRRKSPSPSTPEAKKNAKKGSTPYTKSKRGHREEEQEDLTKDMDEPSPVP  
 NVEEVTLPKTVNTKKDSEAPVKGGM TDLDEQDDESMETT GKDEDENSTGNKGEQTKNPD LHEDNVTEQ  
 THHIIIPSYAAWFDYNSVHAIERRALPEFFNGKNKSKTPEIYLAYRNF MIDTYRLNPQEYLTSTACRRNL  
 AGDVCAIMRVHAFLEQWGLINYQVDAESRPTMPGPPPTSHFHVLA DTPSGLVPLQPKPPQSSASQMLN  
 FPEKGEKPADMQNFGRLRTDMYTKKNVPSKSKAAA SATREWTEQETLLLLLEALEMYKDDWNK VSEHVGSR  
 TQDECILHFLRLPIEDPYLEDSEASLGPLAYQPIPFSSQGNPVMSTVAFLASVVDPRVASAAKSALEEF  
 SKMKKEEPTALVEAHVRKVEEA AKVTGKADPAFGLLESSGIAGTASDEPERIEESGTEEARPEGQADEKK  
 EPKEPREGGAVEEEEAKEEISEVPKKDEEKGEKGDSEKSEKSDGDPIDPEKDKETEGQEEVLKEVAE  
 PEGERKTKVERDIGENLSTAAAAALAAA AVKAKHLAAVEERKIKSLVALLVETQMKKLEIKLRHFEELE  
 TIMDREREALEYQRQQLLADRQAFHMEQLKYAEMRARQQHFQMHQQQQQPPTLPPGSQP IPPTGAAGP  
 PTVHGLAVPPAAVASAPPGSGAPPGSLGPSEQIGQAGTTAGPQQPQQAGAPQPGAVPPGVPPP GPHGSP  
 FPNQPTPPSMMPGAVPGSGHPGVADPGTLPDPDPTAPSPGTVTPVPPPQ

TRTRPLE - GFP Tag - V


**Restriction Sites:**

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM\_198160

ORF Size: 3297 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_198160.2</u>
<b>RefSeq Size:</b>	4552 bp
<b>RefSeq ORF:</b>	3300 bp
<b>Locus ID:</b>	68094
<b>UniProt ID:</b>	<u>Q6PDG5</u>
<b>Cytogenetics:</b>	10 D3
<b>Gene Summary:</b>	<p>Involved in transcriptional activation and repression of select genes by chromatin remodeling (alteration of DNA-nucleosome topology). Component of SWI/SNF chromatin remodeling complexes that carry out key enzymatic activities, changing chromatin structure by altering DNA-histone contacts within a nucleosome in an ATP-dependent manner. Can stimulate the ATPase activity of the catalytic subunit of these complexes. May be required for CoREST dependent repression of neuronal specific gene promoters in non-neuronal cells. Belongs to the neural progenitors-specific chromatin remodeling complex (npBAF complex) and the neuron-specific chromatin remodeling complex (nBAF complex). During neural development a switch from a stem/progenitor to a postmitotic chromatin remodeling mechanism occurs as neurons exit the cell cycle and become committed to their adult state. The transition from proliferating neural stem/progenitor cells to postmitotic neurons requires a switch in subunit composition of the npBAF and nBAF complexes. As neural progenitors exit mitosis and differentiate into neurons, npBAF complexes which contain ACTL6A/BAF53A and PHF10/BAF45A, are exchanged for homologous alternative ACTL6B/BAF53B and DPF1/BAF45B or DPF3/BAF45C subunits in neuron-specific complexes (nBAF). The npBAF complex is essential for the self-renewal/proliferative capacity of the multipotent neural stem cells. The nBAF complex along with CREST plays a role regulating the activity of genes essential for dendrite growth (PubMed:17640523). Critical regulator of myeloid differentiation, controlling granulocytopenia and the expression of genes involved in neutrophil granule formation (PubMed:28369036).[UniProtKB/Swiss-Prot Function]</p>