

Product datasheet for **MG211639**

Trip12 (BC034113) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Trip12 (BC034113) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Trip12
Synonyms:	MGC31615
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG211639 representing BC034113 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGCTATCCAGCCAAGACCTGAAGATAGTAGTTGGAGCTCTTCAGATGGCAGAAATCCTAATGCAAAAGT
TACCTGATATTTTTAGTGTTTACTTCAGGAGAGAAGGTGTGATGCATCAAGTCAAACATTTAGCAGAATC
AGAGTCTTTGTTGACAAGTCCCCCAAGGCATGTACAAATGGGTCAGGATCCCTGGGATCTACAACACCA
GCCAGCAGTGGGACTGCAACGGCAGCAACCAACGCCTCTGCTGATCTGGGGTACCTAGCTTGCAGCATA
GCAGAGATGATTCTTTGGATCTGAGCCCTCAAGGTCGATTAAGTGATGTTCTCAAGAGAAAACGACTGCC
AAAACGAGGGCCAAGAAGGCCAAAATATCCCCTCCAAGAGATGATGACAAAGTAGACAATCAAGCTAAA
AGCCCCACCACTACTCAGTCACCTAAATCTTCCTTCTGGCAAGCTTGAATCCAAAAACATGGGGAAGGT
TAAGCGCACAGTCCAACAGCAACAATATCGAACCCAGCAGCAACTGCAGGAGTTAGTGGTCTTGCCAGGGC
AGCCTCAAAGACACCATATCCAATAATAGAGAAAAAATAAAGGCTGGATTAAGGAGCAGGCACATAAA
TTTGTGAGCGTTATTTTAGTCTGAGAATATGGATGGAAGCAACCCTGCCTTGAATGTCCTTCAGAGAC
TTTGTGCTGCAACTGAACAACCTCAACCTCCAGGTGGATGGTGGAGCTGAGTGCCTGTAGAAATCCGTAG
CATAGTCTCAGAGTCAGATGTTTCTTCATTTGAAATCCAACATAGTGGGTTTGTGAAACAACCTGTTGCTG
TATTTGACATCTAAGAATGAAAAGGATGCTGTCGGCAGAGATCCGGTTAAAACGTTTCCTTCATGTAT
TTTTTTCTTCTCACTTCTGGAGAAGAGCCTGTTGGAAGAGTAGAACCCAGTGGGCCATGCACCTTTGCT
GGCATTGGTTCACAAGATGAACAACCTGTCTCAGCCAAATGGAGCAATTTCCAGTCAAAGTACATGATTTT
CCTAGTGGGAACGGAGCTGGAGGAAGCTTTTCTCTCAACAGAGGATCACAAAGCTTTAAAATTTTTCAACA
CACATCAGTTAAAATGTCAGTTACAAAGACACCCAGACTGTGCAAATGTGAAGCAGTGGAAAGCGGGCC
TGTCAAGATTGATCCCCTGGCTCTGGTGAAGCTATTGAGAGATACCTTGTGGTTAGAGGATATGGAAGA
GTAAGAGAAGATGATGAAGATAGTGATGATGATGGGTCAGATGAAGAAAATAGATGAGTCTTTGGCTGCTC
AATTCTTAAATTCGGGAAATGTAAGGCACAGGCTACAGTTTTATTTGGAGAACATTTACTACCATATAA
CATGACCGTGATCAGGCAGTGGCAATTCAGGTACAGGCTGAAGATGAAAGAGAATCTACTGATGAT



[View online »](#)

GAGAGCAATCCTCTGGGAAGAGCTGGAATTTGGACAAAGACTCATACAATATGGTACAAACCTGTGAGGG
 AGGATGAAGAAAGTACTAAAGATTGTGTTGGTGGCAAAAGGGGGAGAGCCCAAACAGCTCCAACAAAAAC
 TTCCCCAGAAATGCAAAGAAGCATGATGAGTTATGGCATGATGGAGTGTGCCCGTCAGTAGCAAATCCT
 TTAGAAGTTTACCTCATTCCCACACCACCTGAAAAATACACCTTTGAAGACCCATCCTTAGATGTAATAC
 TTCTTTTAAAGAGTTTTACATGCCATCAGTCGATATTGGTATTACTTGTATGATAATGCGATGTGCAAGGA
 GATTATTCCAACCTAGTGAATTTATTAACAGTAAATTAACAGCAAAAGCAAATAGGCAGCTTCAAGACCCCT
 CTAGTAATCATGACAGGAAACATCCCAACATGGCTCAGTCTGAGCTAGGAAAAACCTGCCCTATTTTCTTTC
 CTTTTGATACCCGACAAATGCTTTTTTATGTAACCTGCATTTGATCGGGACCGGGCAATGCAAAGATTACT
 TGATACCAACCCAGAAATCAACCAGTCTGATTCTCAAGACAGCAGAGTTGCGCCTAGATTGGATAGAAAA
 AAACGTAAGTGTGAACAGAGAGGAGCTACTGAAACAAGCTGAGTCTGTGATGCAGGACCTTGGCAGCTCTC
 GGGCCATGTTAGAAATCCAATATGAAAATGAGGTTGGTACAGGTCTGGGGCCAACACTGGAGTTTTATGC
 ACTTGTCTCAGGAACTACAGAGAGCTGACTTGTGTCTCTGGAGGGGTGAAGAAGTAACTTTAGCAAT
 CCAAAGGAAGCCAAGAAGGGACCAAGTATATTCAAACCTCCAGGCCTGTTTGCCTTCCCTTTGGTA
 GGACAGCTAAGCCAGCTCACATCGCAAAGTAAAGATGAAGTTTCGCTTCTTAGGAAAATTAATGGCTAA
 GGCTATCATGGATTTAGATTGGTGGACCTTCTCTGGCCTGCCCTTTATAAGTGGATGCTGCGGCAG
 GAAACTTCATTGACATCTCATGATTTATTTGACATTGATCCTGTTGTAGCCAGATCAGTATATCACCTAG
 AAGACATTGTGACAGAGAAGAAAAGACTGGAGCAGGATAAATCCCAGACCAAAGAGAGTCTACAATATGC
 ATTGAAAACCTTACGATGAATGGCTGTTGAGTGGAGATCTGGGATTGGATTTTACGCTGCCTGGGTTT
 CCCAACATTGAATTGAAGAAAGGAGGGAAGGATATTCCAGTACTATCCACAATTTGGAAGAGTACCTGA
 GATTGGTGATATTCTGGGCACTAAATGAAGGTGTTTGTGACAGTTTACTCATTGAGAGATGGATTTGA
 ATCGGTCTTCCGCTCTGCCATCTCAGTACTTCTACCCAGAAGAGCTGGACCAGCTCCTGTGTGGCAGT
 AAAGCAGACACTGGGATGCAAAGACATTGATGGAATGCTGCAGGCCTGATCATGGCTATACTCATGACA
 GTCGGGCTGTGAAGTTCTGTTTGAAGTCTCAGTAGTTTTGATAATGAGCAGCAGAGCTGTTTTCTCCA
 GTTTGTGACTGGTAGCCACGATTGCCAGTTGGAGGATTTGCGAGTTTAAATCCAGCTGTGACAATTGTG
 CGGAAGACATTTGAATCAACAGAAAACCCAGATGACTTCTTACCATCAGTAAATGACTTGTGTGAACTATC
 TTAATTGCCGGACTACTCGAGCATTGACATAATGCGGGACAACTCTTGATAGCAGCAAGAGAAGGCCA
 ACAGTCGTTCCATCTTTCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>MG211639 representing BC034113
 Red=Cloning site Green=Tags(s)

MLSSQDLKIVVGALQMAEILMQKLPDIFSVYFRREGVMHQVHKLAESESLTSPPKACTNGSGSLGSTTP
 ASSGTATAATNASADLGSPLQHSRDDLSPQGRSDVLRKRRLPKRGP RRPKYSPRRDDKVDNQAK
 SPTTTQSPKSSFLASLNPKTWGRLSAQSNNSNIEPARTAGVSLARAASKDTISNNREKIKGWIKEQAHK
 FVERYFSSENMDGSPALNVLQRLCAATEQLNLQVDGGAELVEIRSIVSESDVSSFEIQHSGFVKQLLL
 YLTSKNEKDAVGREIRLKRFLHVFSSPLPGEPPVGRVEPVGHAPLLALVHKMNNCLSQMEQFPVKVHDF
 PSNGAGGSFSLNRGSQALKFFNTHQLKQQLQRHPDCANVKQWKGGPVKIDPLALVQAIERYLVVRGYGR
 VREDDSDDDGSDDEEIDESLAAQFLNSGNVHRHLQFYIGEHLIPYNMTVYQAVRQFSVQAEDERESTDD
 ESNPLGRAGIWKTHTIWYKPVREDEESTKDCVGGKRGRAQTAPTKTSPR NAKKHDELWHDGVCPSVANP
 LEVYLIPTPPENITFEDPSLDVILLRVLHAISRYWYYLYDNAMCKEIIPTSEFINSKLTAKANRQLQDP
 LVIMTGNIPTWLTGKTCPPFFPDTRQMLFYVTAADRDRAMQRLLDTNPEINQSDS QDSRVAPRLDRK
 KRTVNRRELLKQAESVMQDLGSSRAMLEIQYENEVGTGLGPTLEFYALVSQELQRADLCLWRGEEVTLN
 PKGSQEGTKYIQNLQGLFALPFGRATAKPAHIAKVKMKFRFLGKLMAKAIMDFRLVDLPLGLPFYKWMRLQ
 ETSLTSHDLFDIDPVVARSVYHLEDIVRQKRLQDKSQTKE SLQYALELTMNGCSVEDLGLDFLPGF
 PNIELKKGKIDIPVTIHNL EYLRLVIFWALNEGVCRRQFDSFRDGFESVFPFLCHLYFYPEELDQLL CGS
 KADTWDAKTLMCCRPHGYTHDSRAVKFLFEILSSF DNEQQRFLQFVTGSPRLPVGGFRSLNPPLTIV
 RKTFFESTENPDDFLPSVMTCVNYLKLDPDYSSIDIMRDKLLIAAREGQSFHLS

TRTRPLE - GFP Tag - V


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: BC034113

ORF Size: 3311 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>BC034113</u> , <u>AAH34113</u>
RefSeq Size:	3945 bp
RefSeq ORF:	3311 bp
Locus ID:	14897
Cytogenetics:	1 C5
Gene Summary:	E3 ubiquitin-protein ligase involved in ubiquitin fusion degradation (UFD) pathway and regulation of DNA repair. Part of the ubiquitin fusion degradation (UFD) pathway, a process that mediates ubiquitination of protein at their N-terminus, regardless of the presence of lysine residues in target proteins. In normal cells, mediates ubiquitination and degradation of isoform p19ARF/ARF of CDKN2A, a lysine-less tumor suppressor required for p53/TP53 activation under oncogenic stress. In cancer cells, however, isoform p19ARF/ARF and TRIP12 are located in different cell compartments, preventing isoform p19ARF/ARF ubiquitination and degradation. Does not mediate ubiquitination of isoform p16-INK4a of CDKN2A. Also catalyzes ubiquitination of NAE1 and SMARCE1, leading to their degradation. Ubiquitination and degradation of target proteins is regulated by interaction with proteins such as MYC, TRADD or SMARCC1, which disrupt the interaction between TRIP12 and target proteins. Acts as a key regulator of DNA damage response by acting as a suppressor of RNF168, an E3 ubiquitin-protein ligase that promotes accumulation of 'Lys-63'-linked histone H2A and H2AX at DNA damage sites, thereby acting as a guard against excessive spreading of ubiquitinated chromatin at damaged chromosomes.[UniProtKB/Swiss-Prot Function]