

Product datasheet for **MG211709**

Tsc1 (BC052399) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Tsc1 (BC052399) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Tsc1
Synonyms:	hamartin
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG211709 representing BC052399 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCCAGTTAGCCAACATTGGGGAGCTGCTCTCCATGCTGGACTCCTCCACACTGGGTGTGCGGGATG
ACGTGACAGCCATCTTCAAGGAGTCCCTCAATTCTGAACGTGGGCTATGCTTGTCAACACGTTGGTTGA
TTATTACCTGGAAACCAATTCTCAGCCGGTATTGCACATCCTGACCACCTGCAGGAGCCACACGATAAG
CACCTCTTGGACAAAATTAATGAGTATGTAGGCAAAGCTGCTACCCGTTTATCCATCCTCTCGCTGCTGG
GGCATGTTGTGAGACTGCAGCCATCTTGAAGCATAAGCTCTCAAGCACCTTCTTGCCTTCTTATT
GAAATGTCTCAAGATGGACACTGATGTTGTGGTCTCACAACTGGTGTCTTGGTGTGATCACCATGCTC
CCGATGATCCCGCAGTCAGGGAAGCAGCACCTTCTCGACTTCTTTGACATCTTTGGCCGTCTCTCGTCAT
GGTGCCTGAAGAAACCAGGCCATGTGACAGAAGTGTACCTGGTCCATCTTCATGCCAGTGTTTATGCCCT
CTTTCACCGCCTTTATGGGATGTACCCATGTAACCTTCGCTCCTTCTGCGCTCTCACTACAGTATGAAG
GAAAACGTGGAGACTTTTGAAGAAGTGGTCAAGCCAATGATGGAGCATGTGCGAATTCACCCGGAATTAG
TGACTGGATCCAAGGACCATGAACTGGACCCTCGAAGGTGAAGACATTAGAACTCATGATGTTGTAAT
AGAGTGTGCCAAAATCTCTCTGGACCCTACAGAAGCCTCGTATGAAGATGGCTATTCTGTGTCACACCAG
CTCTCTGCTTGTCCCTTACCCTTACGCTGATGTCACCACAGCCCTTATGTGGACACACAGAATAGT
ATGGGGTTCTACTTCCACCCCTTCTCCAGCTCTCGGCTGATGTTGTTCACTCCACCTGGGCAGCTACC
TCAGAGTTTGTGTTCCCATCAACACGGCTGTTACCTGAGCCGCTGCAAGCTAGTCTCTGGAGCCCATCT
GCGGTCTGTGGTATGACCACTCCTCCTACGCTCCTGAAATGTCCAGCTGATTTGTACATCCGTATA
GTAAGCCTTTGGTACCACTGGTGGAAAAGGAACCTCCTCAGGAACCCAGCGACCTCTCCTCCTCCAGC
CCCACCTTGTCCCAAGATGACTGTGTGCATGTTTACGACGCCAGGCCCTCAGCCACAGCCCCAGGAAG
GAAGAAAGAGCAGATTCTCAAGGCCTTACCTTACAGACAGTCAAACGACCGAGGATTAGAGGATCCAC
CTGGAAGCAAAGTTCCGTTACTCTGAGGAATCTACCTGATTTCTAGGTGATCTGGCTTCTGAGGAAGA
CAGTATCGAGAAAGATAAGGAAGAAGCTGCAATATCTAAAGAGCTTTCTGAGATCACTACTGCAGAGGCC



[View online >](#)

GATCCTGTAGTTCCTCGAGGGGGCTTTGACTCTCCCTTCTACCGAGACAGTCTCTCTGGCTCTCAGCGGA
AGACTCATTTCGGCAGCCTCTGGGACTCAGGGCTCCAGCGTGAACCCTGAGCCTTTGCACTCCTCCCTGGA
CAAACATGGGCCTGACACACAAAGCAAGCCTTTACTCCCATAGACCCACCCTCTGGCAGTGCTGATGTC
AGTCCCCTGGGGACAGGGATCGCCAGACTTCTCTGGAGACCAGTATCCTCACTCCCAGCCCTTGCAAAA
TCCCACCTCAGAGGGGAGTGAGCTTTGGAAGTGGGCAGCTTCCCCATATGATCATCTCTTTGAGGTGGC
CTTGCCAAAGACTGCCTGTCACCTTGTGAGCAAGAAGACTGAGGAGCTGTTGAAGAAAGTAAAGGAAAC
CCTGAGGAAGACTGTGTGCCCTTACCTCCCCAATGGAAGTACTGGACAGACTGATAGAGCAGGGAGCAG
GTGCGCACAGCAAGGAGCTGAGCAGGTTGCCCTGCCAGCAAGTCTGTTGACTGGACCCACTTTGGAGG
CTCTCCTCCCTCAGATGAGCTCCGGACCCTCCGAGACCAGTTGCTTTTACTGCACAATCAGCTGCTGTAC
GAGCGCTTCAAGCGGCAGCAGCATGCACTCAGGAACAGAAGGCTCCTGCGCAAGGTGATCCGAGCAGCGG
CTCTGGAGGAACACAATGCAGCAATGAAAGATCAGTTGAAGTTACAAGAGAAGGACATACAGATGTGGA
GGTGAGTCTGCAGAAAGAACAAGCCGATACAGTCAGTTCAGGAACAACGTGACACCATGGTGACCCAA
CTGCATAGCCAGATCAGACAGCTACAGCATGACCGAGAAGAATTCTACAACCAGAGTCAGGAGTTACAGA
CAAAGCTGGAGGACTGCAGAAACATGATTGCGGAGCTTCGGGTGGAGCTGAAGAAGGCTAACAACAAGT
GTGCCACACTGAGCTGCTGCTCAGCCAGGTCTCTCAGAAGCTCTCCAACAGTGAGTCAGTGCAGCAGCAG
ATGGAGTCTTGAATAGGCAGCTCCTGGTCTCGGGGAGGTCAATGAGCTGTACCTGGAGCAGCTGCAGA
GCAAGCATCCTGACACCACCAAGGAAGTAGAAATGATGAAAACGCATATCGGAAAGAGCTAGAGAAAA
CAGAAGCCACCTTCTCCAGCAGAACCAAGGTTGGACGCCTCACAGAGGCGAGTTTTGAACTGGAGTCT
CTTCTGGCCAAGAAAGACCACCTTCTCCTAGAACAAGAAATATCTTGAGGATGTCAAGAGCCAGGCGA
GTGGACAGCTGCTGGCTGCAGAGAGCAGGTATGAGGCTCAGAGAAAGATCACCCGGGTGTTGAACTGGA
GATCCTAGACTTGTATGGCAGGTTGAAAAAGATGGCCGCCTACGGAACCTAGAAGAGGACAGAGCAGAG
GCAGCAGAGGCAGCAGAAGAGAGGCTTGACTGTTGTAGTGATGGATGCACAGATTCTTGGTAGGACATA
ATGAAGAGGCTTCTGGTCACAATGGTGAGACCAGGACCTCCAGACCTGGTGGCACCCGGCCAGCTGTGG
AGGTAGAGTCACTGGAGGCAGCAGCAGCAGCAGCAGTGTAGCTTTCCACTCCAGAGAAACCCCGAGCCAG
AGGTTCCAGCAGCATCCCCACACTGTTGGCTCACTTCCAGTTCCAAAAGCTTCTGGGCATGAAGGCC
GGGAGCTGTTCCGTAATAAGAGCGAGAGCCAGTGTGATGAGGACAGCGTGACCATGAGTAGCAGCAGCCT
TTCTGAGACCCTGAAGACAGAACTGGGCAAGGACTCGGGCACAGAAAACAAGACTTCCCTGAGTCTAGAT
GCCCCACCCATCTTCCCCAACTCAGACAATGTGGGGCAGCTCCACATCATGGACTACAATGAGACTC
ATCCTGAACACAGC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >MG211709 representing BC052399
 Red=Cloning site Green=Tags(s)


MAQLANIGELLSMLDSSTLGVRDDVTAIFKESLNSERGPMLVNTLVDYYLETNSQPVLHILTTLQEPHDK
 HLLDKINEYVGAATRLSILSLLGHVRLQPSWKHKL SQAPLLPSLLKCLKMDTDVVVL TTGVLVLI TML
 PMIPQSGKQHLDFDIFGRLLSSWCLKKPGHVTEVYL VHLHASVYALFHRLYGMPCNFVFLRSHYSMK
 ENVETFEVVKPMMEHVR IHPELVTGSKDHELDPRRWKLTETHDVVIECAKISLDPTEASYEDGYSVSHQ
 LSACFPYRSADVTTSPYVDTQNSYGGSTSTPSSSRMLMFSPPGQLPQSLSSPSTRLLPEPLQASLWSPS
 AVCGMTTPTSPGNVPADLSHPYSKAFGTTGGKGTSGTPATSPPPAPPQPDDCVHGSAQAASATAPRK
 EERADSSRPYLHRQSNDRGLEDPGSGKSVTLRNLPDFLGDLA SEEDSIEKDKEEAAISKELSEITTAEA
 DPVVPRGGFDFYRDSL SSGSQRKTHSASGTQGSVNPEPLHSSLDKHGPDTPKQAFPTIDPPSGSADV
 SPAGDRDRQTSLETSILTPSPCKIPPQRGVSFGSGQLPPYDHLFEVALPKTACHFVSKKTEELLKKVKGN
 PEEDCVPSTSPMEVLDRLIEQGAGAHSKEL SRLSLPSKVDWTHFGGSPSDELRTL RDQLLLLNQLLY
 ERFKRQQHALNRRLLRKVIRAAAAL EEHNAAMKDQLKLEKDIQMWKVS LQKEQARYSQLQEQRDTMVTQ
 LHSQIRQLQH DREFY NQSQELQTKLEDCRNMI AELRVELKKANNKVCHTELLLSQV SQKLSNSES VQQQ
 MEFLNRQLLV LGEVNELYLEQLQSKHPD TTKEVEMMKTAYRKELEKNRSHLLQQNQRLDASQRRVLELES
 LLAKKDHLLEQKYLE DVKSQASGQLLAESRYEAQRK ITRVLELEILDLYGRLEKDGRLRKLEEDRAE
 AAEEAERLDCCSDGCTDSL VGHNEEASGHNGETRTSRPGGTRASCGRVTGGSSSSSELSTPEKPPSQ
 RFSSIPTTVGSLPSSKSF LGMKARELFRNKSESQCDEDSVTMSSSSLSETLKT ELGKDSGTENKTSLSLD
 APHPSSPNSDNVQLHIMDYNETHPEHS

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI
 Cloning Scheme:



Plasmid Map:



ACCN: BC052399

ORF Size: 3444 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC052399.1](#)

RefSeq Size: 4829 bp

RefSeq ORF: 3446 bp

Locus ID: 64930

Cytogenetics: 2 A3

Gene Summary:

In complex with TSC2, inhibits the nutrient-mediated or growth factor-stimulated phosphorylation of S6K1 and EIF4EBP1 by negatively regulating mTORC1 signaling (By similarity). Implicated as a tumor suppressor. Involved in microtubule-mediated protein transport, but this seems to be due to unregulated mTOR signaling (PubMed:16707451). Acts as a co-chaperone for HSP90AA1 facilitating HSP90AA1 chaperoning of protein clients such as kinases, TSC2 and glucocorticoid receptor NR3C1 (PubMed:29127155). Increases ATP binding to HSP90AA1 and inhibits HSP90AA1 ATPase activity (PubMed:29127155). Competes with the activating co-chaperone AHSA1 for binding to HSP90AA1, thereby providing a reciprocal regulatory mechanism for chaperoning of client proteins (By similarity). Recruits TSC2 to HSP90AA1 and stabilizes TSC2 by preventing the interaction between TSC2 and ubiquitin ligase HERC1 (By similarity).[UniProtKB/Swiss-Prot Function]