

## Product datasheet for **MG211808**

### Trpm4 (BC096475) Mouse Tagged ORF Clone

#### Product data:

|                           |  |
|---------------------------|--|
| Product Type:             | Expression Plasmids  |
| Product Name:             | Trpm4 (BC096475) Mouse Tagged ORF Clone                                    |
| Tag:                      | TurboGFP   |
| Symbol:                   | Trpm4  |
| Synonyms:                 | TRPM4B, FLJ20041   |
| Mammalian Cell Selection: | Neomycin   |
| Vector:                   | pCMV6-AC-GFP (PS100010)  |
| E. coli Selection:        | Ampicillin (100 ug/mL)   |
| ORF Nucleotide Sequence:  | >MG211808 representing BC096475<br>Red=Cloning site Blue=ORF Green=Tags(s) |

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGTGGGGCCGGAGAAGGAGCAGAGCTGGATCCCTAAGATCTTCAGGAAGAAGGTGTCACGACGTTCA  
TAGTGGACCTCTCCGATGATGCGGGAGGGACCTTGTGCCAGTGTGGGCAACCTCGGGATGCCACCCCTTC  
TGTGGCTGTGGAGGATGCCTTTGGGGCAGCCGTAGTTACCGAGTGAACAGTGTAGACACACCACGGAG  
AAGCCCACAGATGCCTATGGGGACCTGGACTTCACGTACTCTGGCCGAAAGCACAGCAACTTTCTCCGGC  
TGCTGACCGCACGGATCCGGCCACTGTGTACAGTCTCGTTACCCGCTCTTGGGGCTTTCGTGCCCAA  
CTTGGTGGTGTCCGTGCTGGGGGGTCCGGGGGCCCGTCTCCAGACCTGGCTGCAGGACCTTCTGCGT  
CGCGGGCTGGTGAGAGCCGCCAGAGCACAGGGCCCTGGATCGTCACTGGGGACTGCACACAGGCATTG  
GCCGGCACGTGGGTGTGGCTGTAAGGGACCACCAGACAGCCAGCACTGGGAGCAGCAAGGTGGTGGCCAT  
GGGTGTGGCCCCCTGGGAGTGGTCCGGAACAGAGACATGCTGATCAACCCCAAGGGCTCATTCCCCGCA  
AGGTACCGGTGGCGTGGTACCCAGGATGGTGTGAGTTCCCCCTGGACTATAACTATTCTGCTTTCT  
TCTTGGTGGATGATGGCACCTATGGCCGCTGGTGGTGAACCCGCTCCGCTTCGGTTTGAGTCCTA  
TGTGGCTCAGCAGAAGACCGGAGTGGGAGGACTGGAATTGACATCCCAGTGTCTCTTCTCATCGAT  
GGAGATGAGAAGATGTTAAAGCGGATAGAGGATGCCACCAAGCTCAGCTCCCCGCCTTGGTGGCGG  
GCTCTGGGGTGTGTCAGACTGTCTGGTGGAGACCCTGGAAGATACTCTGGCCCCAGGGAGTGGGGACT  
TAGGCGAGGCGAAGCCCGGATCGGATTAGGCGATACTCCCTAAAGGAGACCCTGAGGTTCTTCAGGCC  
CAGGTAGAGAGGATCATGACCCGAAAGGAGTTGCTGACGGTCTATTATCAGAAGACGGCTCCGAGGAGT  
TTGAGACTATCGTTTTGAGGGCTCTGTGAAAGCCTGTGGGAGCTCTGAGGCCTCAGCCTACCTGGATGA  
GCTGCGTTTGGCTGTGGCTTGAACCGCGTGGACATCGCCCAAAGTGAACTTTTCCGTGGGGACATCCAA  
TGGCGGCTCTCCACCTGGAGGCATCTCTCATGGATGCTCTGCTGAATGACCGGCTGAATTTGTGCGCC  
TGCTCATCTCCATGGCCTTAGCCTGGGACACTCCTGACCCCGTGCCTCTGGCCAGCTGTACAGCGC  
GGTGTCCCTAACTCACTGATCCGAAATCTTCTGGACCAGGCGTCCCATGCTAGTAGCAGCAATCCCT



CCTGTAATGGAAGTGTAGAGCTCCGGCCTCCCAATGTGGGGCAAGTGTGAGGACTCTGTTGGGAGAAA  
CGTGTGCACCACGGTACCCTGCCAGGAACCCGAGACTCCTATCTGGGCCAGGACCACAGAGAGAATGA  
CTCTCTGCTTATGGACTGGGCAACAAGCAACCATCAACGGATGCAAGCTTTGAACAAGCCCCCTGGAGT  
GACCTGCTATTTGGGCTCTGTTGCTGAACCGGGCCAGATGGCTATCTATTTCTGGGAGAAGGGCTCCA  
ACTCAGTGGCCTCTGCTCTTGGGCTTGTCTTTACTCCGAGTGTGGCTCGCCTAGAGTCGGAGGCTGA  
GGAGGCCGCGCGGGAAGGATCTTGTGCCACGTTTAAAGCATGAGCGTGGACCTCTTGGAGAGTGT  
TACCACAACAGTGAAGAGCGAGCAGCCCGCTTCTTCTGCGCCGCTGTCCCCTCTGGGGAGAGGCCACT  
GCCTCCAGCTTGCCATGCAGGCTGATGCCCGAGGTTCTTTGCCAGGATGGAGTCCAGTCTCTTCTGAC  
ACAGAAGTGGTGGGGGAGATGGACAGCACAACTCCCATCTGGGCCCTGCTTCTCGCCTTCTTCTGCCCG  
CCTCTCATCTACACCAACCTTATCGTCTTCAGGAAGTCAGAGGAGGAGCCACACAGAAGGATCTTGACT  
TTGATATGGACAGCAGCATCAATGGAGCAGGTCCTCTGGGACTGTAGAACCCTCTGCAAAGGTGGCCCT  
TGAGAGGCGGCAGCGGCAGGCCAGGACGTGCCCTCTGCTGTGGCAAGTCTCCAAGCGCTGGTCGGAC  
TTCTGGGTGCCCAAGTACTGCCTTCTGGTAATGTGGTCAGTTACCTGCTGTTCTGCTGCTGTTT  
CCCAGTGTGCTGGTGGATTTCCAGCCACAAGCCAAGTGTCTCCGAGCTGCTGCTACTTCTGGG  
CTTCACGTTGCTGTGCGAGGAGTGCGCCAGGGCTGGGTGGTGGCTGGGGTAGCCTGGCCAGTGGGGGA  
CGTGGTCCGACAGAGCTCCCCTGCGCCATCGGCTGCACCTCTACCTCTCAGATACCTGGAACCAATGTG  
ACCTGCTGGCACTCACCTGCTTCTGCTGGGCGTAGGCTGCCGGCTGACCCTGGGCTCTTTGACTTGGG  
ACGCACCGTCTCTGCTTACTTATGATCTTACACTGCGCCTGCTGCACATCTTACGGTGAACAAG  
CAGCTGGGGCCCAAGATTGTCAATGAGCAAAATGATGAAGGATGATTTCTTCTTCTTCTTCTTCT  
GCGTGTGGCTTGTAGCTTATGGGGTGGCCACAGAGGGGATCCTGAGGGCCCAGGACCGCAGTCTACCGAG  
TATCCTGCGCAGGGTCTTCTACCGACCGTATCTGCAGATCTTCGACAAATTCAGGAGGAAATGGAC  
GTGGCCCTCATGATTCAGGTAAGTCTCAATGGAGCGGGCTCCTGGGCTCATCCGAGGGGCCCCGTCG  
CAGGCTCCTGTGTGCCAGTATGCCAACTGGCTGGTGGTGTGCTCCTTATCGTCTTCTTGTGGTGGC  
CAATATCCTGTTGCTCAACCTGCTCATCGCCATGTTTCTGCTACACCTTCAGCAAAGTGCACGGCAACAGC  
GACCTCTACTGGAAGGCACAGCGCTACAGCCTCATCCGGGAATTCATTGAGGCCTGCCCTGGCCCCAC  
CCCTCATCATCTCTCATGTGCGCCTCCTCATCAAGTGGTGCAGGTTGTCAGGTTGTCGAGGGC  
TAACCTGCCCCGCTCCCCAGTCTTCGAGCACTTCCGTGTCTGTCTCTAAGGAAGCAGAGCGGAAGCTG  
CTGACTTGGGAGTCTGTGCACAAAGAGAACTTCTGTTGGCACAAGCTCGGGACAAGCGAGACAGTACT  
CGGAGCGTTTGAACGCACGTCTCAGAAGTGGACTGCACTGAAGCAGCTGGGACAGATCAGAGAGTA  
CGATCGGCGTCTGAGGGGCTGGAGAGAGAGGTCCAACACTGTTCTCGAGTCTGACTTGGATGGCTGAG  
GCCCTTAGCCACTCTGCCTTGTGCCTCCAGGGGCCCCACCCCTCCGAGCCCCACTGGTCCAAGAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG211808 representing BC096475  
 Red=Cloning site Green=Tags(s)


MVGPEKEQSWIPKIFRKKVCTTFIVDLSDDAGGTLQCGQPRDAHPSVAVEDAFGAAVTEWNSDEHTTE  
 KPTDAYGDLDFYSGRKHSNFLRLSDRTDPATVYSLVTRSWGFRAPNLVSVLGGSGPVLQTLQDLLR  
 RGLVRAAQSTGAWIVTGLLHTGIGRHVGVAVRDHQTASTGSSKVVAMGVAPWGVVNRDMLINPKGSFPA  
 RYRWRGDPEDGVEFFLDYNYSAFFLVDDGTYGRLLGGENRFRLRFESYVAQQKTGVGGTGIDIPVLLLLID  
 GDEKMLKRIEDATQAQLPCLLVAGSOGAADCLVETLEDLAPGSSGLRRGEARDIRRYFPKGDPEVLQA  
 QVERIMTRKELLTVYSSEEDGSEEFETIVLRALVKACGSSEASAYLDELRLAVAWNRVDIAQSELFRGDIQ  
 WRSFHLEASLMDALLNDRPEFVRLLI SHGLSLGHFLTPVRLAQLYSAVSPNSLIRNLLDQASHASSKSP  
 PVNGTVELRPPNVGQVLRLLGETCAPRYPARNTRDSYLGQDHRENSLLMDWANKQPSTDASFEQAPWS  
 DLLIWALLLNRAQMAIYFWEKGSNSVASALGACLLLRVMARLESEAEAAARRKDLAATFESMSVDLFGEC  
 YHNSEERAARLLLRRCPWGEATCLQLAMQADARAFFAQDGVQSLLTQKWWGEMDSTTPIWALLAFFCP  
 PLIYTNLIVFRKSEEEPTQKDLDFDMDSSINGAGPPGTVEPSAKVALERRQRRRGRALCCGKFSKRWS  
 FWGAPVTAFGLNVVSYLLFLLLFAHVLLVDFQPTKPSVSELLLYFWAFTLLCEELRQGLGGGWGSLASGG  
 RGPDRAPLRHRLHLYLSDTNQCDLLALTCFLLGVGCRLTPGLFDLGRVLCDFMIFTLRLLHIFTVVK  
 QLGPKIVIVSKMMKDVFFFLFCVWLVA YGVATEGILRPQDRSLPSILRRVYFRPYLQIFGQIPQEEMD  
 VALMIPGNCSEMERGSAHPEGPVAGSCVSQYANWL VVLLLIVFLLVANILLNLLIAMFSYTFKSVHGNS  
 DLYWKAQRYSLIREFHSPALAPPLIIISHVRLLIKWLRRCRRCRRANLPASPVEHFVRVCLSKAEERKL  
 LTWESVHKENFLLAQARDKRDSERLKRTSQKVDTALKQLGQIREYDRRLRGLEREVQHCSRVL TWMAE  
 ALSHSALLPPGAPPPPSPTGSKD

TRTRPLE - GFP Tag - V


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



## Plasmid Map:



ACCN: BC096475

ORF Size: 3641 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC096475](#), [AAH96475](#)

RefSeq Size: 4053 bp

RefSeq ORF: 3641 bp

Locus ID: 68667

Cytogenetics: 7 B3

**Gene Summary:**

Calcium-activated non selective (CAN) cation channel that mediates membrane depolarization. While it is activated by increase in intracellular  $\text{Ca}(2+)$ , it is impermeable to it (PubMed:17188667, PubMed:29211714). Mediates transport of monovalent cations ( $\text{Na}(+) > \text{K}(+) > \text{Cs}(+) > \text{Li}(+)$ ), leading to depolarize the membrane. It thereby plays a central role in cardiomyocytes, neurons from entorhinal cortex, dorsal root and vomeronasal neurons, endocrine pancreas cells, kidney epithelial cells, cochlea hair cells etc. Participates in T-cell activation by modulating  $\text{Ca}(2+)$  oscillations after T lymphocyte activation, which is required for NFAT-dependent IL2 production. Involved in myogenic constriction of cerebral arteries. Controls insulin secretion in pancreatic beta-cells. May also be involved in pacemaking or could cause irregular electrical activity under conditions of  $\text{Ca}(2+)$  overload. Affects T-helper 1 (Th1) and T-helper 2 (Th2) cell motility and cytokine production through differential regulation of calcium signaling and NFATC1 localization. Enhances cell proliferation through up-regulation of the beta-catenin signaling pathway (By similarity). Essential for the migration but not the maturation of dendritic cells (PubMed:18758465).[UniProtKB/Swiss-Prot Function]