

Product datasheet for **MG211869**

Dctn1 (BC066061) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Dctn1 (BC066061) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Dctn1
Synonyms:	p150, Glued
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG211869 representing BC066061 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAGTACGGAGGCAAGCGCCCGCCCTGCGGGTTGGCTCCCGCGTGGAGGTGATTGGGAAGGGCCACC
GAGGCACTGTGGCTATGTTGGAGCCACACTCTTTGCCACTGGCAAATGGGTGGGCGTGATTCTGGATGA
AGCAAAAGGCAAAAATGATGGCACTGTCCAGGGAAGGAAGTATTTACATGTGATGAAGGCCACGGCATC
TTTGTACGCCAGTCCCAGATCCAAGTATTTGAAGATGGAGCAGATACTACTTCCCTAGAGACTCCTGATT
CTTCTGCTTCAAAGGTCCTCAAGAGAGAGGGAGCCGATGCAGCTGCAAAGACCAGCAAATGCGGGGACT
GAAGCCTAAGAAGGCACCGACAGCCGAAAGACCAACAACTCGACGGCCCAAGCCTACTCGCCAGCCAGC
ACTGGGGTGGCTGGGCCAGTAGCTCCCTTGGCCCTCTGGCTCAGCGTCAGCCGGGAACTAAGCAGCA
GTGAGCCAGCACCCAGCTCAGACTCCGCTGGCAGCACCCATCATCCCCACACCGGCCCTCACCTCTCC
TGGAGCAGCACCCCACTTCCATCTCCCTTAAGGAAGAGGAAGGGCTGAGGGCTCAGGTACGGGACCTG
GAGGAGAAGCTGGAGACCCTGCGCCTAAAACGCTCAGAAGACAAAGCAAAGCTGAAAGAGCTGGAGAAGC
ACAAGATCCAGCTGGAGCAGGTGCAGGAATGGAAGAGCAAAATGCAGGAGCAGCAGGCAGACCTGCAGCG
GCGCCTCAAGGAGGCTCGAAGGAAGCCAAGGAGGCGCTAGAGGCAAAGGAACGCTACATGGAGGAGATG
GCCGACACAGCCGACGCTATCGAGATGGCACTCTGGACAAGGAGATGGCTGAAGAGCGCGCTGAGTCTC
TGACGCAAGAGGTGGAGGCACTGAAGGAACGGGTAGACGAGCTACCACAGACCTGGAGATTCTCAAGGC
TGAAATCGAAGAGAAAGGCTCTGATGGGCGCATCAAGCTACCAGCTCAAGCAGCTGGAGGAGCAGAAT
GCCCGCTGAAGGATGCCTGGTGGAGATGCGAGACCTCTCTTCCCTCAGAGAAGCAGGAGCAGTGAAGC
TGCAGAACTCATGAAAAGAAAAACCAGGAGCTGGAGGTCGTGCGGCAGCAGCGCAGCGTCTTCAGGA
GGAGCTGAGCCAGGCTGAGAGCACCATCGATGAGCTCAAAGAGCAGGTGGACGCCCTCTGGGAGCCGAG
GAGATGGTGGAGATGCTGACCGACCGAACCTGAATCTAGAGGAGAAAGTGGGGAGTTACGGGAGACTG
TGGGGACTTGAAGCCATGAACGAGATGAACGATGAGCTGCAGGAGAACGCACGGGAGACGGAGCTGGA
ACTCCGAGAGCAGCTGGACATGGCGGGCGCCGAGTGAGGAAGCGCAGAAGCGAGTGGAAGCCGCCAG



GAGACAGTCGCCGACTACCAGCAGACCATCAAGAAGTACCGCCAGTTGACTGCCACCTACAGGATGTCA
ATCGGGAGCTGACAAACCAGCAGGAAGCGTCTGTAGAGAGGCAGCAGCAGCCGCCAGAGACTTTTGA
TTTCAAATCAAGTTTGGCTGAGACCAAGGCTCATGCCAAGGCCATTGAGATGGAGTTGAGACAGATGGAA
GTTGCCAGGCCAACCGGCACATGTCCCTGCTGACAGCCTTTATGCCTGACAGCTTCCTTCGGCCAGGTG
GAGACCAGACTGTGCTCTGGTGTCTGCTCATGCCCGACTCATTGCAAGGCAGAGCTATCCGGAA
GCAGGCCCAGGAGAAGTTTGACCTGAGCGAGAAGTGTTCGGAGCGGCCCGGGCTGCGGGGAGCTGCCGGG
GAGCAGCTGAGCTTTGCTGCTGGACTGGTGTACTCGCTGAGTCTGCTGCAGGCCACGCTGCACCCGATG
AGCATGCCCTCTCTCAGTGCAGTGTGGACGTGTATAAGAAGGTCGGCAGCCTGTACCCCGAGATGAGCGC
CCACGAGCGCTCCTTAGATTTCCTCATTGAGCTGCTGCACAAGGATCAGCTGGATGAGACTGTCAACGTG
GAGCCCTCACCAAGGCCATCAAGTATTACCAGCATCTGTACAGCATCCACCTCGCTGAACAACCCGAGG
ACTCCACCATGCAGCTGGCTGACCACATCAAGTTCACCCAGAGTGCCCTGGACTGCATGGCGTGGAGGT
GGGGCGGTGCGTGCCTTCTGCAGGGTGGCAGGAGGCAACAGATATTGCCCTTCTTCCGAGACCTG
GAAACATCATGTAGTGACACCCGTCAGTCTGCAAGAAGATCCGAAGCGGATGCCGGGACGGATGCTC
CTGGGATCCCAGCAGCGTGGCCTTTGGCTCACAGGTATCCGACACACTCTGGACTGCAGGAAGCACTT
GACGTGGGTGGTAGCTGTTCTGCAGGAGGTGGCAGCTGCAGCCGCCAGCTTATTGCCCTTGGCAGAG
AACGAGGGGCTGCCTGTGGCTGCACTGGAGGAGCTGGCCTTCAAAGCAAGCGAGCAGATCTACGGGAGCC
CCTCCAGCAGCCCTATGAGTGTCTACGCCAGTATGCACCATCCTCATCAGCACGATGAACAAGCTGGC
CACAGCCATGCAAGAAGGCGAGTATGACGCAGAGCGACCCCGAGCAAGCCTCCTCCGGTTGAACCTCGG
GCTGCAGCCCTGCGTGCAGAGATCACAGATGCTGAAGGTCTGGGTTTGAAGCTTGAGGATCGAGAGACAG
TTATCAAGGAGTTAAGAAGTCACTCAAGTAAAGGGAGAGGAGCTGAGTGAGGCCAACGTGCGGCTCAG
CCTCCTGGAGAAGAAGTTGGACAGCGTGCCAAGGATGCAGACGAGCGAATCGAGAAAGTTCAGACACGG
CTGGACGAGACTCAGACCCTGCTGCGGAAGAAGGAGAAAGACTTTGAGGAGACAATGGACGCACTCCAGG
CTGACATCGACCAGCTGGAGGCAGAGAAGGCAGAGCTCAAGCAGCGCCTGAACAGCCAGTCCAAGCGCAC
AATCGAGGGGCTCCGGGGCCCCCTCCGTCAAGCATCGCTACCCTGGTCTCTGGCATCGCTGGTGAGGAA
CCACAGCGAGGGGGCGCTCCTGGCAGGCTCCGGGCGCCTTGCCAGGCCCGGGGCTGGTGAAGGACTCCC
CACTGCTGCTTACAGCAGATCTCTGCTATGAGGCTACACATCTCTCAGCTCCAGCATGAGAACAGCATCCT
CAGAGGAGCCCAGATGAAGGCGTCTTGGCAGCTCTGCCCTCTGCATGTTGCAAAGCTTTCCCTCCA
CCCCATGAGGGCCCCGGTGGTAACCTAGTGGCTGGGGCACTGTACCGCAAGACCAGCCAGCTCCTGGAGA
AACTAAACCAGCTGAGTACCCACACCCACGTGGTGGATATCACTCGGAGCAGCCAGCTGCCAAGAGCCC
GTCAGCTCAGCTTATGGAACAAGTGGCTCAGCTCAAGTCCCTGAGTGACACCATTGAGAAGCTCAAGGAT
GAGGTCTCAAGGAGACAGTGACTCAGCGCCCTGGAGCCACTGTGCCACCGACTTTGCCACTTCCCTT
CATCTGCCTTCTCAGGGCCAAGGAAGAGCAGCAAGATGACACAGTCTACATGGGCAAAGTGACCTTTTC
ATGCGCGGCGAGGCTAGGACAGCGACACCCGCTGGTGTGACCCAGGAGCAGCTGCACCAGCTTACAGT
CGCCTCATCTCC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >MG211869 representing BC066061
 Red=Cloning site Green=Tags(s)

MSTEASARPLRVGSRVEVIGKGRHRTVAYVGATL FATGKWWGVILDEAKGKNDGT VQGRKYFTCDEHGHI
 FVRQSQIQVFEDGADTT SLETPDSSASKVLKREGADAAAKTSKLRGLKPKKAPTARKTTTRRPKPTRPAS
 TGVAGPSSSLGPSGSASAGELSSSEPSTPAQTPLAAPIIPTPAL TSPGAAPPLPSPSKEEEGLRAQVRDL
 EEKLETLRLKRSEDKAKLKELEKHKIQLEQVQEWKSKMQEQADLQRRLKEARKEAKEALEAKERYMEEM
 ADTADAEMATLDKEMAERAESLQQEVEALKERVDEL TTDLEILKAEIEEKGS DGAASSYQLKQLEEQN
 ARLKDALVRMRDLSSSEKQEHVKLQKLEKKNQEL EVVRQQRERLQEEL SQAESTIDELKEQVDAALGAE
 EMVEMLTDRNLNLEEKVRELRETVGDLEAMNEMNDELQENARETELELREQLDMAGARVREAQKRVEAAQ
 ETVADYQQTIKKYRQLTAHLQDVNREL TNQQEASVERQQQPPPETFDKIKFAETKAHAKAIEMELRQME
 VAQANRHMSLLTAFMPDSFLRPGGDHDCVLVLLMPRLICKAEL IRKQAQEKFDL SENC SERPGLRGAAG
 EQLSFAAGLVYSLSLQATLHRYEHALSQCSVDVYKVKVGLYPEMSAHERSLDFLIELLHKDQLDETVNV
 EPLTKAIKYYQHLYSIHLAEQPEDSTMQLADHIKFTQSALDCMGVEVGR LRAFLQGGQEATDIALLLRDL
 ETSCSDTRQFCCKIRRRMPGTDAPGIPAALAFGSQVSDTL DCRKHL TWVVAVLQEVAAAAAQLIAPLAE
 NEGLPVAALEELAFKASEQIYGSPSSSPYECLRQ SCTILISTMNKLATAMQEGEYDAERPPSKPPVELR
 AAALRAEITDAEGLGLKLEDRETVIKELKSLKIKG EELSEANVRLSLEKKLDSAAKDADERIEKVQTR
 LDETQTLRLRKKEDFEETMDALQADIDQLEAEKAE LKQRLNSQSKRTIEGLRGPPPSGIATLVSGIAGEE
 PQRGGAPGQAPGALPGPGLVKDSPLLLQQISAMRLHISQLQHENSILRGAQMKASLAALPPLHVAKLSLP
 PHEGPGGNLVAGALYRKTSQ LLEKLNQLSTHTHVVDITRSSPAAKSPSAQLMEQVAQLKSLSDTIEKLD
 EVLKETVTRPGATVPTDFATFPSSAFLRAKEEQDDTVYMGK VTFSCAAGLQQRHRLVL TQEQLHLHLS
 RLIS


TRTRPLE - GFP Tag - V

Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:


ACCN: BC066061

ORF Size: 3792 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC066061.1](#)

RefSeq Size: 4220 bp

RefSeq ORF: 3794 bp

Locus ID: 13191

Cytogenetics: 6 35.94 cM

Gene Summary: Plays a key role in dynein-mediated retrograde transport of vesicles and organelles along microtubules by recruiting and tethering dynein to microtubules. Binds to both dynein and microtubules providing a link between specific cargos, microtubules and dynein. Essential for targeting dynein to microtubule plus ends, recruiting dynein to membranous cargos and enhancing dynein processivity (the ability to move along a microtubule for a long distance without falling off the track). Can also act as a brake to slow the dynein motor during motility along the microtubule. Can regulate microtubule stability by promoting microtubule formation, nucleation and polymerization and by inhibiting microtubule catastrophe in neurons. Inhibits microtubule catastrophe by binding both to microtubules and to tubulin, leading to enhanced microtubule stability along the axon. Plays a role in metaphase spindle orientation. Plays a role in centriole cohesion and subdistal appendage organization and function. Its recruitment to the centriole in a KIF3A-dependent manner is essential for the maintenance of centriole cohesion and the formation of subdistal appendage. Also required for microtubule anchoring at the mother centriole. Plays a role in primary cilia formation. [UniProtKB/Swiss-Prot Function]