

Product datasheet for **MG211886**

Smchd1 (NM_028887) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Smchd1 (NM_028887) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Smchd1
Synonyms: 4931400A14Rik; AW554188; mKIAA0650; MommeD1
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG211886 representing NM_028887
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGCAGAAACTCCAGGGACAAGTCATGGAGGGTCAAAGAAGCTGCTGGTGGAACTTAAAGTCATACTGC
ACACTTCAAGTGGAAATAAAGAAATCATTTACATATCAGTCAGCATGGAGGGAAATGGCCTTACTGGTT
TAAAAAATGGAAATATCCAGAACTGGGTAATTATACATTGAAATTACAAGTTGATTGAATGAAAGT
AATGCAGATACCTATGCAGGAAGATCACTACCGTCCAAAGTAATTAATTTCTCTGTTAAAGAGGGCAAGC
CAGAAAAGTTTTGTTTTGGTCTTCTGGACTCTCCTTTCCGTGTTGGAGTCCATTTAATATTCCTCTGGA
GTTACAGGATGAATTTGGTCCACTACCAACTATTGTCTGATATTGAGCCAGTTCCTGAAGCAAGTGGT
CTGTCTTTACATTATGAAGGAATAACCAAAGGCCGAATTGTGTAATTAAGGTGTCGTAGCTAAAGGTC
CAGTTAACTCTTGCCAGGGCAAGAATTTAATCTGAAGGTTATTCTTCTGGTTTAAAAGAAGACTCACA
GATTTTGAAGATTAGATTGCTACCTGGTCCCCCTCATCACTAAAGGTGAAACCTGACTCAGAAGTCTG
GTTATAGAGAATGGAACAGCTTTCCATTTAGGTGGAAGTTGTGGATGAGTCAGACAACATAACAGCAC
AACCAAAGCTGATCGTCCACTGTAAGTTTCTAGGTGCTCCAAACCTACCAGTCTATACTGTGGATTGCAG
TAGCTCTGGAAGTACATCCTAACAGGGTCACCCATTCAAGTTCAGAACATTAAGAAAGACCAGAAGACA
CTGACCCAGGATTGAGATACCTAGCTGTAAGATGTGTCACCTGTTGAAAAGACGATCAAGTTACTTC
CCAGTAGCCACGCTGCTTGCCTGCAGATCTTTAGTGTAGAGGAGCAAAAGGCGATCCAGATCAAACATCA
GGATGAGGTTACTTGGGTAGCAGGTGATGTAATACGCAATCTAATTTTTCAAATGTATGACGAAGGAGAA
AGAGAAATCAATATTACACCATCCTTGGCAGAAAAAATTAAGGTTAATTGGACTCCTGAGGTGAACAAAG
AACATTTGGTACAAGGTCTCCTTCTGATGTGCAAGTACCAACATCTGTGAAAGATGTCGCTACTGCCA
TGTTTTCTTTCCAAGATGACCACGTGTGCTGGAGAGCGCCTTTACAGTAAGACCCTTCTGATGATCCC
AAACATTTAAAATGTGAATTAAGGAGGAAAAACAGTGCAGATGGGCCAAGAGCTTCAAGGAGAAATAG
TTGTAATAATTGCAGATCAGTATGGAATCAGATTTTCATTTTTACCTGATTCCTTATCTACTTTGTC
GATTACTGGAGATGGCCTTGACAGCTCAAACCTGAAAATCACCTTGGAGGCCAACTCACAGAGCGTAAGT



[View online >](#)

GTGCAAGGCATCAGGTTTACTCCAGGGCTCCTGGACCCAAGGATCTGTGTTTTACTTGGCGAGAGTTTT
CTGACTTTCTGCGGTGCAACTGGTTTCTGGACCTCCAACCAAGCTGCTGCTTATGGACTGGCCAGAGCT
GAAAGAGTCCATTCCTGTGATTAATGGAAGACAATTAGAGAACCCTCTCATTGTTCAACTTTGTGATCAG
TGGGATAATCCTGCTTTAGTCCCAAACGTTAAATATGTCTCATAAAAAGCAAGCAGCTTAAGGCTACTAC
CTTCAAACCAGCAGCATAAAACAGATGATAAGGGCAGAGCTAATTTGGGGTGTTCAGTGTGTGCTCC
AAGGGGAGAACACACTGTGCAGGTTAAAGGTGTCTATAATAAGAGCACTATAGAAGGCCCTACAATTAAG
TTAAACAATTCCTCCAGACCCTGAAAAGCCATTGCGCTCAATGTTAAATATGACCAAGATGCCTCTTTTA
TAGCAGGGGACATATTCAGTGATTTTATGGTTAGTGTGATTTCTGAAAGTGGTAGTGTCATCAAAAATAT
TAATCCAACACGTATTTCCATGAAAATGTGGAAGCTGTCCAGTGGCATGAGCCGGCCACCAGCAAATGCA
GAAACCTTTAGTTGTAATAAAAATAAAGGTAACGACAAGGAAGATGGCTGCTTCTATTTACAGGGAGAAAA
CTATCCCTAACAAAGTGGGAGCATATTGTATCCAGTTTGTATTCATGATTGATAAGACAAAATATTCTAAG
CAGCCAACAGGTTATAGTTGATGTTCTCCCAACCAGCCTATGAAGTTGGTTCCTGACAGCCAACCAGCT
ACCCAGCTGTTTCTAATGTCCGTTCAATTGCCAGCAGGACCTTGGTCAAAGACCTGCGCCTCAGTATCA
CAGATAATTATGGTAATCACACTGGAATGGATCTGGTTGGCACTGTAGTAGCAACCATTAAGGCTTTAA
TGAGGAGGACACTGATACCCCACTTTCATCGGAAGGTTAGGACGCTTGAGTTCCCTTTGTGAAAGGC
TCTGCTGAAATACGACTCTAGTGTGGCAGAAAATAGTCTGGAAGGGATAGTACTGAATACTTTATTA
TCTTTGAGCCTCGGCTGTCAACTGTATCAGGAACATTAGAATCATATAGCCTGCCATTTATGTTTTACAA
TGATGTTAAGAAGCAGCAACAAATGGCAGCGCTTACGAAGGAGAAGGACGAGTTATCCAAGTCCATCACT
ATGTACAGAAGTCTCTTCGATGCCAACAAGCAGCTTGTGGATGAAATGAAATGCCAAGCTGAAGAAGCAA
AGTTAAAAGAGACCCAGCTACGAAATGAACTAAAAGCGTACAATATTGATTTCTGCGACACAACAGAC
AACTCATATTGAAGCACTTTTGGAAAAAAGATAACAGAACAGAACGAGCTTAAAAGAGGCCAGAAAGG
TTGTGACTCTTCCAACTACACTAAACGCAGTGGAGATATTTTGGGAAAGATTGCACATCTAGCACAAA
TTGAAGATGATCGAGCTGCCATGGTTATCTCTTGGCATCTGGCAAGTGACATGGACTGTGTGGTTACCCT
AACCACTGATGCCGCACGCGCTATCTATGACGAACTCAAGGTGCCAGCAAGTGTGCCCTTGATTCT
ATTTACAGGAAAACCTCTCCAGATTGAAAAGACCTCTACCTCATTTCCGAAATGGTAAATTACACTTTA
AGCCCTTTGAAAATCCAGTCTTTGCCGAGATTTGTTAACATTCCAGATAATATTGAACATTGTGAAAC
AGTTTTTGGTATGCTGTTAGGAGACACCATTATTTGGATAATCTGGATGCAGCCAATCATTATAGAAAA
GAGGTTGTTAAAATCACACTGCCCCACTCCTGACTAGAGATGGAGATAGAATTAGAAGTAATGGGA
AGTTTGGGGCCTCAGAATAAAGCTCCGCAATGGACAACTTCGGGGAATGGTCTTCGGAGCTCCAGT
ACCAAAGCAGTGTGTGGTCTTGGGAAACAAATAGATCTTATTCAGCAGTATCGCACTGCTCTGTACAGG
CTGAGCTCTGTGAACGAGGACTTGGACAATCAGCTGCAGTACCTTCACACTCCTGATATGAAGAAGAAA
AGCAAGAACTTGATGAACAGGAAAAAAGTCTGAAACGAATAGAGCAGAACTCGGAATGACTCCTGTGCG
CAGGTGTAATGAGTCACTTTGTCACTACCAAAGATTGAGGTGACAGAGTGCCCAATCCCTACTAAAAGA
ATGAGAAGAGAATCCACCAGACAGAATAGAAGGCCAAAAGGTGACGTACCAAAAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG211886 representing NM_028887
 Red=Cloning site Green=Tags(s)

MQKLPGTSHGGSKLLVELKVILHTSSGNKEIISHISQHGKWPYWFKKMENIQKLGNYTLKLQVVLNES
 NADTYAGRSLPSKVIKFSVKEGKPEKFSFGLLDSPFRVGFNIPELQDEFGHTTQLLSDIEPVLEASG
 LSLHYEGITKGNPCVIQGVVAKGPVNSCQGNFNKLVILPGLKEDSQILKIRLLPGPPHQLKVKPDSEVL
 VIENGTAFPFQVEVVDESDNITAQPKLIVHCKFLGAPNLPVYTVDCSSSGTSILTGSPIQVQNIKKDKT
 LTARIEIPSCKDVPVEKTIKLLPSSHAACLQIFSVEEQKAIQIKHQDEVTVWAGDVIRNLI FQMYDEGE
 REINITPSLAEKIKVNWTPENVKEHLVQGLLPDVQVPTS VKDVRVYCHVSFQDDHVCLSAFTVRPLPDDP
 KHLKCELKGGKTVMGQELQGEIVVVIADQYGNQISSFSPDSLSTLSITGDGLDSSNLKITLEANSQSVS
 VQGI RFTPGPPGPKDLCTWREFSDFLRVQLVSGPPTKLLLMDWPELKESIPVINGRQLENPLIVQLCDQ
 WDNPALVPNVKICLIKASSLRLLPSNQHKHTDDKGRANLGVFTVCAPRGEHTVQVKGVYKSTIEGPTIK
 LTILPDPEKPIRLNVKYDQDASF IAGDIFDFMVSVISESGSVIKNINPTRISMKMWKLSSGMSRPPANA
 ETFSCNKIKGNDKEDGCFYFREKTI PNKVGAYCIQDFMIDKTNILSSQQVIDVLPNQPMKLVPSQPA
 TPAVSNVRSIASRTL VKDLRLSITDNYGNHTGMDLVGTVVATIKGFNEEDTDTPLFIGKVRTLEFPFVKG
 SAEITTLVLAENSPGRDSTEYFIIFEPRLSTVSGTLESYSLPFMFYNDVKKQQQMAALTKEKDELKSKSIT
 MYRSLFDANKQLVDEMKQAEAEAKLKETQLRNELKAYNIDIPATQQTTHIEALLEKKITEQNELKKRPRR
 LCTLPNYTKRSGDILGKIAHLAQIEDDRAAMVISWHLASDMDCVTLTTDAARAIYDETQGRQVLPDLS
 IYRKTLPDWKRPLPHFRNGKLHFKPFGNPVFARDLLTFPDNIEHCETVFGMLLGDIIILDNLDAANHRYK
 EVVKITHCPTLLTRDGDRI RSNKFGGLQNKAPMDKLRGMVFGAPVPKQCVVLGKQIDL IQQYRTALYR
 LSSVNELDNQLYLHTPDMKKKKQELDEQEKSLKRIEQKLGMPVRRNCNESLCHSPKIEVTECPIPTKR
 MRRESTRQNRPRKGDVFN

TRTRPLE - GFP Tag - V


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_028887

ORF Size: 3834 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_028887.2](#)

RefSeq Size: 7053 bp

RefSeq ORF: 6024 bp

Locus ID: 74355

UniProt ID: [Q6P5D8](#)

Cytogenetics: 17 E1.3

Gene Summary:

Non-canonical member of the structural maintenance of chromosomes (SMC) protein family that plays a key role in epigenetic silencing by regulating chromatin architecture (PubMed:26091879, PubMed:29887375). Promotes heterochromatin formation in both autosomes and chromosome X, probably by mediating the merge of chromatin compartments (PubMed:23754746, PubMed:23819640, PubMed:26391951, PubMed:28587678, PubMed:29887375). Plays a key role in chromosome X inactivation in females by promoting the spreading of heterochromatin (PubMed:18425126, PubMed:22841499, PubMed:26391951, PubMed:29887375). Recruited to inactivated chromosome X by Xist RNA and acts by mediating the merge of chromatin compartments: promotes random chromatin interactions that span the boundaries of existing structures, leading to create a compartment-less architecture typical of inactivated chromosome X (PubMed:29887375). Required to facilitate Xist RNA spreading (PubMed:29887375). Also required for silencing of a subset of clustered autosomal loci in somatic cells, such as the DUX4 locus (PubMed:23754746, PubMed:23819640, PubMed:28587678). Has ATPase activity; may participate in structural manipulation of chromatin in an ATP-dependent manner as part of its role in gene expression regulation (PubMed:26391951, PubMed:27059856). Also plays a role in DNA repair: localizes to sites of DNA double-strand breaks in response to DNA damage to promote the repair of DNA double-strand breaks (By similarity). Acts by promoting non-homologous end joining (NHEJ) and inhibiting homologous recombination (HR) repair (By similarity). Required during preimplantation development, probably acts by regulating chromatin architecture (PubMed:29900695).[UniProtKB/Swiss-Prot Function]