

Product datasheet for **MG211971**

Ncapd2 (BC029133) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ncapd2 (BC029133) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Ncapd2
Synonyms:	MGC39046, CNAP1, mKIAA0159, CAP-D2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG211971 representing BC029133 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCCTCCCCACAACCTTTGAATTCCACTTGCCCTTATCTCCAGAGGAGCTGCTGAAAAGTGGAGGTGTGA
ATCAGTACGTTGTCCGGGAGGTGCTGCCGTCAAGCACCTCTCATCCAGCTTAGAGCATTTAGTCTGCTG
CTTCCGAGCTCAGGGGCCCTCGCCATACTGGAGCACTTCGATACAGTCTACAGCATTTTACATCACTTT
CGAAGTATAGAACCTGGCTCAAGGAAGACACTCTGGAATTCCTGAAGAAAGTGGTATCCCGCCACTCCC
AGGAAGTGTCTGATCCATCCTGGATGATGCAGCTCTGAGTGGATCAGATAGAAGCGCCACCTGAATGCCCT
CAAAATGAACTGCTATGCCCTGATACGCCTTTTGGAGTCCCTTGAGAATATGACCAGCCAGACAAGCCTC
ATTGACCTGGACATCGGTGGGAAGGTAAGAGAGCCCCGGGCCAAAGCAACCCCTTGCTTTGACTGGGAGG
AAGAGAGGCAACCAAGTCTTTCAGCTTTTAAACACAGCTGCTCCAGCTGGACATCCGTACCTATGGAACCA
CTCAGCAATTGAAGAAGAATTTGTAGTTTGGTTACTGGCTGTTGCTACCGCCTTTTGAGAATCCCACC
ATTAGTCACCAGAAGAACCGCTCCACCAAGGAGGCCATAGCACACCTGCTTGGGTGGCCTTGGTCCGCT
ACAACCATATGCTCAGTGCCACTGTGAAGATCATCCAGATGTTGCAGCACTTTGAGCACCTGCCCCCTGT
GTTGGTGACAGCCGTGAGTCTGTGGCAACAGACTACGGGATGAAGAGCATAGTGGGAGAGATTGAAGA
GAGATTGGACAGAAGTGTCCACAGGAGCTGAGTCGAGACACAGCAGGGGCAAAGGGCTTTGCGGCTTTCC
TCACTGAGCTAGCAGAGCGAATCCAGCTGTCTGATGGCCAACATGTGCATTCTGCTAGACCATCTGGA
TGGAGAGAATTACATGATGCGCAATGCTGTGTTAGCAGCTATAGCCGAGATGGTACTGCAGGTTCTAAAT
GGTGACCAGCTCGAAGAATCAGCTCGAGAAACCAGAGATCAGTTCTTGGACATCTTGCAAGCTCATGGCC
ATGATGTGAACCTTTTTGTTCCGAGCCGTGTTTTGCAGCTCTTTGCCGAATTGTCCAACAGAAGGCACT
CCCTCTGACCCGTTTCCAGGCAGTGGTGGCCTTGGCAGTGGGACGGCTGGCAGACAAGTCAGTGCTAGTG
TGTAATAATGCCATTCAGCTGCTGGCCAGCTTTCTAGCCAATAATCCCTTTTCTGCAAGCTTAGTGATA
TTGACCTTGCTGGACCACTGCAGAAGGAGATTAGAAAATTACAAGAAATGCGAGCCAGAGGCGAAGTGC
AGCAGCGACTGCAGCACTAGACCCGAGGAGGAGTGGGATGCCATGTTGCCAGAATTGAAGTCGACCTG



[View online »](#)

CAGCAGCTCCTGAAACTTCCCCAGGAAGAGGGAGATCATCAAATTGCTGATGCAGAGACTGCAGAGGAGG
 TGAAGGACGCATCCGCCAACTGCTTGCCAAAGCAAGTTACAAACAGGCTATTGTTCTACTCGGGAAGC
 TACCAGTCACTTCCAGGAGTCTGAACCTTTCAGTCACACAGAGCCAGAGGAGAACAGCTTCTCTGAATCTC
 TTGGGACTCATCTTCAAAGGCCCGAAGCTTCCACACAGGACTCTCATGGGGACACAGACCCAGGGCTGA
 CAGGCAGTAAAGACTCTCCAGTGTGCCGAGCCAGAGGGATCCCAGAGCAACGATGAGCTGGTGAAGCA
 GGAGATGCTGGTGAGTATCTGCAGGATGCCTACGGCTTCTCCAGAAGATTACAGAAGCCATTGGCATC
 ATCAGCAAGATGATGTATGAGAACACAACCTACAGTGGTGCAGGAGGTGATTGAGTTCTTTGTGATGGTAT
 TCCAATTTGGGGTACCTCAGGCCCTGTTTGGGGTACGACGCATGCTGCCTCTCATCTGGTCTAAGGAGCC
 TGGTGTCCGGAAGCCGTGCTTAATGCGTACCGCAACTCTACCTCAACCCGAAAGGGGACTCGGCCAGA
 GCCAAGGCGCAGACTTTGATTACAACCTCTCGCTGTTGTTAGTGGATGCCTCCGTCGGGACCATTCAGT
 GTCTTGAGGAAATTTTGTGAGTTTGTGCAGAAGGATGAGGTAAGCCAGCGGTGATCCAGCTGCTATG
 GGAACGGGCAACGGAGAAGGTGCCAAGCTCTCCTCTGGAGCGCTGCTCCTCTGTTATGCTTCTTGGCATG
 ATGGCACGAGGAAAACAGAAATTTAGGGAGCAACTTAGACGCCCTGGTGAAGGTGGGGCTGGATGAGA
 AGTCTCCTCAGGACTACAGGCTGGCCAGCAGGTGTGCCTTGCCATTGCTAACATCTCGGACAGGAGGAA
 GCCTTCCCTGGGTGAGCGTCACCTCCCTTCCGGCTGCCTCAGGAGCACAGGTTGTTTGAAGCAGTTTCAG
 GATATGGTCACAAAGGGCTTTGCACACCCAGATCCCCTCTGGATCCCATTCAAAGAAGTAGCAGTGACCC
 TGACCTACCAGTTGGCAGAGAGCCCTGATGTGCTCTGTGCCAGATGTTGCAAGGCTGTGCCAAGCAAGT
 CTTGGAGAACTTGAGAAGAAGCCACTGAGGCAGACCCCAAGGAAACAGCCCTAGGCTCCCCACATTC
 CTGCTGATGAACCTGCTGTCCCTGGCTGGGGATGTGGCTCTTCAGCAGCTGGTGCATTTGGAACAAGCAG
 TGAGTGGAGAGCTGGGTGCGGCGGAGTTCTGCGAGAGGAGCAGGAGCACAGGGCCAAGGAGCCCAAGGA
 GAAGACTGCAAGCTCTGAACTACAATGGAGGAAGAACTGGGGCTGGTGGGGGGGCCACTGCTGACGAC
 ACAGAGGCGGAGCTCATCCAAGCATCTGTGAGAAGGAGCTGTTGGACGCAACCAAGGTACTAGCTGCCT
 TTGTTCCACTGCTACTTAAAGTCTGTAAACAACCTGGCTTATACAGCAACCCAGAGCTCTGTGCGGCTGC
 GTCGCTGGCCCTTGGAAGTTCTGCATGATCAGTGCCCTTTCTGCGACTCCAGCTTCGCTTCTTATTCT
 ACCATGCTGGAAGTCTTCACTCCCCACTGTGCATCTAACCTCATGGTTGCCACAGGGGATCTGGCTA
 TCCGCTTCCCTAACCTGGTGGATCCCTGGACTCCTCATCTGTATGCCCGCTCCGAGACCCAGCTCAACA
 AGTGCGGAAGACAGCGGGCTGGTGTGACGCACCTGATCCTGAAGGACATGGTGAAGGTGAAGGGGACAG
 GTGAGCGAGATGGCCGTGCTGCTCATCGACCTGTGCCTCAGATCGTCTGCTGCGCAAGAATTTCTTCA
 ATGAGCTCTCCACAAGGGCAATGCTATCTATAATCTACTTCCGATATCATCAGTCGCTGTGACACCC
 AGAGGGCGGAGTGGAAGAGGAGCCCTTCCACACCATCATGAAGCAGCTCCTCTCCTACATACCAAGGAC
 AAACAGACTGAGAGCTTGGTAGAAAAGCTGTGTCAGCGGTTCCGCACAGCCGAAGTGAAGCGTCAGTACC
 GAGACCTAGCCTACTGTATGTCCAGCTGCCCTCACAGAGCGAGGTCTCCAGAAGATGCTAGACAACCTT
 TGAGTGCTTTGGCGATAAGCTCTTAGATGAGTCTGTCTTCAAGTCTTTCTGTCAATTGTGGGCAAACTG
 CGTCGCGGGGCCAAGCCTGAGGGCAAGGCTATAATAGATGAATTTGAGCAGAAGCTTCGTGCCTGTCA
 CCAGAGGCATGGATGGAATAGAGGAGTTTGAACTGGCCAGGGAGGCAGCCAGCGAGCCCTGTCTGCCAA
 GAAACCTCCGCTGTCTCAAGGCTACAGCCTCTGACTTCTGTAGACTCAGACAATGACTTTGTACACCT
 AAGCCACGACGTACCAACCTGGTGTCCACAACTCAGCAGCGCAAGAAGTCCCAGAGGAAAGCCAAAG
 TTGTCTTCTTGTGAGTGACGAGTCCAGTGAGGACGAACTTTCAGCAGAGATGACAGAAGAAGAGACCCAA
 GAGAACCACCCACCTTGTAGAAGTCTTGTGTCTGTGGTTTAAACATGGAATGGCCTTTGCATTG
 AGGTCTTTCTCT

ACGCGTACGCGGCGCTCGAG – GFP Tag – GTTTAA


Protein Sequence: >MG211971 representing BC029133
 Red=Cloning site Green=Tags(s)

MSPHNFEFHLPLSPEELLKSGGVNQYVVREVLVVKHLSSQLRAFQSAFRAQGPLAILEHFDTVYSILHHF
 RSIIEPLKEDTLEFLKKVSRHSQELSSILDAAALSGSDRSAHLNALKMNCYALIRLLESFENMTSQTSL
 IDLDIGGKGKRARAKATLGFDEEERQPVLLQLLQLDIRHLWNHSAIEEEFVSLVTGCCYRLLENPT
 ISHQKNRSTKEAIAHLLGVALVRYNHMLSATVKIIQMLQHFEHLPPVLVTAVSLWATDYGKMSIVGEIVR
 EIGQKCPQELSRDTAGAKGFAAFLTELAERIPAVLMANMCILLDHLGGENYMMRNAVLAIAEMVLQVLN
 GDQLEESARETRDQFLDILQAHGHVDVNSFVRSRVLQLFARIVQQKALPLTRFQAVVALAVGRLADKSVLV
 CKNAIQLLASFLANPPFSCKLSDIDLAPLQKEIQKLQEMRAQRSSAAATAALDPEEEWDAMLPELKSTL
 QQLLKLQEEGDHQIADAETAEEVKGRIRQLLAKASYKQAIVL TREATSHFQESEPF SHTEPEENSFLNL
 LGLIFKGPEASTQDSHGDTDPGLTGSKDPSVPEPEGSQSNDEL VKQEMLVQYLQDAYGFSQKITEAIGI
 ISKMMYENTTTVVQEVIEFFVMVFQFGVPQALFGVRRMLPLIWSKEPGVREAVLNAYRQLYLNPKGDSAR
 AKAQTLIHNL SLLLVDASVGTIQCLEEILCEVQKDEVKPAVIQLLWERATEKVPSSPLERCSSVMLLGM
 MARGKPEIVGSNLDALVRVGLDEKSPQDYRLAQVCLAIANISDRRKPSLGERHPPFRLPQEHRLFERLQ
 DMVTKGFAHPDPLWIPFKEVAVTLTYQLAESPDVLC AQMLQGC AKQVLEKLEKNATEADPKETAPRLPTF
 LLMNLLSLAGDVALQQLVHLEQAVSGELGRRRVLREEQEHRAKEPKEKTASSETTMEELGLVGGATADD
 TEAELIRSI CEKELL DGNQVLA AFVPLLLKVCNNPGLYSNPELCAASLALGKFCMISAPFCDSQLRLLF
 TMLEKSSLP TVRSNLMVATGDLAIRFPNLVDPWTPHL YARLRDPAQQVRKTAGL VMTHLILKDMVKVKGQ
 VSEMAVLLIDPVPQIAALAKNFFNELSHKGNAIYNLLPDIIISRLSDPEGGV EEPFHTIMKQLLSYITKD
 KQTESLVEKLCQFRFRTARTERQYRD LAYCMSQLPLTERGLQKMLDNFECFGDKLLDESVSFAFLSIVGKL
 RRGAKPEGKAIIDEFEQKL RACHTRGMDGIEEFETGQGSQRALSAKKPSAVSRQLPLTSVDSDNDFVTP
 KPRRTKGRPQTQQRKKSQRKAKVVFLSDESEDEL SAEMTEETPKRTTPTLVEVLVVCGFNMEMAFAL
 RSFS

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: BC029133

ORF Size: 4212 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	BC029133.1
RefSeq Size:	4376 bp
RefSeq ORF:	4214 bp
Locus ID:	68298
Cytogenetics:	6 F2- F3
Gene Summary:	Regulatory subunit of the condensin complex, a complex required for conversion of interphase chromatin into mitotic-like condense chromosomes. The condensin complex probably introduces positive supercoils into relaxed DNA in the presence of type I topoisomerases and converts nicked DNA into positive knotted forms in the presence of type II topoisomerases. May target the condensin complex to DNA via its C-terminal domain. May promote the resolution of double-strand DNA catenanes (intertwines) between sister chromatids. Condensin-mediated compaction likely increases tension in catenated sister chromatids, providing directionality for type II topoisomerase-mediated strand exchanges toward chromatid decatenation. Required for decatenation of non-centromeric ultrafine DNA bridges during anaphase. Early in neurogenesis, may play an essential role to ensure accurate mitotic chromosome condensation in neuron stem cells, ultimately affecting neuron pool and cortex size.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG211971