

## Product datasheet for **MG214513**

### **Olf115 (NM\_001011753) Mouse Tagged ORF Clone**

#### Product data:

Product Type:	Expression Plasmids
Tag:	TurboGFP
Symbol:	Olf115
Synonyms:	MOR218-11P
Mammalian Cell	Neomycin
Selection:	
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)

**ORF Nucleotide Sequence:** >MG214513 representing NM\_001011753  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGATAATGGAAAATATAACCACGATGAGTGGATTCTCCTCATGGGATTCTCTGACAACCGTGAGCTGC  
AGATCTTACAGGCTTTGCTCTTCTTGGTGACATACCTAGTCGGCTCAGCAGGGAAGTGCATCATTATCAC  
CATCACAACACTAGACCCACAGCTCAAGTCTCCAATGTATTACTTTCTGAAGCACCTTTCTATTCTGGAC  
CTCTCATCACTCTCTGTACAGTCCCCAGTATGTTGACAGTCCCTGGCACGAAGTGGCTACATTTCTT  
ATGAACAGTGCATGCTGCAGATTCTTTCTTTACATGTTTTGCCTGGGATGAGATGGCCATTCTCACAGT  
GATGTCATATGATCGTTATGTAGCTGTTTGCCTTCTCCTCCACTATGAGGTCATCATGAGTCCCAGAAAG  
TGCACCTGGGCTTTGGCAGCTGTGTGGCTAAGTGGAGGTGTCTCAGGAACACTATACACAGCAAGTACAC  
TCTCTATCAGATTCTGTGGGACAGAATAATCCACCAATTCTTTGTGATGTCCCCAGGTGCTCAAGCT  
CTCCTGCTCTAATGATTACCTTGTAAACAATTGGAGTTGCTAATATCCTGTCTGCAAGTGGCCTTTGCTTGC  
TTCATTGGGATTGTCATCTCCTATGTCACATATTCTCCACAGTCTCAGGATGCCCTCTGCTGAAAGCA  
GGTATAAGGTCTTCTCTACTTGCCCTGCCCATCTTTTGTGTCTCATTGTTCTTTCTACAAGCACCTT  
TGCATATCTAAACCAACCGCAGACTCTCCAACCTGCTTTAGAGTCTTATTTCTATCCTTTACACAGTA  
CTACCTCCAATCAATCCTGTTATTTACAGTTTGAGAAATGAGACAATAAAGAGGGTTGTAAGGAAGT  
TACTGTCGAGTACAAAATTCAGTGT


**ACCGGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA





<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">NM_001011753.2</a> , <a href="#">NP_001011753.2</a>
<b>RefSeq Size:</b>	995 bp
<b>RefSeq ORF:</b>	939 bp
<b>Locus ID:</b>	257908
<b>Cytogenetics:</b>	17 B1
<b>Gene Summary:</b>	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]

Product images:



Circular map for MG214513