

Product datasheet for **MG215269**

Trem14 (NM_001033922) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	TurboGFP
Symbol:	Trem14
Synonyms:	5031403H21Rik; BBI37214; IDCPI; TLT-4; TLT4; Trem13
Mammalian Cell	Neomycin
Selection:	
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)

ORF Nucleotide Sequence: >MG215269 representing NM_001033922
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGCCTGGAGGTACTCACAACCTGCTCCTGGTCCCTGTGCAGCTGGTGTTCCTGGCCTCAGGTGTCTGGG
GGTCCACAGTATCTGAAGAGCTTCATAGAATGGTAGGACAGAGCCTCTCCGTGCAGTGCCAATACAAGCC
TAAGGAGGAGTCTATGTGCTGAAAACGTGGTGTCCGGCAAACAGCCCCAAGTAAATGTACGAGAGTGGTC
ACTACCTCTGAGCCTCGGAAAGCAGCCAGGGAATTACAGCACACAATCTGGGATGATCCTGAAGCTGGCT
TCTTCAACATCACCATGACTCAACTAACAGAGGATGACTCAGCGTTCTACTGGTGTGGTCCATATTATCC
TTCCCTCAGAGAAGTAACTGTTCTCAGAAACATCAGCCTGGTGGTGTCCGAGCCCCATCAACCCTTCTCT
TCGAGACGATTGCTCCGCTCCAGAAAGCACAGCCACCATCTTTATGCCCTTCCCAGTTCTGACTACCT
CTCCCAGGAGACCACTGACTCTTCCATCAATGGCACTGGGCACAGAAACCAAGTTCCTCTCTCTG
CTGGACCTCCCGGGGCTTCTGGTCTCTGTGCAATATGGACTCCTCTGCTCAAGGCCCTGATGCTGTCA
GTTTTCTGTGTCTTTTGTGGAGGAGTGGCCAGGACGAGAGTACATGGCAGAGACGATGGAGCTTT
CAAACTACCTCACATCTCAAGTCTTGGACACGGTTAGCCACATCTCAGGGTATGAGAAGAAGGCTAA
CTGGTAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



Protein Sequence: >MG215269 representing NM_001033922
Red=Cloning site Green=Tags(s)


MAWRYSQLLLVVPVQLVFLASGVWGSTVSEELHRMVGQSLSVQCQYKPEESYVLKTWCRQTAPSKCTRVV
 TTSEPRKAARELQHTIWDPEAGFFNITMTQLTEDDSAFYWCOPYPSLREVTVLRNISLVVSPAPSTLP
 SQTIAPLPESTATIFMPFPVL TTSPEETDSSINGTGHRNQSSSSPGWTSPGLLVSVQYGLLLLLKALMLS
 VFCVLLCWRSQGREGREYMAETMELSKLPHISKSLDVTVSHISGYEKKANWY

TRTRPLE - GFP Tag - V

Chromatograms: https://cdn.origene.com/chromatograms/ja1823_a08.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001033922


ORF Size: 777 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_001033922.2 , NP_001029094.1
RefSeq Size:	1730 bp
RefSeq ORF:	780 bp
Locus ID:	224840
UniProt ID:	Q3LRV9
Cytogenetics:	17 C
Gene Summary:	Positively regulates Toll-like receptor signaling via TLR7, TLR9 and TLR13 in neutrophils and splenic macrophages (PubMed:25848864). Regulates TLR7 signaling by controlling ligand-induced recruitment of TLR7 from the endoplasmic reticulum to endosomes and lysosomes (PubMed:25848864). Positively regulates Toll-like receptor TLR9-induced production of inflammatory cytokines but is dispensable for IFN β production (PubMed:25848864). Involved in the anti-viral response to several viruses including influenza virus, vesicular stomatitis virus and cytomegalovirus (PubMed:25848864). Binds to late apoptotic, and necrotic cells, but not living or early apoptotic cells, but is not essential for uptake of dying cells by dendritic cells (DCs) (PubMed:22210914, PubMed:19155473, PubMed:25848864). Does not bind nucleic acids (PubMed:25848864). May participate in antigen presentation (PubMed:22210914). [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG215269