

## Product datasheet for **MG215508**

### **Olf330 (NM\_146879) Mouse Tagged ORF Clone**

#### Product data:

Product Type:	Expression Plasmids
Tag:	TurboGFP
Symbol:	Olf330
Synonyms:	MOR275-I; RP23-465K20.12
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)

**ORF Nucleotide Sequence:** >MG215508 representing NM\_146879  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGGACCTCACCACCTGGATGAACAACTACACTACACAGTCAGATTTACCCCTGGTGGGATTCTTCAGTC  
AATCCAAACTCTGCCCTGCTTGCTGTGGTCATATTTGTGGTTTTCTGATGGCCTTGCTGGGAACGC  
CCTCCTGATCCTGCTGGTACTCTGACACCCACCTCCACACCCATGTACTTTTTATCAGCCAACTG  
TCCCTCATGGACATGATGTACATTTCTGTCACTGTGCCAAGATGCTCATGGACCAGGTCTGGGGAGCC  
ACAAGATCTCAGCTGCTGCCTGTGGGATGCAGATGTTCCCTATGTGACACTAGCAGGTTCAAGATTTTT  
CCTTCTGGCTGCCATGTCTACGACCGCTATGTGGCCATCTGCCATCCACTCCGGTATCCTGTCTCATG  
AACTACAGGGTTTGTCTCCTCCTGATGTCTGTCTGTTGGATCCTGGGATCTTTGGATGGCTTCATGTTCA  
CCCCTGTACCATGACCTCCATTCTGTGGATCCCGGAGATCCATCACTTCTTGTGAGGTTCTCTGC  
TGTGACAAAGCTCTCCTGCTCAGACACCTGGCTCTATGAGACCCCTCATGTATGTGTGCTGTGTGCTCATG  
CTTCTCATCCTGTGACAGTCAATTTAGGCTCCTATACATCCATCCTCCTCACTGTTCTCAGGATGAACT  
CAGCAGAGGGCAGGAAGAAGGCCCTTGCCACCTGCTCCTCCACATGACTGTGGTCACCCTCTTCTATGG  
TGCTGCTATCTATACCTACATTTCCCTGCCTCTCCACACCCCTGAGAAGGACATGGTGGTGTCTGTG  
TTTTACCCATACTACCCCTCTGTTGAACCCACTAATCTATAGTTTTAGGAATAAGAATGTCACAGAGG  
CTATGAAGAACTGTTAGTTGTGAGCACCTCTTC

**ACCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



**Protein Sequence:** >MG215508 representing NM\_146879  
 Red=Cloning site Green=Tags(s)

MDLTTWMNNYTTQSDFTLVGFFSQSKHSALLAVVIFVVFLMALSGNALLILLVLSDTHLHTPMYFFISQL  
 SLMDMMYISVTPVKMLMDQVLGSHKISAAACGMQMFLYVTLAGEFFLLAAMSYDRYVAICHPLRYPVLM  
 NYRVCLLLMSVCWILGSLDGFMTPTMTFPFCGSREIHHFFCEVPAVKLSCSDTWLYETLMYVCCVLM  
 LLIPVTVISGSYTSILLTVLRMNSAERKKALATCSSHMTVVTLFYGAAIYTYIFPASLHTPEKDMVVSV  
 FYTILTPLLNPLIYSFRNKNVTEAMKKLLVVSTLF

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_146879

**ORF Size:** 945 bp


**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<u><a href="#">NM_146879.2</a></u> , <u><a href="#">NP_667090.1</a></u>
<b>RefSeq Size:</b>	1082 bp
<b>RefSeq ORF:</b>	948 bp
<b>Locus ID:</b>	258879
<b>Cytogenetics:</b>	11 B1.3
<b>Gene Summary:</b>	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]

Product images:



Circular map for MG215508