

## Product datasheet for **MG216015**

### ThnsII (NM\_177588) Mouse Tagged ORF Clone

#### Product data:

<b>Product Type:</b>	Expression Plasmids
<b>Tag:</b>	TurboGFP
<b>Symbol:</b>	ThnsII
<b>Synonyms:</b>	AW413632
<b>Mammalian Cell Selection:</b>	Neomycin
<b>Vector:</b>	pCMV6-AC-GFP (PS100010)
<b>E. coli Selection:</b>	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence: >MG216015 representing NM\_177588  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTGCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCCGCGATCGCC

ATGCTGACCTTGACCAGATGTCACCATTTGAAACAGATAGCACAGGAGTGTCTTCTAGCCTGCTGGTTA  
AAGTGCAGAGCCGCACACAGCTCCTGCTTCCACGAGCCTCTGCACGTGCAGAATCAGGGAAGTCATGGCA  
CTCCACCCACTCTCTTGTGGAGACAAAAATTTGTCCTGATGGGGCCGCTGGTTCTGGGAAAAACAACA  
GTTGGCAGAATATTAGGTGACAAAATAGGCTGTGTGTCATCGATGTAGATAGTGATGTCCTTGAGAAAG  
CCTGGAATATGAGCGCATCTGAAAAATGCAGGATGTTGGTAATGAGCGATTTTTAGAAGAGGAAGGAAA  
AACAGTGTAAACTTGTCTGCATCTGGAAGTGTGATTTCCCTCAGTGGGTCCAATCCCATGCATGATGCT  
AGCATGTGGCATCTGAAGAAAAATGGAATTGTTGTATACCTAGATGTGCCTCTAACAGATATAATTAGTC  
GTCTGAAATCAATGAGAATTGATAGGATTGTTGGCCAGAACACTGGAGCATCTCTGAGAGACTCGCTGAA  
GCACGTAAGACTGTAATAAGAAGTGGTACGATGCCCGAGTCTTCTGTGAGAGTGGGGCTCAGCTGAG  
GAGGTTGCAGACAAAGTCTTGTGTTAAAAGATACCAAGACGTGGATTACAGAGACATTCATTTCAA  
CAAGGCATGTTTGTCTTAAAGATCATGACAAGAAGTTCCACCAAAAATACTTCAGTGAAGCTGTAGTTGA  
GGGATTGGCTTCTGATGGTGGCCTCTTGTTCCTGAGAAGGAGTTTCCAAAACCTAAGTCTGGGGAGTGG  
AATAACCTAATAGGAGCAACCTACATAGAAAGACACAGGTGCTCTTGGAAAGTGCATTCACCTGCGG  
ACATACCTGCTGCCAAATTAGGAGAAATGATTGAAACTGCTTATGGGGAAAACTTTCCTGCTCCAAAGT  
TGCCCTGTGAGGACCTTTCTGGCAATCAGTTCATCTTGGAGTTGTTCTATGGCCCAACGGGGTCTTTT  
AAGGATTTGTCTTACAGCTTATGCCTCATATTTTGCCTACTGTATCCCACCAGGTTGCAATTATGTGA  
TACTTGTAGCCACTTCAGGAGACACTGGGAGTGCAGTCTTAAATGGCTTACCCATCTTAATAAAAAATGA  
TAAGGAAAGAATAGCTGTGGTACATTTTTCCAGAGAACGGAGTTAGTGATTTCCAGAAAAGCAGAGATA  
ATTGGCAGTCAGAGAGAAAAATGGTTGGCAATAGGTGTGAGGTCAGATTTTGATTTTGGCAGACAGCTA  
TTAGAAAAATTTAATGATTCTGATTTTACTGGCTTCTGGCTGTGGAATATGGAACAATCTTAAGTTC  
AGCTAATCTATAAATGGGCTCGACTACTCCGCAGATAGTTTATCATGCCTCTGCATACCTTGAGCTT  
GTTAACCAACGGTTTTATTTCTTTTGGAAAGCCAGTAGATGTCTGTGTTCCACAGGAACTTTGGGAACG  
TGTGGCGGCAGTGTATGCCAAGATGATGGGAATCCCTATTCGAAAATTTATCTGTGCCTCTAATCAGAA  
CCACGTTTTGACTGACTTCATAAAAACCTGGACATTATGATCTAAGGAATAGGAAATAGCACAAACCTTT  
TCACCATCAATAGATATTCTCAAGTCTTCAACCTGGAGCGACATTTATACTTGATGGCTAACAAAGACG  
GACAGTTAATGGCAAATTTATACCATCAGTTAGAGAGTCAGCTTCACTTCCGGATTGAGAAGATGCTGGT  
CGAGAAGTGCAGCAAGAGTTTGTGGCGACTGGTGTCTGAGGGAGAATGCCTCGCAGCTATCAGCACT  
ACCTACAATGCATCAGGCTATATTTGGATCCACATACCGCTGTTGCAAAAAGTGGTTGCAGACAAGATGC  
AAGACAAAAGCTGCCAGTGTCTATTGCATCCACAGCTCACTACTCCAAGTTTGGCCCTGCTATCATGCA  
GGCACTGGGGATTAAGAAGTCAACAGAGCTCGTCCAGCCAGCTTTACTTACTGAGCTCGTACAATGCA  
TTGCCCTCCTCACGAGGCTCTGCTAGAGAGAATGAAGCAGAAGGAGAAGATGGATTACCAGTTTGTG  
TAGCTGATGTGGATGTCCTGAAGAGTCATGCAGAAAACTCATCCAAAATTTGGTTTGAAGGAAGTCTGA  
G

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


**Protein Sequence:** >MG216015 representing NM\_177588  
Red=Cloning site Green=Tags(s)

MLTLTRCHHLKQIAQECLSSLLVKVQSRQLLLPRASARAESGKSWHSTHSLVGDKNIVLMGPPGSGKTT  
 VGRILGDKLGCCVIDVDSVLEKAWNMSASEKLQDVGNERFLEEEGKTVLNLASGSVISLSGNSPMHDA  
 SMWHLKKNIGVVYLDVPLTDIISRLKSMRIDRIVGQNTGASLRDSLKHVRLYYKKWYDARVFCESGASAE  
 EVADKVL DVVKRYQDVSETFISTRHVCLKDHDKKFPPKYFSEAVVEGLASDGLFVPEKEFPKLSGGEW  
 NNLIGATYIERAQVLLERICIHPADIPAACLGEMIIETAYGENFACSKVAPVRHLSGNQFIELEFYGPTGSF  
 KDLSLQLMPHIFAYCIPPGCNVYILVATSGDTGSAVLNGFSLNKNDKERIAVVTFFPENGVSDFQKAEI  
 IGSQRENGWAIGVRSDFDFCQTAIRKIFNDSDFTGFLAVEYGTILSSANSINWARLLPQIVYHASAYLEL  
 VNQRFISFGSPVDVCPVTGNFNVLAAYYAKMMGIPIRKFICASNQNHVLTDFIKTGHYDLRNRKLAQTF  
 SPSIDILKSSNLERHLYLMANKDQQLMANLYHQLESQLEHFRIEKMLVEKLQEFVADWCSEGECLAAIST  
 TYNASGYILDPHATAVAVYVADKMQDKSCPVLIASTAHYSKFAAIMQALGIKELNQTSSQLYLLSSYNA  
 LPPPEALLERMKQKEKMDYQVCVADVDVLKSHAELIQNWFVRKSE

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**




**ACCN:** NM\_177588

**ORF Size:** 2241 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<u><a href="#">NM_177588.2</a></u> , <u><a href="#">NP_808256.1</a></u>
<b>RefSeq Size:</b>	3899 bp
<b>RefSeq ORF:</b>	2244 bp
<b>Locus ID:</b>	208967
<b>UniProt ID:</b>	<u><a href="#">Q8BH55</a></u>
<b>Cytogenetics:</b>	2 A3

**Product images:**

Circular map for MG216015