

Product datasheet for **MG216542**

Haspin (NM_010353) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Haspin (NM_010353) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Haspin
Synonyms:	Gsg2; Haspin
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG216542 representing NM_010353
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGCACAGGCTCACCCGCGGTCCGGTACCCGGCTCTTTCGAACGTACGCGGCGAGGGCGTCCGGGGT
 CGCAGCGGCAGCCTGGCGGGCTGGCTGAGCAATGGTTCAGCCGCGGAACCTGAAGCGCGCTTCAGCAG
 CAGCCTCAGCGACAGTAACGAGTCGCGCGCTGTCGCTTCCGACGACCCGACGACCCGACTTCCCCGGC
 AGCCTCGTGGGCCAGCGGCGAGGCGTCTCGGGGCGAGCGGCTCCCGAACAGCGGACCCTGACAAACA
 CTCCAAGAGTCCAAGGCTGCGACCTCGGCCCCCGAGAAGTGCAGCACCCCGTGCAGCCGGCTGCGACC
 GCCACCTTTCCCAACTGCAGCCCGGGTGCCTCGGGTCCGACCACAGTGTGTGCATCCAGTCCAGGGAC
 AGCAACGAGCTGGGCACCACTGCCTCCCTTTCAGCTCTCGGCCTCGCCCGAGCCCCGACCTTTGT
 ATGCTGACTCTGCAGTCCCGGGAGCTTCCACTTGCCGGCAGCCTCCCTAAGTGAACCGTCTGTGCCCTG
 CCCCCAGGTGGCAGCAACCGGTGACAGGTACACCGGGAGGGCCCTCCGAGCCGAAGCCAGCTTCAGTCA
 TCTCTCTTTAGCCTTGTGAACACTAGGGGCCACAGAAGAGAACAAGTTTGGGACAGATGGGGAGAATGTGA
 AGGAATCGTGTGTGAAAGAAGACAGCAGATGGGAAACAGACTAACCGACCTGTACTGACAAGCCCGGG
 AAAGAGAAAGGCCGCGTGTAAAAAGTTGTGTCCAAGGAGTCGACCAGAGAGACTATGAGGAGTCCAGT
 GCTTGCAAAGACCTTCGTGTACCAGGGGAAATCAGCAGGCCTAAGAGAAGTGGGCCACTCCGGAAGAGGA
 AACGGCAAGAAGCAACGGGAACCCCTCCCCGCACTACCACCAATCTAAGAAGAAAAGGAAAAGCGTCAGT
 CTCCTTATGGAACCTGAATACTAGCCAGAGGGATTCTTGGACAAAACCAGAGCCTCCTTCGGTTTCCAC
 AAGAAGAAAATTATAACCAAGTGTGATAGAGGTATGCAGTCTGTGTCAGTCTTCTCTCCAGTCCCTCC
 TGTCTGAATGTTCCAGCCCTCTATCAAGAACAGAGCACACCTTACTGTTTCTTCTCGATGCTCTTCTGT
 GTATTTGCTAAGTCCCTTAAAGACCCTGCATGTACAGACCAAAGGCCATCTTATGCTGAAAAGGTTTAT
 GGGGAGTGAATCAGGAAGGGCCATCCCTTTAGTGATTGCCTTTCCACGGAAAAACTGGAACGGTGTG
 AGAAGATTGGGAAGGAGTGTGGGAGAAGTGTTCAGATAATTAACGACCAAGCACCTGTAGCCCTAAA
 AATCATTGCTATTGAAGGGTTAGATTTAGTCAATGGGTCCACCAGAAAACCTTTGAGGAAATCCTGCCG
 GAGATCATTATCTCAAAGAGCTGAGTCTTGTCTAGTGAGGCCTACAACCGCACAGAAGGCTTTATTG
 GGCTGAACCTCAGTACACTGTGTTCAAGGGCTTTACCCTCCCTGCTGCTGAAAGCCTGGGATCACTATAA
 CACAACAAAAGATCTGCCAATGACCGCCTGACTTTTTCCAGGAAGACCAGCTCTTATTATCCTGGAA
 TTTGAGTTTGGTGGGTTGACTTGGAGCGAATGAAAACCAAGCTGTCCTCTGTGGCGACTGCAAAGAGCA
 TTCTCCACAGATCACCGCATCCCTGGCTGTGGCAGAAGCATCCCTGCATTTGAGCACCGGGACTTACA
 CTGGGGAAATGTGCTCTTAAAGAAAACCAACTCAAAGAACTCCGCTACACCCTCAATGGGAAAACGAGC
 ACCATTCCCACCCATGGGCTACAGGTCAACATCATTGACTACACCCTGTCCCGCTTGGAGCGGGATGGGA
 TTGTGGTTTTCTGTGATATCTCCGCTGAAGAGGACCTATTTACAGGTGAGGGTACTACCAGTTTGGAGT
 CTACAGGCTCATGAGGAAGGAGAACAAAACACTGCTGGGGTGAATACACCTTACAATAATGTGCTGTGG
 CTGCATTACCTCACAGACAAGATTCTGAATAAGATGAAATTTAAGACTAAATGCCAGAGCGCAGCCATGA
 AGCAAATAAGGAAAACCTGCAACATTTCCACAGGACTGTACTGAGTTTCAGCTCTGCCACGGACCTGCT
 CTGCCAACACAGTCTATTTAGG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG216542 representing NM_010353
 Red=Cloning site Green=Tags(s)


MAQAHPRSGTRLFRTYAARGVGRGSRQPGGLAEQWFQPPNLKRAFSSSLSDSNESPAVASDDPDDPDFPG
 SLVGQRRRRPRGSGSRNQRTL TNTPRVQRLRPRPPQKSTPCSRRLRPPFPNCSPGCLGSDHSVCIQSRD
 SNELGTSASLFSSPASPAPDPLYADSAVPGSFHLPAASLSEPSVPCQVAATGDRYTGRALRAEAFRS
 SLFSLVNSGATEENKFGTDGENVKESCCERRQQMGNRL TDPDL TSPGKRKAACKKVVSQGVDRDYEISS
 ACKDLRVPGEISRPKRTGPLRKRKRQEATGTPPRHYHQSKKRRKASVSLWNLNTSQRDSWTKTRASFGFH
 KKKIITSVIEVCSVASSSRSLSECSTPPIKNRAHL TVSSRCSVYLLSPLKTLHVTDQRPSYAEKVY
 GECNQEGPIPFSDCLSTEKLERCEKIGEGVFGEVFIINDQAPVALKIIAIEGLDLVNGSHQKTFFEEILP
 EIIISKELSLLSSEAYNRTEGF IGLNSVHCVQGLYPPLLLKAWDHYNNTKRSANDRPDFQEDQLFIILE
 FEFGGVDLERMKTKLSSVATAKSLHQITASLAVAEASLHFEHRDLHWGNVLLKKTNLKELRYTLNGKTS
 TIPTHGLQVNIIDYTL SRLERDGI VVFCDISAEDLFTGEGDYQFEIYRLMRKENKNCWGEYHPYNNVWL
 LHYLTDKILNKMFKTKCQSAAMKQIRKNLQHFHRTVLSFSSATDLLCQHSLFR

TRTRPLE - GFP Tag - V


Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



Plasmid Map:



ACCN: NM_010353

ORF Size: 2262 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_010353.2](#), [NP_034483.1](#)

RefSeq Size: 2818 bp

RefSeq ORF: 2265 bp

Locus ID: 14841

UniProt ID: [Q9Z0R0](#)

Cytogenetics: 11 45.25 cM

Gene Summary: Serine/threonine-protein kinase that phosphorylates histone H3 at 'Thr-3' (H3T3ph) during mitosis. May act through H3T3ph to both position and modulate activation of AURKB and other components of the chromosomal passenger complex (CPC) at centromeres to ensure proper chromatid cohesion, metaphase alignment and normal progression through the cell cycle.[UniProtKB/Swiss-Prot Function]