

Product datasheet for **MG216598**

Pum1 (NM_030722) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Pum1 (NM_030722) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Pum1
Synonyms:	AA517475; mKIAA0099; Pumm
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG216598 representing NM_030722 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAGCGTTGCATGTGTCTTGAAGAGAAAAGCAGTGCTTTGGCAGGACTCTTTCAGCCCCACCTGAAAC
ATCACCTCAAGAACCAGCTAATCCCAACATGCCTGTTGTTTGGACATCTGGAACAGGGTCGCAAGCGCA
GCCACAGCCAGCTGCAAATCAGGCTCTTGCAGCTGGAACACACTCCAGCCCTGTCCAGGATCCATAGGA
GTTGCAGGCCGTTCCAGGACGACGCTATGGTGGACTACTTCTTTCAGAGGCAGCATGGTGAGCAGCTTG
GGGAGGAGGAAGTGGTGGAGGCGCTATAATACTAGCAAACATCGATGGCTACAGGGGATAACATTCA
TGCAAGAACACCAGGTACGCTCTATGGATGAATTGAATCATGATTTCAAGCACTTGTCTGGAAGGGAGA
GCTATGGGCGAGCAGCTCTTGCCAGGTAAGAAATTTGGGAAACAGATGAATCCAGCAAAGATGGACCAA
AAGGAATATTCCTGGGTGATCAATGGCGAGACAGTGCCTGGGAAACATCAGATCATTCACTTTCCAGCC
AATCATGGTGCAGAGAAGACCTGGTCAGAGTTCCATGTGAACAGTGAGGTCAATCTGTACTGTCCCA
CGGTCGGAGAGTGGGGACTAGGCGTTAGCATGGTGGAGTATGTGTTGAGCTCATCCCGGGCGACTCCT
GTCTAAGAAAAGGAGGATTTGGCCCAAGGGATGCAGACAGTGTGAAAACGACAAAGGTGAAAAGAAGAA
CAAGGGTACGTTTGTATGGAGATAAGCTAGGAGATTTGAAGGAGGAGGGAGATGTGATGGACAAGACCAAT
GGTTTGCCAGTGCAGAATGGGATTGATGCAGACGTCAAAGATTTAGCCGTACCCTGGTAATTGCCAGA
ACTCTGCTAATGAAGTGGATCTTCTGGTCCAAACCAGAATGGTTCTGAGGGCTTAGCCAGCTGACCCAG
CACCAATGGTGCCAAGCCTGTGGAGGATTTCTCCAACATGGAGTCCCAGAGTGTCCCTTGACCCCATG
GAACATGTGGCATGGAGCCTCTGCAGTTTGATTATTCAGGCACGCAGGTACCTGTGGACTCTGCAGCAG
CAACTGTGGGACTTTTTGACTACAATTCTCAACAACAGCTATTCCAAAGACCCAATGCACCTGTGTTCA
GCAGTTGACAGCTGCCAGCAGCAGCAGTATGCACCTGCAGCAGCCACCAGCCTCACATCGTTTAGCT
CCCCTGCGTTTGTCCCAACCCATACATCATCAGCGTCTCCCCAGGGACGGACCCCTACACAGCTG
GATTGGCTGCAGCAGCGACTCGGCCAGCTGTGGTCCCTACCAATATTATGGAGTACGCCATGGGG
TGCTACCCTGCCAGTCTTCCAGCAGCAGGCAGCTGCAGCTGCAGCAGCTACAACTCTGCTACTCAG



[View online >](#)

CAGAGCGCTCCGACGGCCAGCAGGGACAGCAGCAGGTTCTTCGTGGAGGAGCTAGCCAACGTCCTTTGA
CCCCAAATCAGAACAGCAGGGACAACAAACAGATCCCCTTGTAGCAGCTGCAGCAGTGAATTCTGCTCT
TGCTTTGGACAAGGATTGGCTGCAGGTATGCCAGGTTATCCAGTCTTGGCACCTGCTGCTTACTATGAC
CAAAGTGGTGCCTTGTGGTGAATGCAGGGCAAGAAATGGCCTCGGAGCTCCAGTCCGGCTTGTGCTC
CAGCCCCAGTCATCATTAGCTCCTCAGCTGCACAAGCAGCTGTTGCAGCGGCTGCAGCGTCAGCAAACGG
AGCAGCTGGTGGTCTTGGCGAACTACAATGGACCTTTCGACCTTTAGCACCCAGCAGCCCCAGCCC
CAGCCTCAGCAGCAGCCAGTAACAATCTGGCTTCCAGCTTTTCTATGGCAACAACCTCTGAGCAGTA
ACTCCCAGAGCAGCTCCCTCTTCTCAGGGCTCTGCACAGCCTGCCAACACGTCCTTGGGATTCCGGAAG
CAGCAGTTCCTTGGTGCACCCCTGGGATCGGCCCTTGGAGGTTTGGAAACAGCAGTTGCAAACCTCAAC
ACTGGCAGTGGCTCCCGCGTGACTCCCTGACTGGCAGCAGTGACCTTTATAAGAGGACATCGAGCAGCT
TGGCCCCATTGGACACAGTTTTTATAGCAGCCTTAGCTATTCCTCCTCCTGGACCCGTGGGCATGCC
TCTCCCTAGTCAGGGACCAGGACATTCACAGACACCCTCCTTCCCTCTCTTACATGGATCCTCTTCA
AGCTTAAACCTGGGAGGACTCACAACGGCAGTGAAGATACATCTCTGCTGCTCCCGGTGCCGAAGCCA
AGTACCGCAGTGAAGCAGTGCCTCCAGCCTTTTCAGCCCCAGCAGCACCTTTTTTCTCCTCTCGTTT
GCGATATGGAATGTCTGATGTTATGCCCTCTGGCAGGAGCAGACTTCTGGAAGATTTTCGAAACAACCGG
TACCCTAATTTACAACCTGCGGGAGATTGCTGGGCATATAATGGAATTTTCTCAAGACCAGCATGGCTCTA
GATTCATTAGCTGAAACTAGAGCGTGCCACAGCAGCTGAGCGCCAGCTTGTCTTCAATGAAATCCTCCA
GGCTGCGTACCAACTTATGGTGGATGTGTTGGAAATTACGTCATTGAGAAGTTTTTGAATTTGGCAGT
CATGAACAGAAGCTGGCTCTGGCTGAACGGATTGAGGCCATGTCTATCATTGGCACTGCAGATGTACG
GCTGCCGAGTCATCCAGAAAGCTTTGGAGTTTATTCCTCAGACCAGCAGAACGAGATGGTGCGGGAGCT
AGATGGCCATGTCCTGAAGTGTGTGAAAGACCAGAACGGCAACCATGTGGTTCAGAAGTGCATTGAGTGT
GTACAGCCCCAGTCTTTGCAGTTTATCATCGATGCATTCAAGGGCAGGTGTTTGTCTTGTCTACGCACC
CGTACGGCTGTAGGGTGATCCAGAGGATCCTAGAGCACTGTCTCCCTGACCAGACCCTCCCATCCTGGA
GGAGCTTACCAGCACACAGAGCAGCTTGTGCAGGATCAGTATGGAAATTATGTAATCCAACATGTACTG
GAGCATGGTCTGCTGAGGATAAAAAGCAAAATTGTAGCAGAGATCCGAGGCAATGTACTTGTATTGAGTC
AGCACAAGTTTGAAGCAATGTTGTGGAGAAGTGTGTTACTCACGCCTCACGTACAGAGCGTGCTGTGCT
CATTGATGAGGTGTGCACCATGAACGACGGTCCCACAGTGCCTTATACACCATGATGAAGGATCAGTAT
GCTAACTATGTGGTCCAGAAGATGATCGATGTGGCTGAGCCGGTCCAGCGGAAGATTGTCATGCACAAGA
TCCGGCCACACATTGCGACGCTTCGAAAGTACACCTATGGCAAGCACATCCTGGCCAAGCTCGAGAAGTA
CTACATGAAGAATGGCGTGGACTTGGGGCCATTGTGGTCCCCCTAATGGTATCATC


ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


Protein Sequence: >MG216598 representing NM_030722
 Red=Cloning site Green=Tags(s)

```
MSVACVLKRKAVLWQDSFPHLKHPQEPANPNMPVVL TSGTGSQAQPQPAANQALAAGTHSSPVPGSIG
VAGRSQDDAMVDYFFQRQHGQELGGGSGGGGYNTSKHRWPTGDNIAEHQVRSMDLNDHFQALALEGR
AMGEQLLP GKKFWETDESSKDGPKGIFLGDQWRDSAWGTSDHSVSQPI MVQRRPGQSFHVNSEVNSVLS P
RSESGGLGVSMVEYVLSSSPGDSCLRKGGFGPRDADSDENDKGEKKNKGTFDGDKLGD LKEEGDVM DKTN
GLPVQNGIDADV KDFSRTPGNCQNSANEVDLLGPNQNGSEGLAQLTSTNGAKPVEDFSNME SQSVPLDPM
EHVGM EPLQFDYSGTQVPVDSAAATVGLFDYNSQQQLFQRPNALAVQQLTAAQQQYALAAAHPHIGLA
PAAFV PNPYIISAAPPGTDPYTAGLAAAATLGP AVVPHQYYGVTPWGVYPASLFQQQAAAAAATNSATQ
QSAPQAQQGQQVLRGGASQRPLTPNQNGGQTDPLVAAA AVNSALAFGQGLAAGMPGYPVLAPAAYYD
QTGALV V NAGARNGL GAPVRLVAPAPV IISSSAAQA AVAAAAASANGAAGGLAGTNGPFRPLGTQQQPQ
PQQQPSNNLASSFYGNNSLSSNSQSSSLFSQGS AQPANTSLFGSSSSLGATLGSALGGFGTAVANSN
TGSGSR RDSL TGSDDL YKRTSSSLAPIGHSFYSSL SYSSSPGPVGMPLPSQGP GHSQTPPPSLSSHGSSS
SLNLGGL TNGSGRYISAAPGAEAKYRSASASSL FSPSSTL FSSSRLRYGMSDVMPSGRSRLLEDFRNRR
YPNLQLREIAGHIMEFSQDQHGSRFIQLKLERATAAERQLVFNEILQAAYQLMVDVFGNYVIQKFFEFGS
HEQKLALAEIRGHVLSLALQMYGCRVIQKALEFIPSDQ QNEMVRELDGHV LKCVKDQNGNHVVQKCI EC
VQPQSLQFIIDAFKGVFALSTHPYGCRVIQRILEHCLPDQTLPILEELHQHTEQLVQDQYGNVVIQHV L
EHGRPEDKSKIVAEIRGNV LVSQHKFASNVEKCVTHASRTERAVLIDEVCTMNDGPHSALYTM MKDQY
ANYVVQKMIDVAEPGQRKIVMHKIRPHIATLRKYTYGKHILAKLEKYYMKNVDLGPICGPPNGII
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI
Cloning Scheme:



Plasmid Map:


ACCN: NM_030722

ORF Size: 3567 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_030722.2](#), [NP_109647.2](#)

RefSeq Size: 5370 bp

RefSeq ORF: 3570 bp

Locus ID: 80912

UniProt ID: [Q80U78](#)

Cytogenetics: 4 D2.2

Gene Summary:

Sequence-specific RNA-binding protein that acts as a post-transcriptional repressor by binding the 3' UTR of mRNA targets. Binds to an RNA consensus sequence, the Pumilio Response Element (PRE), 5'-UGUANAUA-3', that is related to the Nanos Response Element (NRE). Mediates post-transcriptional repression of transcripts via different mechanisms: acts via direct recruitment of the CCR4-POP2-NOT deadenylase leading to translational inhibition and mRNA degradation. Also mediates deadenylation-independent repression by promoting accessibility of miRNAs. Following growth factor stimulation, phosphorylated and binds to the 3' UTR of CDKN1B/p27 mRNA, inducing a local conformational change that exposes miRNA-binding sites, promoting association of miR-221 and miR-222, efficient suppression of CDKN1B/p27 expression, and rapid entry to the cell cycle (By similarity). Acts as a post-transcriptional repressor of E2F3 mRNAs by binding to its 3' UTR and facilitating miRNA regulation (By similarity). Represses a program of genes necessary to maintain genomic stability such as key mitotic, DNA repair and DNA replication factors. Its ability to repress those target mRNAs is regulated by the lncRNA NORAD (non-coding RNA activated by DNA damage) which, due to its high abundance and multitude of PUMILIO binding sites, is able to sequester a significant fraction of PUM1 and PUM2 in the cytoplasm (By similarity). Involved in neuronal functions by regulating ATXN1 mRNA levels: acts by binding to the 3' UTR of ATXN1 transcripts, leading to their down-regulation independently of the miRNA machinery (PubMed:25768905). In testis, acts as a post-transcriptional regulator of spermatogenesis by binding to the 3' UTR of mRNAs coding for regulators of p53/TP53 (PubMed:22342750). Involved in embryonic stem cell renewal by facilitating the exit from the ground state: acts by targeting mRNAs coding for naive pluripotency transcription factors and accelerates their down-regulation at the onset of differentiation (PubMed:24412312). Binds specifically to miRNA MIR199A precursor, with PUM2, regulates miRNA MIR199A expression at a postranscriptional level (By similarity).[UniProtKB/Swiss-Prot Function]