

Product datasheet for **MG218079**

Zfp467 (NM_001085416) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Zfp467 (NM_001085416) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Zfp467
Synonyms: 1190001I08Rik; AB041616; AI426952; AV017623; EZI; MNCb-3350; Znf467
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG218079 representing NM_001085416
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGAGAGAGACCCTGGAGGCCCTGAACTCCTTGGGATTCTCAGTGGGACAGCCAGAGATGGCTCCCCAGA
 GTGAGCCAGGGATGGGTTTCAGTAATGCCAGGAGAAGATGTCATCCAGAGGAGAGACACTGCACTC
 CTGCTCAGGGCATGAGACTCCTGGCCAGAAAGAAGGCATCCACAGACAAGCTGAAGCTCCTTGATG
 GGCAGCCAGGCCAGTACCCACAGAAGGCCGAACCTGCAGGCTCTGTCCAGTCCTTTCCCACTCTGA
 CTTGGGTCAGTTGGCTGTTACGTACAACTGGAGCCAGGGACTCCGGGAGCAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


Protein Sequence: >MG218079 representing NM_001085416
 Red=Cloning site Green=Tags(s)
 MRETLEALNSLGFSVGQPEMAPQSEPRDGF SNAQEKMSRGESTLHSCSGHETPGQKEGIHQAEAPCM
 GSQASTPQKAEPAGSVPLFPLLTWVSWLLRTNWSQGLREH

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_001085416

ORF Size: 333 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.


RefSeq: [NM_001085416.1](#), [NP_001078885.1](#)

RefSeq Size: 3179 bp

RefSeq ORF: 336 bp

| | |
|---------------|--|
| Locus ID: | 68910 |
| UniProt ID: | Q8JZL0 |
| Cytogenetics: | 6 B2.3 |
| Gene Summary: | Transcription factor that promotes adipocyte differentiation and suppresses osteoblast differentiation in the bone marrow. Enhances the osteoclast-supporting ability of stromal cells. Binds with STAT3 the consensus sequence 5'-CTTCTGGGAAGA-3' of the acute phase response element (APRE). Transactivates several promoters including FOS, OSM and PPARG. Recruits a histone deacetylase complex.[UniProtKB/Swiss-Prot Function] |

Product images:



Circular map for MG218079