

Product datasheet for **MG218273**

Gja8 (NM_008123) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Gja8 (NM_008123) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Gja8
Synonyms:	Aey5; Cnx50; Cx50; Lop10
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG218273 representing NM_008123 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGCGACTGGAGTTTCTGGGAAACATCTTGGGAAGAGGTGAATGAGCACTCCACTGTCATCGGCAGAG
TCTGGCTCACAGTGCTCTTCATCTTCCGCATCCTCATCCTCGGGACAGCAGCGGAGTTTGTGTGGGCGA
TGAGCAATCTGATTTTGTATGCAACACCCAGCAGCCAGGCTGTGAGAATGTCTGTACGATGAGGCCTTT
CCCATCTCACACATCCGCCTCTGGGTGCTGCAGATCATCTTCGTCTCCACTCCATCGCTGATGTACGTGG
GGCAGCGGTACACCACGTTTCGCATGGAGGAGAAGCGAAAGGACCGTGAAGCTGAGGAGCTCTGTCAGCA
GTCGCGCAGCAACGGGGGTGAGAGGGTACCAATCGCCCCAGACCAGGCCAGCATCCGGAAGAGCAGCAGC
AGTAGCAAAGGCACCAAGAAGTTCCGGCTGGAGGGCACACTGCTAAGGACCTATGTCTGCCACATCATCT
TCAAGACCCTCTTTGAGGTGGGCTTCATCGTGGGCCATTACTTCTGTATGGTTTCCGCATCCTGCCCT
CTATCGCTGCAGCCGGTGGCCCTGCCCAATGTGGTAGACTGCTTTGTATCCCGGCTACTGAGAAGACC
ATCTTCATCCTCTTCATGTTATCAGTCGCTTTGTGTCACTCTTCTCAACATCATGGAGATGAGCCACC
TGGCATGAAAGGAATCCGGTCTGCCTCAAGAGGCTGTAGAGCAACCACTGGGGGAGATTGCTGAGAA
GTCCCTCCACTCCATTGCAGTTTCTCCATCCAGAAAGCAAGGGCTACCAGCTTCTAGAAGAAGAGAAG
ATCGTATCACACTATTTCCCTTTGACAGAGGTTGGAATGGTGGAGACCAGCCCTTTTCGGCCAAGCCTT
TTAGTCAGTTTGAGGAGAAGATCGGCACAGGACCCCTGGCAGATATGTCACGGAGTTACCAAGAAACCT
GCCTTCTTATGCTCAGGTGGGGTCCAGGAAGTGAGCGGGAAGAGCCGCCTATAGAAGAGGCTGTGGAA
CCGGAAGTGGGAGAGAAGAAGCAAGAAGCAGAGAAGGTGGCCCCAGAAGGGCAGGAGACAGTTGCAAGTGC
CAGACAGGGAGAGAGTAGAGACCCTGGAGTGGGAAGGAGGATGAGAAAGAAGAGCTGCAAGCTGAAAA
GGTAACCAAGCAAGGGCTGTCTGCTGAGAAGGCACCTCACTCTGTCCGGAGCTGACAACCGATGACAAT
CGGCCCTTGAGCAGGCTGAGTAAAGCCAGCAGCAGGGCCAGGTCAGATGATCTCACCATA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)


Protein Sequence: >MG218273 representing NM_008123
Red=Cloning site Green=Tags(s)

```
MGDWSFLGNILEEVNEHSTVIGRVWLTVLFIFRILILGTAAEFVWGDEQSDFCNTQQPGCENVCYDEAF
PISHIRLWVLQIIFVSTPSPMYVGHAVHHVMEKRDREAELCQQSRNNGGERVPIAPDQASIRKSSS
SSKGTKKFRLEGTLRLTYVCHIIFKTLFEVGFIVGHYFLYGFRLPLYRCSRWPCPNVDCFVSRPTEKT
IFILFMLSVAFVSLFLNIMEMSHLGMKGIKRSFAKRPVEQPLGEIAEKSLHSIAVSSIQKAKGYQLLEEEK
IVSHYFPLTEVGMVETSPLSAKPFSSQFEKIGTGPLADMSRSYQETLPSYAQVGVQEVEREPEPIEEAVE
PEVGEKKQAEKVAPEGQETVAVPDRERVETPGVGKEDEKEELQAEKVTKQGLSAEKAPSLCPELTTDDN
RPLSRLSKASSRARSDDLTI
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_008123

ORF Size: 1320 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_008123.3](#), [NP_032149.1](#)

RefSeq Size: 1394 bp

RefSeq ORF: 1323 bp


Locus ID: 14616

UniProt ID: [P28236](#)

Cytogenetics: 3

Gene Summary: Structural component of eye lens gap junctions (PubMed:1325220). Gap junctions are dodecameric channels that connect the cytoplasm of adjoining cells. They are formed by the docking of two hexameric hemichannels, one from each cell membrane (By similarity). Small molecules and ions diffuse from one cell to a neighboring cell via the central pore (PubMed:1325220).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG218273