

Product datasheet for **MG218582**

Prkacb (NM_001164198) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Prkacb (NM_001164198) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Prkacb
Synonyms:	CbPKA; Pkacb
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG218582 representing NM_001164198 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAATGTGAAAGAGTTTCTAGCCAAAGCCAAAGAAGACTTTCTGAGGAAATGGGAGAACCCTCCCCGA
GTAATGCTGGCCTTGAGGATTTTGTAGAGGAAGAAAACCCTCGGGACGGGTTCTTTGGAAGAGTCATGTT
GGTGAAGCATAAAGCCACTGAGCAGTACTACGCCATGAAGATCTTAGACAAGCAGAAGGTTGTTAAGCTG
AAGCAAAATAGAGCACACTCTGAATGAGAAGAGAATCCTGCAGGCCGTGGAGTTCCCGTTCCTTGTGCGGC
TGGAGTACTCTTTAAGGATAATTCTAATTTATACATGGTTATGGAATACGTCCCTGGGGGAGAGATGTT
CTCACATCTGAGAAGAATTGGAAGGTTTCAGTGAGCCCCACGCCGTTTCTATGCAGCCCAGATTGTGCTA
ACATTTGAGTACCTTCATTCCTCGACCTCATCTACAGAGATCTCAAGCCGAAAACCTCTTAATTGACC
ACCAGGGTTACATCCAGGTCACAGATTTTCGGGTTTCGCCAAAAGAGTCAAGGGCAGGACATGGACATTGTG
TGGCACCCAGAGTACCTGGCCCCGAGATCATCCTCAGCAAGGGTTACAATAAGGCGGTGGACTGGTGG
GCACTGGGCGTGTGATCTATGAGATGGCTGCTGGCTACCCTCCATTCTTTGCTGACCAGCCAATTCAGA
TCTATGAGAAGATTGTCTCTGAAAGGTCGGTCCCACACTTCAGTCCGATCTCAAGGACCTTCT
GCGGAACCTGCTGCAGGTGGATCTGACAAAGCGATTTCGGGAACCTGAAGAACGGCGTGAGTGACATAAAG
ACCCACAAGTGGTTTGCACAACCTGACTGGATTGCTATTTATCAGAGAAAGGTTGAGGCTCCATTTCATC
CAAAGTTCAGAGGCTCTGGCGATACCAGCAACTTCGATGACTATGAAGAAGAAGAAATCCGTGTGTCTAT
AACAGAAAAATGTGAAAGGAATTTTGTGAATTT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >MG218582 representing NM_001164198
 Red=Cloning site Green=Tags(s)


MNVKEFLAKAKEDFLRKWENPPPSNAGLEDFERKKTLLGTGSFGRVMLVKHKATEQYYAMKILDKQKVVKL
 KQIEHTLNEKRILQAVEFPFLVRLEYSFKDNSNLYMVMYVPGGEMFSHLRRIGRFSEPHARFYAAQIVL
 TFEYLHSLDLIYRDLKPENLLIDHQGYIQVTDGFAKRVKGRWTLCGTPEYLAPEIILSKGYNKAVDWW
 ALGVLIIYEMAAGYPPFFADQPIQIYEKIVSGKVRFPPIHFSSDLKDLLRNLLQVDLTKRFGNLRKNGVSDIK
 THKWATTDWIAIYQRKVEAPFIPKFRSGDTSNFDYEEEEIRVSITEKCGKEFCF

TRTRPLE - GFP Tag - V


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001164198

ORF Size: 1014 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001164198.1 , NP_001157670.1
RefSeq Size:	4337 bp
RefSeq ORF:	1017 bp
Locus ID:	18749
UniProt ID:	P68181
Cytogenetics:	3 H2
Gene Summary:	Mediates cAMP-dependent signaling triggered by receptor binding to GPCRs. PKA activation regulates diverse cellular processes such as cell proliferation, the cell cycle, differentiation and regulation of microtubule dynamics, chromatin condensation and decondensation, nuclear envelope disassembly and reassembly, as well as regulation of intracellular transport mechanisms and ion flux (PubMed:9368018). Regulates the abundance of compartmentalized pools of its regulatory subunits through phosphorylation of PJA2 which binds and ubiquitinates these subunits, leading to their subsequent proteolysis. Phosphorylates GPKOW which regulates its ability to bind RNA (By similarity).[UniProtKB/Swiss-Prot Function]