

Product datasheet for MG219515

Mixl1 (NM_013729) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Mixl1 (NM_013729) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Mixl1

Synonyms: Mm1; Mml
Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG219515 representing NM_013729

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >MG219515 representing NM_013729

Red=Cloning site Green=Tags(s)


MAAAGSQQLQFAEGAAFPIFPAAHPGGQLLPAMRPASGLPAAPHDSRAPAATQCFPNRDSSPTAQTPAGL DPPGPSKGSAAPSAPQRRKRTSFSSEQLQLLELVFRQTMYPDIHLRERLAALTLLPESRIQVWFQNRRAK SRRQSGKSFQPLSSRRGVFLHCPAPGTEARCLKPQLPLEADVNHVPDPSMTGGGVCTSGSQSFETYSSLS EDIGSKLDSWEEHIFSALGNF


TRTRPLE - GFP Tag - V

Restriction Sites:


Sgfl-Mlul

Cloning Scheme:





Plasmid Map:



ACCN: NM_013729

ORF Size: 693 bp

Mixl1 (NM_013729) Mouse Tagged ORF Clone - MG219515

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 013729.3, NP 038757.1

1 H4

 RefSeq Size:
 2294 bp

 RefSeq ORF:
 696 bp

 Locus ID:
 27217

 UniProt ID:
 Q9WUI0

Cytogenetics:

Gene Summary: Transcription factor that play a central role in proper axial mesendoderm morphogenesis and

endoderm formation. Required for efficient differentiation of cells from the primitive streak

stage to blood, by acting early in the recruitment and/or expansion of mesodermal progenitors to the hemangioblastic and hematopoietic lineages. Also involved in the

morphogenesis of the heart and the gut during embryogenesis. Acts as a negative regulator

of brachyury expression.[UniProtKB/Swiss-Prot Function]