

## Product datasheet for **MG219966**

### Ucma (NM\_001165932) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Ucma (NM\_001165932) Mouse Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** Ucma  
**Synonyms:** 1110017116Rik; AW121955; Grp  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >MG219966 representing NM\_001165932  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGTCCTGGAGACGGTCATTCTCCTGTCATCTCTTTGGCCCTGGTGCTCCTGTGTATGCTACAGGAGG  
GGACCAGCGTTCTGTGGGAGCAGGCAGGCAGCTGCAGAGGGGTGCAGGAAGGTGTAAACAGAAGAT  
TTTCATGAAGAATCTGATGCCTCCAATTTCTCAAGAGCGTGGCAAGCGGTCTCCTAAGTCCCGAGAT  
GAAGTTAATGAGCAGGAAGAGAGACCCGGGAGGCTGTGGAGCAGTGGCCAGTGGCATTATGATGCC  
TGTATCCTTCTACCTCTACAACCGCCAAAACATC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >MG219966 representing NM\_001165932  
Red=Cloning site Green=Tags(s)  
MSWRRVILLSSLLALVLLCMLQEGTSASVGSRQAAAEGVQEGVKQKIFMQESDASNFLKRRGKRSPKSRD  
EVNEQEERTREAVEQWRQWHYDGLYPSYLYNRQNI

**TRTRPLE** - GFP Tag - V

**Restriction Sites:** Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: NM\_001165932

ORF Size: 315 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001165932.1</a></u> , <u><a href="#">NP_001159404.1</a></u>
<b>RefSeq Size:</b>	785 bp
<b>RefSeq ORF:</b>	318 bp
<b>Locus ID:</b>	68527
<b>UniProt ID:</b>	<u><a href="#">Q14BU0</a></u>
<b>Cytogenetics:</b>	2 A1
<b>Gene Summary:</b>	This gene encodes chondrocyte-specific, highly charged proteins that are abundantly expressed during the early stages of chondrogenesis. The encoded protein undergoes proteolytic processing to generate a mature protein that is secreted into the extracellular matrix. The glutamic acid residues in the encoded protein undergo gamma carboxylation in a vitamin K-dependent manner. Despite the implied role in calcification and ossification, mice lacking the encoded protein do not display significant defects in the skeletal development. Alternative splicing results in multiple transcript variants encoding different isoforms that may undergo a similar proteolytic processing to generate mature proteins. [provided by RefSeq, Aug 2015]