

Product datasheet for **MG221624**

Celf2 (NM_001160293) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Celf2 (NM_001160293) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Celf2
Synonyms:	B230218O03; B230345P09Rik; C88023; CELF-2; CUG-BP2; Cugbp2; D230046B21Rik; Etr-3; mETR-3; Napor
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG221624 representing NM_001160293
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**GCGATCGCC**

ATGTTTGAGCGCACTTCTGAAGTGGCTTTTGTGAGACTATCAGTGTAGAAAGCATGCGCTGCCAAAT
 CCGCTGTTACTATGAGAAATGAGGAGCTGCTTTTAAGTAACGGCACAGCCAACAAGATGAACGGAGCTTT
 GGATCATTCAGACCAGCCAGACCAGATGCCATTAAGATGTTTGTGCGACAGATCCCTAGGTCCTGGTCG
 GAAAAGGAGCTGAAAGAAGCTTTTGTGAGCCTTATGGAGCTGTCTACCAGATCAACGTCCTCCGGGACCGGA
 GTCAGAACCCTCCAGAGTAAAGGTTGTTGTTTCGTAACATTTTATAACAAGAAAAGCTGCACCTGAGGC
 CCAGAATGCACCTGACAATATTAAGGTTTACCTGGGATGCATCATCCATTAGATGAAACCTGCAGAT
 AGTAAAAGTCAAACGCTGTGGAAGACAGAAAATTGTTTCATAGGAATGGTTTCCAAGAAATGTAACGAGA
 ATGATATCAGAGTGTATTTTCCATTGCGTCAGATAGAAGAATGCCGATTCTCCGGGACCTGATGG
 GCTGAGTCGAGGCTGTGCGTTTGTACATTTTCTACAAGGCAATGGCACAGAATGCAATCAAAGCCATG
 CATCAGTCTCAGACCATGGAGGGCTGCTTTCACCAATCGTGGTGAAGTTTGTGACACTCAGAAGGACA
 AAGAGCAAAGGCCCTCCAGCAGCAGCTTGACAGCAGATGCAACAGCTCAACACTGCCACTTGGGGGAA
 CCTAACAGGACTGGTGGACTTACCCCGCAGTACCTGGCGCTTCTGCAGCAGGCCACCTCCTCCAGCAAC
 CTGGGTGCATTAGTGGCATTACGAAAATGGCTGGCATGAATGCTTTACAGTTACAGAATCTGGCAACAC
 TGGCTGCTGTGCAGTGTCTCAAACCTCAGCCACCAGCACCATGCAAAACCTCTGTCTAGCACAAG
 CAGTGCCTGGGAGCCCTACAAGCCCTGTGGCTGCTTCAACCCCAATTCCACCCTGGTGGGCCATG
 AATTCCTTGACCTCTCTGGGACTCTACAAGGATTGGCTGGAGCCACTGTCGGATTGAATAATATTAATG
 CACTAGCAGGTATGGCGGCTCTGAATGGAGGACTTGGCGCCACAGGCTTGACGAATGGTACGGCTGGCAC
 CATGGACGCCCTGACCCAGGCCCTACTCAGGAATTCAGCAGTATGCGGCAGCTGCACTGCCCACTTTGTAC
 AGCCAGAGCTTGCTGCAACAGCAGAGTGTGCAGGCAGCCAGAAGGAAGTCCAGAGGGGCAAACCTCT
 TTATTTACCACCTTCCACAGGAGTTTGGAGACCAGGACATTCTGCAGATGTTTCATGCCCTTTGAAATGT
 TATCTCTGCTAAAGTCTTCATTGACAAACAGACCAATCTGAGCAAGTGTGTTGTTTGTAGCTATGAC
 AATCCAGTCTCTGCACAAGCTGCAATCCAGGCTATGAACGGCTTTCAGATCGGCATGAAACGCTTGAAGG
 TGCAGCTGAAACGCTCCAAAACGACAGCAAACCTTAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>MG221624 representing NM_001160293
 Red=Cloning site Green=Tags(s)

MFERTSELAFVETISVESMRCPKSAVTMRNEELL SNGTANKMNGALDHSQDPDPAIKMFVQIIPRSWS
 EKELKELFEPYGA VYQINVLDRSQNPPQSKGCCFVTFYTRKAAL EAQNALHNIKTLPGMHPIQMKPAD
 SEKSNAVEDRKLFIGMVSKKCNENDIRVMFSPFGQIEECRILRGPDGLSRGCAFVTFSTRAMAQNAIKAM
 HQSQTMEGCSP I VVKFADTQKDKERRLQQQLAQMQQLNTATWGNLTGLGGLTPQYLALLQQATSSSN
 LGAFSGIQMAGMNALQLQNLATLAAAAAAQTSATSTNANPLSSTSSALGALTS PVAASTPNSTAGAAM
 NSLTSLGTLQGLAGATVGLNNINALAGMAALNGGLGATGLTNGTAGTMDALTQAYSQIQYAAAAALPTLY
 SQSLLQQQSAAGSQKEGPEGANLFIYHLPQEFQDQDILQMFMPFGNVISAKVFIKQTNLSKCFGFVSYD
 NPVSAQAAIQAMNGFQIGMKRLKVQLKRSKNDSPY


TRTRPLE - GFP Tag - V

Restriction Sites:


Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



Plasmid Map:



ACCN:

NM_001160293

ORF Size:	1578 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001160293.1 , NP_001153765.1
RefSeq Size:	8766 bp
RefSeq ORF:	1581 bp
Locus ID:	14007
UniProt ID:	Q9Z0H4
Cytogenetics:	2 A1

Gene Summary:

RNA-binding protein implicated in the regulation of several post-transcriptional events. Involved in pre-mRNA alternative splicing, mRNA translation and stability. Mediates exon inclusion and/or exclusion in pre-mRNA that are subject to tissue-specific and developmentally regulated alternative splicing (By similarity). Specifically activates exon 5 inclusion of TNNT2 in embryonic, but not adult, skeletal muscle (By similarity). Activates TNNT2 exon 5 inclusion by antagonizing the repressive effect of PTB (By similarity). Acts as both an activator and repressor of a pair of coregulated exons: promotes inclusion of the smooth muscle (SM) exon but exclusion of the non-muscle (NM) exon in actinin pre-mRNAs (By similarity). Promotes inclusion of exon 21 and exclusion of exon 5 of the NMDA receptor R1 pre-mRNA (By similarity). Involved in the apoB RNA editing activity (By similarity). Increases COX2 mRNA stability and inhibits COX2 mRNA translation in epithelial cells after radiation injury. Modulates the cellular apoptosis program by regulating COX2-mediated prostaglandin E2 (PGE2) expression. Binds to (CUG)_n triplet repeats in the 3' UTR of transcripts such as DMPK (By similarity). Binds to the muscle-specific splicing enhancer (MSE) intronic sites flanking the TNNT2 alternative exon 5 (By similarity). Binds preferentially to UG-rich sequences, in particular UG repeat and UGUU motifs (By similarity). Binds to apoB mRNA, specifically to AU-rich sequences located immediately upstream of the edited cytidine (By similarity). Binds AU-rich sequences in the 3' UTR of COX2 mRNA. Binds to an intronic RNA element responsible for the silencing of exon 21 splicing. Binds to (CUG)_n repeats. May be a specific regulator of miRNA biogenesis. Binds to primary microRNA pri-MIR140 and, with CELF1, negatively regulates the processing to mature miRNA (By similarity).[UniProtKB/Swiss-Prot Function]