

Product datasheet for MG222034

Mocs2 (NM_013826) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Mocs2 (NM_013826) Mouse Tagged ORF Clone

Tag: TurboGFP

Symbol: Mocs2

Synonyms: Al415403

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG222034 representing NM_013826

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TGGTGAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG222034 representing NM_013826

Red=Cloning site Green=Tags(s)

MSSLEISNSCFSPETRSPSSRQSVEDNASEPSGKDVDDVQEKPKDIIQFTAEKLSVGEVSQLVVSPLCGA VSLFVGTTRNNFEGKKVISLEYEAYVPMAENEIRKICNDIRQKWPVRHIAVFHRLGLVPVSEASTVIAVS

SAHRAASLEAVSYAIDSLKAKVPIWKKEIYEESTSSWKRNKECFWAAGD

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





Plasmid Map:



ACCN: NM_013826

ORF Size: 264 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 013826.3</u>, <u>NP 038854.2</u>

RefSeq Size: 1889 bp
RefSeq ORF: 267 bp
Locus ID: 17434
UniProt ID: Q9Z223
Cytogenetics: 13 D2.2

Gene Summary: Eukaryotic molybdoenzymes use a unique molybdenum cofactor (MoCo) consisting of a

pterin, termed molybdopterin, and the catalytically active metal molybdenum. MoCo is synthesized from precursor Z by the heterodimeric enzyme molybdopterin synthase. The large and small subunits of molybdopterin synthase are both encoded from this gene by overlapping open reading frames. The proteins were initially thought to be encoded from a bicistronic transcript. Based on experiments with the human molybdopterin synthase ortholog, they are now thought to be encoded from monocistronic transcripts. Alternatively spliced transcripts have been found for this locus that encode the large and small subunits.

[provided by RefSeq, Jul 2008]