

Product datasheet for **MG222124**

Macroh2a1 (NM_012015) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Macroh2a1 (NM_012015) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Macroh2a1
Synonyms:	H2af; H2AF12; H2AF12M; H2afy; MACROH2; mH2a; mH2a1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG222124 representing NM_012015 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCGAGCCGCGCGGGAAGAAGAAATCCACCAAGACCTCCCGGTGAGCAAGGCCGAGTCATCTTCC
CTGTGGGACGCATGCTTCGGTACATCAAGAAAGGCCACCCTAAGTATAGGATCGGAGTGGGGCACCTGT
GTACATGGCTGCTGCTCGGAGTACCTGACTGCTGAGATCCTGGAGCTGGCTGGCAATGCAGCAAGAGAC
ACAAGAAGGGACGGGTACACCCCGGCACATCCTGTTAGCTGTGGCCAATGATGAAGAGCTAAACCAGC
TGCTAAAGGGTGTACCATAGCCAGCGGGGCGTGTGCCGAATATCCATCCTGAGTTGCTAGCGAAGAA
GCGAGGATCCAAGGAAAATTGGAAGCCATCATCACGCCCTCCGCCGCAAAAAGGCCAAGTCTCCATCC
CAGAAGAAGCCAGTGGCTAAGAAGACAGGAGGCAAGAAAGGGGCCGGAAGTCTAAGAAGAAGCAGGGAG
AAGTGAGCAAGGCGCCAGCGCAGACAGTACGACGGAGGGCACGCCTACAGACGGCTTCACTGTCCTCTC
CACCAAGAGCCTTCTCTCGGCCAGAAGCTGAACCTTATTCACAGTGAATCAGTAATTTAGCCGGCTTT
GAGGTGGAGGCCATAATCAATCTACCAATGCTGACATTGACCTTAAAGATGACCTAGGAAAACACTGG
AGAAGAAGGGCGCAAGGAGTTGTAGAAGCTGTTCTGGAACCTCCGAAAAAGAACGGGCCCTTGGAGGT
AGCTGGAGCTGCTATTAGTGCAGGCCATGGCCTGCCTGCCAAGTTTGATCCACTGTAATAGTCCCTGTC
TGGGGTGCAGACAAATGTGAAGAACTTCTAGAAAAGACGGTGAAAACTGCTTGGCTCTAGCTGATGACA
GAAAGCTGAAATCCATCGCCTTCCCATCCATTGGCAGCGCAGGAACGGGTTCCCGAAGCAGACAGCGGC
CCAGCTCATTCTGAAGGCCATCTCCAGTACTTTGTCTCCACGATGTCCTCCTCCATCAAAACTGTGTAC
TTCATGCTTTTTGACAGTGAGAGCATAGGTATCTATGTGCAGGAAATGGCCAAGCTGGACGCCAAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >MG222124 representing NM_012015
 Red=Cloning site Green=Tags(s)

MSSRGGKKKSTKTSRSKAGVIFPVGRMLRYIKKGHPKYRIGVGAPVYMAAVLEYLTAEILELAGNAARD
 NKKGRVTPRHILLAVANDEELNQLLKGVTIASGGVLPNIHPELLAKKRGSKGKLEAIIPTPPAKKAKSPS
 QKKPVAKKTGGKKGARKSKKKQGEVSKAASADSTTEGTPTDGFTVLSTKSLFLGQKLNLIHSEISNLAGF
 EVEAIINPTNADIDLKDDLGNLLEKKGKKEFVEAVLELRKKNPLEVAGAAISAGHGLPAKFVHCNSPV
 WGADKCEELLEKTVKNCLALADDRKLSIAFPSIGSGRNGFPKQATAQLILKAISSYFVSTMSSSIKTVY
 FMLFDSESIGIYVQEMAKLDAN


TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_012015

ORF Size:	1116 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_012015.2 , NP_036145.1
RefSeq Size:	1978 bp
RefSeq ORF:	1119 bp
Locus ID:	26914
UniProt ID:	Q9QZQ8
Cytogenetics:	13 B1
Gene Summary:	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene encodes a replication-independent histone that is a member of the histone H2A family. It replaces conventional H2A histones in a subset of nucleosomes where it represses transcription and participates in stable X chromosome inactivation. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Nov 2015]