

Product datasheet for **MG222778**

Adam22 (NM_001007220) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Adam22 (NM_001007220) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Adam22
Synonyms:	2900022I03Rik; AI854032; MDC2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG222778 representing NM_001007220
 Red=Cloning site Blue=ORF Green=Tags(s)

CTATAGGGCGGCCGGAATTCGTGCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCAGGCAGCGCGGCCGCGTCTTCTGGCTGCTCTGCGTCTTGGGGACCTGCCCCCTGGCGCGCTGCG
 GTCGGGCAGGAGTCGCCTCACTGAAAGGACTGGAGAGGGGAAAGAAAACCGCTTCTGGAGCGCCAGAG
 CATCATACCACTGCGCCTCATCTATCGCTTGGCGGCGGAGGATGAAACTCAGCACAAACGCTCGACACG
 CGGGTGCGGGGCACCCTGGCGGACCGCAGCTGACGCATGTGGACAAGGCAAGCTTCCGGGTGGACGCTT
 TTGGAACCTCTTTCGTTCTCGACGTCCTGCTGAACCACGAGTTGCTGTCGTCAAGTTATGTAGAGAGACA
 GATTGAACATGGAGGCAAGGTCGTGGAGAACAAGGAGGAGAACAAGTATTACCAGGGCCAGATTGCA
 GGAACCCCTGTCTCATTGTTGCCCTATCAACATGCCATGGACTCCATGGGATGTTCTATGATGGAACCC
 ACACATATCTCATTGAGCCAGAAGAAAATGAGAAGTCTCAAGAGTCGTCTCATTGCTACTCCGTGTACAA
 ATCCAGACAGTTTGAATTTCCCTTGGATGACCTTCCGTCTGAATTTCAACGCGTAAACATTACTCCCCT
 CAGTTTATTTTGAAGCCAAGACTAAAGAGGAGAAAAGACAGCTTCTTCGATTTCCCTCGGAATGTAGAGG
 AGGAAACCAAATACATCGAACTGATGATTGTGAATGATCATCTCATGTTTAAAAAGCACCGGCTTTCTGT
 TGTATATACTAATACCTATGCGAAGTCTGTGGTGAACATGGCAGATGTGATCTATAAAGACCAACTGAAA
 ACTAGGATTGTATTGGTTGCCATGGAAACCTGGGCTGCTGACAACAAGTTTGCCATATCTGAAAACCCAC
 TGATTACCTTTCGTGAGTTTCATGAAATACAGGAGGGATTTTATCAAGGAGAAGGCTGATGCGATTCATCT
 TTTCTCGGCAGTCAATTTGAGAGTAGCCGAGCGGGCAGCTTATATTGGTGGGATTTGCTCGCTGCTG
 AGAGGAGGAGCGTGAATGAATTTGGAAAAACGGATTTAATGGCAGTTACCTCGCTCAGTCACTAGCCC
 ACAATGTCCGTATAATCTCTGACAAAAGAAAAGTACAGTGGTGGTAAATGTGAGCACTGGTCCGTC
 CGGGTGCATAAATGGGAGACACCGGCTACTATCTCCGAAAAAGTTCACTCAGTGCAATGTGAGGAATAT
 CATGACTTCTGAATAGTGGTGGAGGTGCCTGCCTGTTCAACAAGCCTTCCAAGCTTCTTGATCCTCCTG
 AGTGTGAAAACGGCTTCAATGAAACCGGAGAGGAGTGTGATTGTGGCACCCCTGCAGAATGTGCCCTTGA
 AGGGGCAGAGTGTGTAAGAAATGCACCTTGACCCAGGATTCTCAATGCAGTGTGGCCTTTGTTGTAAA
 AAGTGCAAGTTTCAGCCTCTGGGACCGTGTGCCGAGAGGCAGTGAACGACTGTGACATTCGTGAAATAT
 GTTCAGGAAATTCAGCCAGTGTGCCCAATGTGCATAAAATGGATGGATATTCGTGTGATGGTACTCA
 GGAATTTGCTTTGGAGGAAGATGTAACCAGAGATAGACAATGCAAAATACATCTGGGGCAAAAGGTA
 ACAGCATCTGACAGGTACTGCTATGAGAAACTGAACATTTAGGGGACGGAGAAGGTAACGTGGGAAAG
 ACAAGGACACGTGGACACAGTGCACAAACGGGATGACTTTGTGGTTACCTCCTGTGCACAAACATTGG
 CAACATCCCAAGGCTCGGGGAGCTTGTGGTGGAGATCACATCCACATTAGTTGTGCGAGCAAGGAAGAACA
 TTAACCTGCAGTGGCGGCATGTAAACTTGAAGAAGATGTGGATCTTGGCTATGTGGAAGATGGGACGC
 CCTGTGGCCCTCAGATGATGTGCTTGGAAACACAGGTGTCTTCTGTGGCTTCTTCAACTCAGTACTTG
 CTCCAGCAGTAAAGCAGGCACCGTGTGCTCAGGAAATGGAGTTTGCAGCAATGAGCTCAAGTGTGTGTGC
 AACAGGCACTGGACAGGGGCTGACTGCGGCACCCACTTTCCTCACAATGATGATGCAAAGACTGGCATCA
 CCCTGTCTGGCAATGGTGTGCTGGCACTAATATCATAATAGGAATAATTGCCGGCACCATTTTATGTCT
 GGCCCTCATCTTAGGAATAACTGCCTGGGGTTATAAAAAGTACCGAGAACAGAGACAGTTACCCAGGGA
 GATTATGTAAAAAGCCTGGCGATGGCGACTTTTTTATAGCGACTTTCCTCCCGAGGCAGACAAAAT
 CAGCATCTAGTTCTAAGAAGAGGTCAAATGGACTCTCTCATTCTTGGAGTGAAGGATTCCAGACACAAA
 ACATATTTAGACATCTGTGAAATGGGAGACCTCGCAGTAACTCCTGGCAAGGTAACATGGGAGGCAAC
 AAAAAGAAAATCAGAGGGAAAAGATTTAGACCTCGATCTAACTCAACTGAG

CTCGAG – GFP Tag – **GTTTAA**

Protein Sequence: >MG222778 representing NM_001007220
Red=Cloning site Green=Tags(s)



```
MQAAAAASFWLLCVLGTCLARCGRAGVASLKGLERKGRNRFLEKRSIIPLRLIYRLGGEDETQHNQLDT
RVRGDPGGPQLTHVDKASFRVDAFGTSFVLDVLLNHELLSSGYVERQIEHGGKVVENKGGHEHCYYQGQIR
GNPVSFVALSTCHGLHGMFYDGNHTYLIEPEENEKSQESSHCHSVYKSRQFEFPLDDLPEFQRVNITPP
QFILKPRLKRRKRQLLRFPRNVEEETKYIELMIVNDHLMFKKHRLSVVYNTYAKSVVNMADVITYKDQLK
TRIVLVAMETWAADNKFAISENPLITLREFMKYRRDFIKEKADAVHLFSGSQFESSRSGAAYIGGICSL
RGGGVNEFGKTDLMAVTLAQSLAHNVGII SDKRKLASGECKCEDTWSGCIMGDTGYLPPKFTQCNVEEY
HDFLNSGGGACLFNKPSKLLDPPECGNGFIETGEECDGTPAECALGAECCCKCTLTQDSQCSGLCCK
KCKFQPLGTVCREAVNDCDIREICSGNSSQCAPNVHKMDGYSCDGTQGICFGRCKTRDRQCKYIWGQKV
TASDRYCYEKLNIEGTEKGNCGKDKDTWTQCNKRDVLCGYLLCTNIGNIPRLGELDGEITSTLVVQQGRT
LNCSGAHVKLEEDVDLGYVEDGTPCGPQMMCLEHRCLPVASFNFSTCSSKAGTVCSGNGVCSNELKVCV
NRHWTGADCGTHFPNDDAKTGITLSGNGVAGTNIIGIAGTILVLALILGITAWGYKNYRQRQLPQG
DYVKKPGDGSFYSDFPFGGSTNSASSSKRSNGLSHSWSERIPDTKHISDICENGRPRSNSWQGNMGGN
KKKIRGKRFRPRSNSTE
```

LE - GFP Tag - V


Restriction Sites: Sgfl-XhoI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



Plasmid Map:



ACCN:	NM_001007220
ORF Size:	2571 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001007220.3
RefSeq Size:	2777 bp
RefSeq ORF:	2574 bp
Locus ID:	11496
UniProt ID:	Q9R1V6
Cytogenetics:	5 3.39 cM
Gene Summary:	This gene encodes a member of a disintegrin and metalloprotease (ADAM) family of endoproteases that play important roles in various biological processes including cell signaling, adhesion and migration. The encoded preproprotein undergoes proteolytic processing to generate a mature, functional protein. The protein encoded by this gene is believed to lack metalloproteinase activity due to the lack of a critical catalytic motif. Mice lacking the encoded protein exhibit severe ataxia, hypomyelination and premature death. Alternative splicing results in multiple transcript variants encoding different isoforms, some of which may undergo similar processing. [provided by RefSeq, May 2016]