

## Product datasheet for **MG223206**

### Hspa1l (NM\_013558) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Hspa1l (NM_013558) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Hspa1l
Synonyms:	Hsc70t; Msh5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MG223206 representing NM\_013558  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGCTGCTAATAAAGGAATGGCGATCGGCATCGACTTGGCACCACTACTCGTGGTGGCGTGTTC  
 AGCACGGCAAGGTGGAGATCATCGCAACGACAGGGCAACCGCACGACCCTAGCTACGTGGCCTTCAC  
 CGACACCGAGCGCCTCATCGGAGACGCTGCCAAGAACCAGGTGGCCATGAATCCCCAGAACACTGTTTT  
 GATGCCAAACGTCTAATTGGCAGGAAGTTAATGATCCTGTTGTGCAGTCAGATGAAGCTTTGGCCAT  
 TTCAAGTGATCAATGAAGCCGGCAAACCAAGGTGATGGTGTCTATAAAGGAGAGAAGAAAGCCTTCTA  
 CCCAGAGGAGATCTCATCCATGGTACTGACGAAGATGAAGGAGACTGCAGAGGCTTTTTGGCCACAAT  
 GTCACCAACGCTGTGATCAGGTGCCAGCCTATTTCAATGACTCTCAGCGCAAGCCACCAAGGATGCAG  
 GTGTCATCGCAGGACTCAATGTGCTGAGAATAATCAATGAGCCCACGGCGGCCCATCGCTACGGCTT  
 GGATAAAGGAAGTCACGGAGAGCGGCACGTGCTCATCTTCGACCTGGGGGTGGCAGTTGACGTGTC  
 ATCCTGACGATCGACGACGGCATCTTCGAGGTGAAGGCCACGGCGGGCGACACGCACCTGGGAGGGGAGG  
 ACTTCGACAACCGGTGGTGGCCACTTCGTGGAGGAGTTCAAGAGGAAGCACAAGAAGGACATCAGCCA  
 GAACAAGCGCGCGGTGCGCGGCTGCGCACTGCGTGTGAGAGGGCCAAGAGGACGCTGTCGTCCAGCACC  
 CAGGCAAACCTGGAGATCGACTTTTATGAGGGCATCGACTTCTACACGTCCATCACTAGAGCACGGT  
 TTGAAGAGCTGTGTGCAGACCTATTTAGAGGCACACTTGAGCCCGTGAAAGTCTCTTCGGGATGCCAA  
 GATGGATAAGGCTAAAATCCATGACATTGTTCTAGTAGGGGCTCCACCCGCATCCCAAAGGTGCAAAA  
 CTGCTTCAGGACTACTTTAATGGACGGGATCTCAACAAGAGTATCAATCCCGATGAGGCAGTCGCCTACG  
 GAGCTGCAGTCCAGGCAGCTATTTAATGGCGACAACTGAAAAAGTACAGGATTTGCTTTTGGTGA  
 CGTAGCTCCCCTGTCTAGGATTGGAGACAGCTGGGGGTGTGACTGTACTGATCAAGCGCAACTCC  
 ACCATCCCCACCAAGCAGACGCAGATCTTACCACCTACTCGGACAACCAGCCCGGGTGTGATCCAGG  
 TGTACGAGGGCGAGAGGCCATGACGCGGACAACAACCTGCTGGGGCGCTTTGACTTGACTGGAATACC  
 TCCTGCACCTAGGGCGTGCCACAGATCGAGGTGACCTTCGACATCGACGCCAACGGTATCTGAACGTC  
 ACGGCCATGGACAAGAGCACCGGCAAGGCAACAAGATCACCATACCAACGACAAGGGTGCCTGAGCA  
 AGGAGGAGATTGAGCGCATGGTGCAGGAGGCCGAGCGCTACAAAGCGGAGGATGAGGGCCAGAGGGAGAA  
 AATCGCTGCCAAAATGCCTTAGAATCGTACGCCTTTAAATGAAGAGCGCTGTGGGTGATGAGGGTCTG  
 AAGGACAAGATCAGCGAGTCCGATAAAAAGAAAATACTGGATAAATGCAATGAGGTCCTTCTCGCTGG  
 AGGCCAACAGCTGGCTGAGAAAGATGAGTTGATCATAAAAGAAAAGAACTGAAAAATATGTGTATCC  
 GATCATACAAAAGTGTACCAGAGCGGATGCACCGGGCCACCTGTACGCCAGGGTATACTCCCGCAGG  
 GCTGCCACAGGCCCTACCATCGAGGAAGTAGAT

**ACGCGT**ACGCGGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:**

>MG223206 representing NM\_013558  
 Red=Cloning site Green=Tags(s)

MAANKGMAIGIDLGTTYSCVGVFQHGKVEIANDQGNRTTPSYVAFTDTERLIGDAAKNQVAMNPQNTVF  
 DAKRLIGRKFNDPVVQSDMKLWPFQVINEAGPKVMVSYKGEKKAFYPPEISSMVLTKMKETAFAFLGHN  
 VNAVITVPAYFNDSQRQATKDAGVIAGLNLVRIINEPTAAAIAYGLDKGSHGERHVLIFDLGGGTFDVS  
 ILTIDDGIFEVKATAGDTHLGGEDFDNRLVSHFVEEFKRKHKKDISQNKRAVRRRLTACERAKRTLSSST  
 QANLEIDSLYEGIDFYTSITRARFEELCADLFRGTLEPVEKSLRDAKMDKAKIHDIVLVGGSTRIPKVQK  
 LLQDYFNDRDLNKSINPDEAVAYGAAVQAAILMGDKSEKVDLILLDVAPLSLGLETAGGVMTVLIKRNS  
 TIPTKQTQIFTTYSDNPGVLIQVYEGERAMTRDNNLLGRFDLTGIPPAPRGVPQIEVTFDIDANGILNV  
 TAMDKSTGKANKITITNDKGRLSKEEIERMVQEAERYKAEDEGQREKIAAKNALESYAFNMKSAVGDGL  
 KDKISESDKKKILDKCNEVLSWLEANQLAEKDEFDHKRKELENMNCNPIITKLYQSGCTGPTCTPGYTPGR  
 AATGPTIEEVD

**TRTRPLE** - GFP Tag - V



<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_013558.2</a> , <a href="#">NP_038586.2</a>
<b>RefSeq Size:</b>	2415 bp
<b>RefSeq ORF:</b>	1926 bp
<b>Locus ID:</b>	15482
<b>UniProt ID:</b>	<a href="#">P16627</a>
<b>Cytogenetics:</b>	17 18.51 cM
<b>Gene Summary:</b>	Molecular chaperone implicated in a wide variety of cellular processes, including protection of the proteome from stress, folding and transport of newly synthesized polypeptides, activation of proteolysis of misfolded proteins and the formation and dissociation of protein complexes. Plays a pivotal role in the protein quality control system, ensuring the correct folding of proteins, the re-folding of misfolded proteins and controlling the targeting of proteins for subsequent degradation. This is achieved through cycles of ATP binding, ATP hydrolysis and ADP release, mediated by co-chaperones. The affinity for polypeptides is regulated by its nucleotide bound state. In the ATP-bound form, it has a low affinity for substrate proteins. However, upon hydrolysis of the ATP to ADP, it undergoes a conformational change that increases its affinity for substrate proteins. It goes through repeated cycles of ATP hydrolysis and nucleotide exchange, which permits cycles of substrate binding and release. Positive regulator of PRKN translocation to damaged mitochondria. [UniProtKB/Swiss-Prot Function]