

## Product datasheet for **MG223239**

### Acin1 (NM\_001085473) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Acin1 (NM_001085473) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Acin1
Synonyms:	2610036I19Rik; 2610510L13Rik; Acinus; acinusL; acinusS; Acn; C79325; mKIAA0670
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG223239 representing NM_001085473 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGTGGGGACGAAACGACCGAACAGCTCCGGAGAAACCCGGGAATTCTGAGCGGTAATAGAGGGGTAG  
ACTATGGCAGTGGGCGGGCCAATCCGGTCCGTTCAAGGGCGTTGGCGGAAATTACCGAAGATGCCCGA  
AGCCGTCGGGACGGACCCGAGTACCTCACGAAGATGGCGGAGCTGGAGGAGGTGACTCTGGACGGGAAG  
CCTCTTCAGGCTCTCGGGTGACCGACCTGAAGGCCGACTGGAGCAGCGAGGCCAGCCAAGAGCGGGC  
AGAAGAGTGCCCTGGTCAAGCGGCTCAAAGGGGCTCTAATGCTAGAAAATTTACAAAAACTCAACACC  
CCATGCTGCATTCCAGCCAAATTCACAGATCGGGGAGGAAATGAGCCAGAACAGCTTCATAAAGCAGTAT  
CTGAAAAAGCAGCAGGAGCTACTTAGGCAGCGCCTGGAACGGGAAGCTCGGGAGGCTGCGGAACTTGAAG  
AAGCCTCAGCTGAGTCGGAGGACGAGATGACCCATCCTGAGGGAGTGGCTTCCCTGCTGCCTCCTGATTT  
TCAGAGCAGCCTGAACAGACCAGAGCTGGAGCTCAGCACACATTCACCCGAAAGAGCTCCTCTTTTTCT  
GAAGAAAAAGGAGAATCTGATGATGAGAAGCCGAGGAAAGGGGAAAGACGATCATCCAGAGTTAGACAGG  
CAAAATCTAACTCCCTGAGTACAGTCAGACTGCTGAGGAGGAAGAGGATCAAGAGACACCATCTAGAAA  
CCTGAGGGTCAGAGCAGATCGAAATTTAAAAATAGAGGAGGAGGAAGAAGAAGAGGAAGAAGAAGAT  
GACGATGATGAAGAGGAAGAGGAGGTAGATGAGGCACAGAAATCTAGAGAGCTGAGGCCAACCCCTGA  
AGCAGTTTGAGGATGAAGAAGGGGAAGAGAGGACCAGAGCAAAACCAGAAAAGGTGGTGGATGAGAAACC  
CCTAAACATCAGATCCCAGGAAAAGGGTGAATGAGAAAAGGAGGGCGAGTTACTAGATCCCAAGAAGAA  
GCTAGAAGAAGTCATCTGGCCAGACAGCAACAAGAGAAAGAGACACAAATGTTTCTCTCCCTCAAGAAG  
AAAATGAGGTAAGTCTTCACAAAGTTTGGAGGAAAAATCCCAGTCTCCCTCCCCACCTCCGCTTCTGA  
AGACCTAGAGAAGGCCCTGTTGTGCTGCAGCCAGAACAGATAGTCAGTGAAGAGGAAACACCCCACTT  
TACTTACCAAGGAAGCGTCATCTCCCAACTCATATACTCCAGGAAGAGATGGAGCCAGTGAAG  
GCCAGCACCCCTGTCCTCATTAGTTGTCTCCTCCTAACACAGATGCTGGAGCCAGGGAGCCACTAGC  
GTCTCTCACCTGCGCAGCTGCTAAGAAGCCTGTCTCCTTTGTCAGGACTACAGACACCAAGCAGAG



[View online »](#)

TCTCCAGCAGGGAGAGTGTCTCAGATGAGAGTGTCTGCCTCTGGCTCAGAAAAGCTCACTGCCTGAATGCT  
CCACCCAGAAGGGTGTGAAAGTGTGAGCGTGTGAAAGTCTGCTCCCCTCCCTCTAACAGTGGAGGAGTTCGC  
ACCTGCCAAAGGCATCACTGAGGAACCTATGAAGAAACAGTCTTTGGAACAGAAGGAGGGCAGAAGAGCC  
TCCCATGTCTCTTCCCAGAGCAGAGTGGGAAGCAGTCAAGCCGACTCATCCTCTAGCAGGTCTCTCTCCC  
CTTCATCTCCAGCTCTCCATCCAGATCTCCATCTCTGACAGTGTGGCTTCCCAGCCACAGTCTGCTCC  
AGGATCTAAGCAGAGAGATGGAGCCCAAGCAGAGTTCATGCCAACCCCTCAGAGAGACCCAAGATGGGC  
TCCAGGTCAACTTCAGAGTCCAGGTACAGTCCCGATCTCGTCCCGTTCGCGTCAAGCAGCAGCAGAA  
AATCTCTGAGCCCTGGAGTCTCCAGAGATAGCAACACCAGTACACTGAAACCAAGATCCCTCTTGTTGG  
TCAGGAGGCTGCAGCTCCATCTGGGCCACAGTGCAGGTCTTGAACCAAGGAGAAGGCTCCCACGTTC  
TCAGCATCTGTCCGGGGAGGCATCTGAGCCATCTGAGCCAGAGCAACAGCAGTGTATCCAGAGTTGTC  
AGCCGGAGCAGGGGAGCCAAAGAAGTGTGAAGCTGAAGAGGCAGAGCCACCAGTGTCCACACAGCTCA  
AACCTCAGAGACTCAGATCTCTCATCTGCTAGAATCAGAAAGGACTCATCACACTGTTGAAGAGAAGGAG  
GAAGTACCATGGACACCAGTAAAACAGACCTGAAAATGAGGTGCCTGAGCCTCTCTGCTGTTGCAG  
ACCAAGTCAGCAATGATGAGCGCCAGAGGGTGGTGTGCTGAAGAAGAGGAAAAGAGAGATTGCATGCC  
CAAGTCATTCAAGAGGAAAATCTCCGTTGTCTCAGCTACCAAGGGGGTGAAGCTGGAAACAGTGCACA  
GAGGGGGGCCAGCTGGCCGAAAACGCCGTTGGGGAGCCAGCACTGCCCGGACACAGAAGAAACCGTCCA  
TCAGTATCACCAGTCACTCAAGGAGGCTGTTGTGGATCTTCATGCCGATGACTCCCGAATCTCTGA  
GGATGAGACAGAGCGTAATGGCGACGATGGGACCCATGACAAGGGACTGAAGATATGCCGGACAGTCACT  
CAGGTAGTACCCGAGAGGGCCAGGAGAATGGGCAGAGGGAAGAGGAAGAAGAGAAAGAGCCTGAAGCCG  
AGCTGCCGGCGCCACCCAGGTGTCAAGTGGAGTTGCCTTGCCCCACCTGTGGAGCAGCAAGTAAAGAA  
AGTAACATTAGGAGATACCTTAACCCGGAGTCCATCAGCCAACAGAAGTCTGGAGTTTCCATTACAATT  
GATGACCAGTCCGACCCAGGTGCCCTCCCACCCAGGGGAAGATCAGTAACATTGTCCACATCT  
CCAACCTGGTTCGTCCTTCACTTTAGGCCAGCTGAAGGAATTATTGGGGCGTACAGGAACTTTGGTGA  
AGAGGCCTTCTGGATAGACAAGATCAAATCTCATTGCTTTGTGACGTACTCTACAGTAGAGGAAGCCGTT  
GCCACCCGCACAGCTCTGCACGGGGTCAAGTGGCCCCAGTCCAACCCCAAATTCCTTTGTGCTGACTATG  
CTGAGCAAGATGAGCTGGACTATCACCGGGGACTCTTGGTAGATCGGCCATCTGAAACTAAGGCAGAGGA  
ACAGGGAGCACCAAGGCCCTGCATCCCCACCCCAACCCAGTCCAGCCACCGCCCAACCCCGGGCT  
GAGCAGCGGGAGCAGGAAAGGGCTGTTGAGAGCAATGGGCAGAACGGGAACGGGAAATGGAGCGCCGGG  
AGAGGACTCGGTCTGAGAGAGAATGGGATCGGGACAAAGTTCGAGAGGGACCCCGCTCCCGATCACGGTC  
CCGTGACCGCCCGGAAAGAGCGAGCAAAATCTAAAGAAAAGAGAGTAAAAGAAAAGAAAAGCCAG  
GAGGAGCCACCTGCCAAGCTGCTGGATGACCTCTCCGTAAAGACTAAGGCAGTCCCTGCATCTATTGGC  
TCCCTCTGACTGAGAGCCAAATTGTTCAGAAGGAGGCAGAGCAAGCTGAACGGGCCAAGGAGCGGGAGAA  
GCGGCGAAAAGAACGAGAAGAAGAACAAGGAAACGGGAGAGGAAGCTGAGCGGGAACGGAACCGG  
CAGCTAGAACGGGAGAAGAGGAGGGAGCACAGCAGGGAGAGAGAGGGACAGGGAGAGAGCGGGACA  
GGGGTACCGAGAGCGGGAGAGGGAGCGAGACCGAGGCAGGGAGAGGGATCGCAGAGACACCAA  
GCGCCACAGCAGAAGCCGGAGTCAAGCACACCTGTACGGGACCGGGGTGGGCGCCGC

ACGCGTACGCGGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >MG223239 representing NM\_001085473  
 Red=Cloning site Green=Tags(s)

```

MWGRKRPNSSGETRGILSGNRGVDYGSGRGQSGPFEGRWKLPKMPEAVGTDPTSRKMALEEVTLDGK
PLQALRVTDLKAALRQLAKSGQKLSALVKRLKGALMLNLQKHSTPHAAFQPNISQIGEEMSQNSFIKQY
LEKQEQELLRQRLEREAREAAEEEAESAESEDEMTHPEGVASLLPPDFQSSLNRPELELSTHSPRKSSES
EEKGESDDEKPRKGERRSSRVQAKSKLPEYSQTAEEDQETPSRNLVRADRNLKIEEEEEEEEEEEED
DDDEEEEEVEAQKSREAEPTLKQFEEDEEGERTRAKPEKVVDEKPLNIRSQEKGELEKGRVTRSQEE
ARRSHLARQQQEKETQIVSLPQEENEVKSSQSLEEKSSPSPPLPEDLEKAPVVLQPEQIVSEETPPP
LLTKEASSPPTHIQLQEEMEPVEGPAPPVLIQLSPPNTDAGAREPLASHPAQLLRSLSPSGTDTDKAE
SPAGRVSDESVLPLAQKSSLPECSTQKGVESEREKSAPLPLTVEEFAPAKGITEEPMKKQSLEQKEGRR
SHALFPEHSGKQADSSSRSSSSSSPSSPSPDASRPQSSPGSKQRDGAQARVHANPHERPKMG
SRSTSESRSRSRSSASSSRKSLSPGVS RDSNTSYTETKDPSCGQEAAPSGPQLQVLEPKEKAPT
SASVGRHL SHPEPEQQHVIQRLQPEQGSPPKCEAAEAEPAAATQPQTSETQISHLLESERTHHTVEEKE
EVTMDTSENRPENEVPEPLPVADQVSNDRPEGGAEKKESMPKSFKRKISVVSATKGVQAGNSDT
EGGQPGKRRWGASTAATQKKPSISITTESLKEAVVDLHADDSRISEDETERNGDDGTHDKLKI CRTVT
QVVAEQQENGQREEEEEKEPEAELPAPPQVSVEVALPPPVEHEVKVTLGDTL TRRSISQKSGVSI
DDPVRTAQVPSPPRGKISNI VHSINLVRPFTLGQLKELLGRTGTLVEEAFWIDKIKSHCFVTYSTVEEAV
ATRTALHGKWPQSNPKFLCADYAEQDEL D YHRGLLVDRPSETKAEQAGAPRPLHPPPPPVQPPHPR
EQREQERAVREQWAEREREMERRERTRSEREWRDQVREGPRSRSRDRRRRKRERAKSKKEKSEKKEKAQ
EPPAKLLDDLFRKTKAAPCIYWLPLTESQIVQKEAEQAERAKEREKRRKEREKEREKEREKEREKEREK
QLEREKRRHSRERERDRERDRGRERERDRDRGRERDRDRGRERDRDRGRERDRDRGRERDRDRGRER
  
```

TRTRPLE - GFP Tag - V


**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**



## Plasmid Map:



ACCN: NM\_001085473

ORF Size: 3978 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_001085473.2](#), [NP\\_001078942.2](#)

RefSeq Size: 4715 bp

RefSeq ORF: 3981 bp

Locus ID: 56215

UniProt ID: [Q9JIX8](#)

Cytogenetics: 14 C2

**Gene Summary:**

Auxiliary component of the splicing-dependent multiprotein exon junction complex (EJC) deposited at splice junction on mRNAs. The EJC is a dynamic structure consisting of core proteins and several peripheral nuclear and cytoplasmic associated factors that join the complex only transiently either during EJC assembly or during subsequent mRNA metabolism. Component of the ASAP complexes which bind RNA in a sequence-independent manner and are proposed to be recruited to the EJC prior to or during the splicing process and to regulate specific excision of introns in specific transcription subsets; ACIN1 confers RNA-binding to the complex. The ASAP complex can inhibit RNA processing during in vitro splicing reactions. The ASAP complex promotes apoptosis and is disassembled after induction of apoptosis. Involved in the splicing modulation of BCL2L1/Bcl-X (and probably other apoptotic genes); specifically inhibits formation of proapoptotic isoforms such as Bcl-X(S); the activity is different from the established EJC assembly and function. Induces apoptotic chromatin condensation after activation by CASP3. Regulates cyclin A1, but not cyclin A2, expression in leukemia cells (By similarity).[UniProtKB/Swiss-Prot Function]