

Product datasheet for **MG223458**

Polr2d (NM_027002) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Polr2d (NM_027002) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Polr2d
Synonyms: 2310002G05Rik; 2610028L19Rik; HSRBP4; RBP4
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG223458 representing NM_027002
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGCGCGGGTGAAGCGATCCTCGGGCTGGCGACGTAGAAGAAGACGCTTCCAGCTTATCTTTCCCA
 AAGAGTTTGAGACAGCGGAGACTCTGCTGAACTCGGAAGTCCACATGCTTCTGGAGCATCGAAAGCAGCA
 GAACGAGAGCGCGGAGGACGAGCAGGAGCTGTCGGAGTCTTCATGAAAACCTCAACTACACGGCCCGC
 TTCAGCCGGTTCAAAAACAGAGAGACCATTGCCAGTGTGCGCAGCTTGCTTCTCCAGAAAAAGTTACATA
 AGTTTGAGTTGGCTGTTTAGCCAATCTTGCCCGGAGACTGCTGAAGAGTCAAAGCTCTGATTCCAAG
 CCTGGAAGGGCGTTTTGAAGATGAGGAGCTGCAGCAGATTCTCGATGACATCCAGACGAAGCGCAGCTTC
 CAGTAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG223458 representing NM_027002
 Red=Cloning site Green=Tags(s)

MAAGGSDPRAGDVEEDASQLIFPKFETAETLLNSEVHMLLEHRKQQNESAEDEQELSEVFMKTLNYTAR
 FSRFKNRETIASVRSLLLQKHLKHFELACLANLCPETAESKALIPSLEGRFEDEELQQILDDIQTKRSE
 QY

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI



[View online »](#)

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_027002.4</u>
RefSeq Size:	956 bp
RefSeq ORF:	429 bp
Locus ID:	69241
UniProt ID:	<u>Q9D7M8</u>
Cytogenetics:	18 B1
Gene Summary:	DNA-dependent RNA polymerase catalyzes the transcription of DNA into RNA using the four ribonucleoside triphosphates as substrates. Component of RNA polymerase II which synthesizes mRNA precursors and many functional non-coding RNAs. Pol II is the central component of the basal RNA polymerase II transcription machinery. It is composed of mobile elements that move relative to each other. RPB4 is part of a subcomplex with RPB7 that binds to a pocket formed by RPB1, RPB2 and RPB6 at the base of the clamp element. The RPB4-RPB7 subcomplex seems to lock the clamp via RPB7 in the closed conformation thus preventing double-stranded DNA to enter the active site cleft. The RPB4-RPB7 subcomplex binds single-stranded DNA and RNA (By similarity).[UniProtKB/Swiss-Prot Function]