

## Product datasheet for **MG223882**

### Ahrr (NM\_009644) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Ahrr (NM_009644) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Ahrr
Synonyms:	mKIAA1234
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MG223882 representing NM\_009644  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGATGATTCCGCTCTGGAGAGTGTACATACGCCGTAGGAAGAGAAGGAAGCCCATTCAGAAGCGGAGGC  
 TTACCATGGGAGCTGAGAAATCAAATCCTTCAAACGGCACCGGACCGCCTCAATACAGAGCTGGACCA  
 CCTGGCCAGCCTGCTGCCATTTTCACCTGATATCATCTCCAAGCTGGACAAGCTTTCTGTCTGCGCCTC  
 AGCGTTAGCTACCTCAGGGTAAAGAGCTTCTTCCAAGCCTTGACAGGAGACATGTGTATGGTCAGCTCCAG  
 CCCTGTCACTGAAGAACAACACTCATAAGAGGGTCCCCGTGCAGGAAGGACGGCTGCTGTGGAGTCTCT  
 CAATGGCTTCGCTCTGGTGGTGTGAGTGCCGAAGGGATGATCTTTTATGCATCGCAACAATTGTGGACTAT  
 CTGGGCTTTCATCAGACAGATGCATGCATCAAAACATTTATGACTACATCCATGTGGATGACCGGCAGG  
 ACTTCTGCAGACAGCTACACTGGCCATGGACCCTCCTCAGGTGGTGTGGGGCAGTCCCACATGCTGA  
 CACAGACAATACTGTCTGGGAAGCTGCTCAGGGCCCAAGAAGGAGGCAAGGGCTTGCCTCAGAGTAC  
 TCGGCCTTCTTGACACGCTGCTTCAATTTGTCGTGTTGCTGCCTGCTGGACAGCAGCTCTGGCTTTCTGA  
 CCATGCAGTTCGAAGAAAATAAAATTCCTGTTTGGACAGAAGAAGAAGACACCATCAGGAACAGCCCT  
 GCCTCCTCGACTCTATTGTTCTGCATTGTGGCACCAGTCTTGCCTTCTGTAAGTGAAGTGAAGTGAAG  
 AGCACATTCCTGAAGGCAAAGCACAGGGCAGACATTGTGGTTACGATGGACTCAAGGGCAAAGCTGTTA  
 CAAGTCTATGTGAATCAGAATTGCATCCAAACTCAATTAAGTACAGGAAAGAGCAATGGAGAAAATGG  
 CATTTCAGTGTTCAGGGGACAAACAGATAGGAGCCACTGGGCCGGGCTCTAGCCAGATCTTCATGTCTG  
 TGCCTCAGGGGTGGTCTGACCTGCTGGACCCCAAGGGGACTTCAGGGGACAGAGAAGAGGAGGACCAGA  
 AGCACAATACTAAGGAGATCCCCGTGGTGCCTGGGGCAGAGGGAGATGCACAAGTACAGTTATGGTTTGG  
 GACACCAGTACACTTGAGGCACCTGAAGTGGAGCACAGAACAGCGAAGTCAAGGAGAGCACTACCAAGCTG  
 ACTCGGCAGCCAGTAAGAATGAGCCATCCACGTGTCTGGTGCCTATGGTTCCTGTGTGCCCTACCTG  
 GAAGCCAGGGCATGCTTAGTGCCAGCAACATGGCTTCTTTTAGAGATTCAGTACAGCCATCCCACTGGTGC  
 CTAAGTGCAGTCAAGTGAACAGACCCTTGTGGATATCCACCAGGGCCAGGTGGATCCTTCCACCTGCCAT  
 ATCTCCAGGGCAGTCTGGGATCTAGGATCCCTCTGACTGGAATGCAGCGCTTACAGCTCGGGGATTTT  
 CTACAGAGGATGCAAAATACCCAGCCTGCCAGTACCATAGGCACTCCATGCAACCCAGTATTGCTACT  
 GGATGTGCCAATCAAGATGGAGAATGAATCTGGGTCCCAGGATATAGTTGAAGCTAGCACAACTAGCTGT  
 TTGTGGCTGGGAACCAGCGACATGGCCAGAGGACATCTGGTTGGTTTCCCTGCCAGGATGCACCTGAAAA  
 CAGAGCCCGACTATAGGCAGCAGGCCTGTACCCACACCTTGGTATGGTATGCTGGGAATAATCCCTA  
 CAGCAGAGATACTGTTGGATCCTGTAGGGAGCATGCTCCTCTTACTCTGCACATTGCACCTGCCTGGAT  
 CCAGAGCCTCCTCATCACTTCTTCATGTGTAGCCACAGTGAAGCCAGCAGCCCTCATTGGACCAAGACT  
 GCAGAGCTCCTATTGTTAAGCGTGAGCCTCTGGACTCACCATCATGGGCTGCTCCTGGTCAGGTGACTGT  
 GCCCAGGATGTTCCCTAAGAGTGCCTCTAAAATGTGATCCCATCAAAGGCTCTGATGGAATTTTCCTA  
 CCC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >MG223882 representing NM\_009644  
 Red=Cloning site Green=Tags(s)

```

MMIPSGECTYAGRKRKPIQKRRLTMGAEKSNPSKRHRDRLNTELDHLASLLPFSPDIISKLDKLSVLRL
SVSYLRVKSFFQALQETCVWSAPALSPEEHSYRGFPVQEGRLLESLNGFALVVSAGMIFYASATIVDY
LGFHQTDVMHQNIYDYIHVDDRQDFCRQLHWAMDPPQVVFQSPHADTDNTVLGKLLRAQEGGKGLPSEY
SAFLTRCFICRVRCLLDSTSGFLTQMFQKGLKFLFGQKKKTPSGTALPPRLSLFCIVAPVLPVSTEMKMK
STFLKAKHRADIVVTMSRAKAVTSLCESELHPKLNLAGKSNGENGISLFRGQTDTRSHWARALARSSCL
CLRGGPDLDPKGTSGDREEEDQKHILRRSPGAWGQREMHKYSYGLETPVHLRHLNWSTEQRSQESTTKL
TRQPSKNEPSTCLVPHGSCVPYPGSQGMLSASNMAFRDSDLHPTGAYCSQMNRP LSDIHQGVDPSTCH
ISQGSLSRIPLTGMQRFTARGFSTEDAKLPSPVTIGTPCNPVLSLDVPIKMENESGSQDIVEASTTSC
LWLGTSDMARGHLVGFARMHLKTEPDYRQQACTPHLGHGMLGTNPYSRDTVGS CREHAPLYSAHCTCLD
PEPPHHFFMCSHSESQHPSLDQDCRAPIVKREPLDSPSWAAPGQVTVPRMFPKSASKTVIPSKGSDGIFL
P
  
```

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_009644

**ORF Size:** 2103 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_009644.3](#), [NP\\_033774.1](#)

**RefSeq Size:** 4732 bp

**RefSeq ORF:** 2106 bp


**Locus ID:** 11624

**UniProt ID:** [Q3U1U7](#)

**Cytogenetics:** 13 C1

**Gene Summary:** This gene encodes a protein that represses aryl hydrocarbon receptor-dependent signaling. The encoded protein competes with the aryl hydrocarbon receptor transcription factor for heterodimerization with the aryl hydrocarbon receptor nuclear translocator protein and binding to xenobiotic response element (XRE) sequence in many genes. This protein is implicated in the regulation of cell growth and differentiation as well as mediating dioxin toxicity. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2015]

### Product images:



Circular map for MG223882