

Product datasheet for **MG224145**

Taok3 (NM_001081308) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Taok3 (NM_001081308) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Taok3
Synonyms:	2900006A08Rik; A130052D22; A430105I05Rik
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>MG224145 representing NM_001081308
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGCGTAAAGGGGCACTGAAGGACCCAGAGATTGCTGATCTGTTCTTCAAGGATGACCCCGAAGAGCTTT
 TTATCGATTTGCATGAAATTGGACATGGGAGCTTTGGAGCCGTGACTTTGCGACAAATGCGCACACCAA
 CGAGGTGGTCGCTGTTAAGAAAATGTCCTACAGTGGGAAGCAGACCCATGAGAAATGGCAAGATATCCTT
 AAGGAAGTTAAGTTTCTGCAGCAGCTGAAGCATCCTAACACCATCGAGTACAAAGGCTGTTATTTAAAGG
 AGCACACTGCATGGTTGGTGGTGGAGTACTGCCTAGGTTACAGCCTCTGACTTGTAGAAAGTTCATAAGAA
 ACCACTTCAGGAAGTGGAGATCGCTGCTATCACCCATGGTGCCTTGACAGGGGCTGGCCTACCTCCACTTT
 CACTCCCTGATTCACAGGGACATTAAGCAGGGAAACATCCTCCTCACAGAGCCAGGTGAGTGAAGCTGG
 CTGACTTCGGATCTGCCTCCATGGCTTCTCCCGCAACTCCTTTGTGGGACTCCTTACTGGATGGCCCC
 AGAGGTAATCTTAGCTATGGACGAAGGGCAGTACGACGGGAAAGTTGACATCTGGTCGCTTGGCATCACC
 TGCATAGAGTTGGCGGAGCGGAAGCCCCCTTCAACATGAACGCCATGAGCGCCTCTACCACATCG
 CTCAGAATGACTCCCCACGCTACAGTCCAGGGAATGGACAGACTCCTTACAGGAGATTGTTGATTACTG
 CTTGCACAAAATACCTCAGGAAAGACCAGCCGCGTGGAGCTGTTGCGGCATGACTTCATTCCGGAGGGAG
 CGGCCACCGAAGTCTCATTGATCTCATAACAGAGGACAAAAGATGCTGTCCGAGAGCTGGACAACCTGC
 AGTACAGGAAAATGAAGAAGATCCTCTTCCAGGAGACTCGGAACGGACCCCTTGAATGAGTCGCAAGAAGA
 AGAAGAAGATGGTGGAGCAAGGAAGCAACCTGAACCGAGAGGTGGACAGTCTGGGCAGCATCCACTCCATT
 CCCAGCACATCAGTGGACACAGGCGAGCCGAGCAGTGTGAACAGCATGCAGGAGGTCATGGATGAGA
 GCAGCTGAGCTCGTCATGATGCAGGAGGATGAAGGCACAGCCAACTCCAGCCCTCCACGGTACACAA
 GAAGGATCATGTATTTCGTAAAGGATGAGGCGGGCCACGGCGATCCCAGGCCTGAGCCGCGGCTACCCAG
 TCAGTTACAGGCCGGCCCTCCACTATCGGAACCGAGAGCGCTTTGCCACGATCAAAATCCCGCTTTTGG
 TTACACGGCAGATCCATGAGCATGAGCAGGAGAACGAGCTGCGGGAACAGATGTCAGGTTATAAGCGGAT
 GCGGCGCCAGCACCAGAAGCAGCTGATCGCCCTGGAGAACAAGCTGAAGGCTGAGATGGATGAGCACC GC
 CTC AAGCTCCAGAAGGAGGTGGAGACGCACGCCAACAACCTCGTCCATCGAGCTGGAGAAGCTGGCCAAGA
 AGCAAGTGGCTACCATAGAAAAGGAGGCAAAAGGTAGCCGACGCGGATGAGAAGAAGTCCAGCAGCAGAT
 CCTGGCCAGCAGAAGAAGGACTTGACAACCTTTCTTAGAAAGTCAAGAAGAAGCAGTACAAGATTTGTAAG
 GAGAAAATAAAAGAGGAAATGAACGAGGACCATAGCACACCCAAGAAGGAGAAGCAGGAGCGGATATCGA
 AGCATAAAGAAAACCTGCAGCACAGCAGGCCGAGGAGGAAGCCACCTGCTCAACAGAGGCTGTA
 CTACGACAGAAACTGCCGCTTCTCAAACGGAAAATAATGATCAAGCGCCACGAGGTGGAACAGCAGAAC
 ATTCGGGAGGAATTAATAAGAAGAGGACCCAGAAGGAAATGGAGCACGCCATGCTGATCCGGCATGATG
 AATCCACCCGAGAGCTGGAGTACAGGCAGCTGCACACCCTGCAGAAGCTCCGCATGGATCTGATCCGGCT
 GCAGCACCAGACGGAACCTGGAGAACCAGCTGGAGTACAATAAGAGGGCGGAGCGGAGCTGCACCCGGAAG
 CACGTCATGGAGCTTCGGCAACAGCCGAAAAACTTAAAGGCCATGGAAATGCAAATTA AAAAACAGTTTC
 AGGACACTTGCAAAGTACAGACCAACAGTACAAAGCCCTCAAAAATCACCAGTTGGAAGTCACTCCAAA
 GAATGAGCACAAAAGCAATCCTAAAGACTGAAGGACGAGCAGAGGGAAGCTGGCCATTTTGGCCGAG
 CAGTATGAACAGAGTATAAACGAGATGATGGCCTCTCAAGCGTTACGGCTAGACGAGGCACAAGAGGCAG
 AGTGCCAGGCTTGGAGTACAGCTCCAGCAGGAGATGGAGCTGCTCAACGCCTACCAGAGCAAAAATCAA
 GATGCAAACGGAGGCCAGCAGCAGCGAGCTACAGAAGCTAGAGCAGAGGGTGTCCCTGCGCAGAGCG
 CATCTTGAGCAGAAGATTGAAGAGGAGCTGGCTGCCCTGCAGAAGGAACGCAGTGAAGGATCAAGACTC
 TCCTGGAGAGACAAGAGCGAGAGACCGAGACTTTTGACATGGAGAGCCTCAGAATGGGCTTTGGGAATTT
 GGTGACATTAGATTTTCTAAGGAGGACTATAGA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


Protein Sequence: >MG224145 representing NM_001081308
 Red=Cloning site Green=Tags(s)


MRKGALKDPEIADLFFKDDPEELFDLHEIGHGSFGAVYFATNAHTNEVVAVKKMSYSGKQTHEKWQDIL
 KEVKFLQQLKHPNTIEYKGCYLKEHTAWLVMEYCLGSADLLEVHKKPLQEVEIAAITHGALQGLAYLHF
 HSLIHRDIKAGNILLTEPGQVKLADFGSASMASPANSFVGTPTYWMAPEVILAMDEGQYDGKVDIWSLGIT
 CIELAERKPPPLFNMNAMSALYHIAQNDSPTLQSREWTDSEFRFVDYCLHKIPQERPAAVELLRHDFIRRE
 RPPKVLIDLIRTKDAVRELDNLQYRKMKKILFQETRNGPLNESQEEEEEDGEQGSNLNREVDLSGSIHSI
 PSTSVSTGSRSSSVNSMQEVMDESSELVMMQEDEGTANSSASTVHKKDHVFRDEAGHGDPPEPRPTQ
 SVQSRALHYRNRERFATIKSASLVTRQIHEHEQENELREQMSGYKMRQRHQKQLIALENKLAEMDEHR
 LKLQKEVETHANSSIELEKLAKKQVATIEKEAKVAADEKFKQQQILAQQKDLTTFLESQKKQYICK
 EKIKEEMNEDHSTPKKEKQERISKHKNLQHTQAEAAHLLTQQRLYYDRNCRFFKRKIMIKRHEVEQQN
 IREELNKKRTQKEMEHAMLIRHDESTRELEYRQLHTLQKLRMDLIRLQHQTLENQLEYNKRRELERHRK
 HVMELRQQPKNLKAMEMQIKKQFQDTCKVQTKQYKALKNHQLEVTPKNEHKAILKTLKDEQTRKLAIAE
 QYEQSINEMMASQALRLDEAQEAECQALRLQLQEMELLNAYQSKIKMQTEAQHERELQKLEQRVSLRRA
 HLEQKIEEELAALQKERSERIKTLLEQERETETFDMESLRMGFNLVTLDFPKEDYR

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:


ACCN: NM_001081308

ORF Size: 2694 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001081308.2](#), [NP_001074777.1](#)

RefSeq Size: 4258 bp

RefSeq ORF: 2697 bp

Locus ID: 330177

UniProt ID: [Q8BYC6](#)

Cytogenetics: 5 F

Gene Summary:

Serine/threonine-protein kinase that acts as a regulator of the p38/MAPK14 stress-activated MAPK cascade and of the MAPK8/JNK cascade. Acts as an activator of the p38/MAPK14 stress-activated MAPK cascade. In response to DNA damage, involved in the G2/M transition DNA damage checkpoint by activating the p38/MAPK14 stress-activated MAPK cascade, probably by mediating phosphorylation of upstream MAP2K3 and MAP2K6 kinases. Inhibits basal activity of MAPK8/JNK cascade and diminishes its activation in response epidermal growth factor (EGF) (By similarity).[UniProtKB/Swiss-Prot Function]