

## Product datasheet for **MG224240**

### **Golga2 (NM\_001080968) Mouse Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Golga2 (NM_001080968) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Golga2
Synonyms:	AW555139; GM130; mKIAA4150
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MG224240 representing NM\_001080968  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGTGGCCCCCGCTTCCCCCTCCCCGCCCGGGATGTCGGAAGAAACCAGGCAGAGCAAATTGGCTG  
 CGGCCAAGAAAAAGCTGAGAGATATCAGCAGAAGAACAGCCCGGTGTTCTGTCAGGAGCAAAGAAGAA  
 GAAAAAGATTAATAATGGCCATAGCCCAGAGAGACCCACTGCCAGTGACTGTCAGTCACCAGAGAATGTG  
 CCCACAGACCATAATTGCTCCTGCACCGCAACCGCTGCTACTGACACTATGTTTCTTGGTGTACCCCTT  
 CCCCTGATGCTGACCTCACTCAGAGCCATGATGCTGGCAATTGCTCTAACCTCATGGAGGAGACCAAGAC  
 TTTCTCATCGACTGAGAGTCTGCGACAACCTTCTCAACAGCTCAATGGCCTTGTGTCTGAGTCTACATCC  
 TACATCAACGGGGAGGCCCTCACATCTTCCAACATGAAGGAACTGGAGAACCGGTACCAAGAGCTAGCAG  
 TAGCCCTGGACTCCAGCTATGTAACAAACAACAACCTCAGTAGCACGATAGAGGAATTGAAACAACAGAA  
 CCAAGACTCTGGATCAACTGGAGAAAGAGAAGAAGGATTATCAGCAGAAGCTGGCAAAGGAGCAGGGC  
 TCTCTCAGGGAACAGCTGCAGGTTACATTCAGACCATAGGCATCCTGGTGTCTGAGAAGGCAGAATTAC  
 AGACGGCCCTGGCCACACTCAGCAAGCAGCCAGGCAGAAAGCAGGAGAGTCTGGAGGATCTTGCCAGCCG  
 ACTACAGTCTCCGACAGCGTGTGGGAGAGCTGGAGCGGACACTGTCTACCGTGTCAACGCAACAGAAA  
 CAGGCAGACAGGTATAACAAGGACCTAACCAAAGAGCGGGATGCCCTCAAGCTGGAGCTGTATAAGAACA  
 GCAAAAGCAATGAGGACCTGAGGCAGCAGAACTCAGAACTGGAAGAGAAAACCTCCGAGTCTGGTGGCAGA  
 GAAAGCAGCTGCACAGTTGGGGTGGAGGAGCTGCAGAAGAAGTTAGAGATGTCAGAGCTGCTGCTGCAG  
 CAGTTTTCTAGTCAGTCTTCGGCCGACGCGGTAATGAGCAGTTACAACATGCCATGGAGGAGCGGGCTC  
 AGCTGGAGACCCATGTTAGCCAGCTGATGGAATCACTGAAGCAGCTCCAGTGGAGAGAGACCATGATGC  
 GGAGAACCTAAAAGGAGAGAGTGCCATGTGGCAGCAGAGGGTACAGCAAATGGCGGAGCAGGTGCATACA  
 CTGAAGGAAGAGAAGGAGCACAGAGAACGGCAGGTACAAGAGCTGGAGACCAGCTTGCCCGCACTCCGGA  
 GTCAGATGGAGGAGCCACCGCTCCAGAGCCTCCAGCTGGCCCTCCGAGGCGGAAGAGCAGCTGCAGGG  
 AGAGGTCGAGCAGCTGCACAAGGAACTGGAGAGGCTGACGGGACAGCTACGGGCTCAGGTGCAGGACAAT  
 GAGAGCCTGAGCCACCTCAACCGGGAGCAGGAGGGGCTCTGCTGGAGCTGGAGCGGAGGCCACGCT  
 GGAGCGCAGCGCCGAGGAGCGCAAGCAGATCCTGGAGAGCATGCAGAGTACCCGACACCACATCAGCAG  
 AGCACTGTACAGAACCAGAGCTGAAGGAGCAGCTGGCCGAGCTGCAGAACGGTTCGTCAGGCTGACC  
 AATGAGAACATGGAGATCACAGTGCCTGCAGTCAGAGCAGCATGTCAAGAAAGAGCTAGCCCGGAAGC  
 TGGGAGAGCTGCAGGAGAGACTGGGAGAGCTGAAGGAGACGGTGGAGCTCAAGAGCAAGAGCACAGGG  
 TCTACAGGAGCAGCGAGACCAGTGCCTGTCCCACCTGCAGCAGTACGCTGCTGCTTACCAACAGCACTTG  
 GCGGCCTATGAGCAGCTGACCTCTGAGAAGGAGGCAATACACAAGCAGCTTCTGCTGCAGACTCAGCTCA  
 TGGACCAGCTGCAGCATGAGGAGGTACAGGGCAAGATGGCAGCCGAGCTGGCCCGCCAGGAGCTGCAGGA  
 GGCCAGGAGCGCCTAAAAGCTACCAGCCAGGAGAACCAACAGCTCCAAGCCAGCTGAGCCTCTTGGTC  
 CTCCTGGGGAAGGAGATGTGGACCAGGAGGAAGAAGATGAGGAGGTTCTCAGTCGAGTCTGGCCATCC  
 CAGAAGACCTAGACAGTAGAGAGGCCATGGTGGCATTCTTTAATGCCGCTATAGCCAGAGCAGAGGAAGA  
 ACAGGCCGACTACGTGTGCAGCTGAAAGAGCAGAAGGCACGTTGCCGGAGTTTGTCTCACTTGGCAGCC  
 CCAGTCCAAGCAAGCTTGAAGAGGAGGAGTGGTCCCCAGGAATGTGGATGACTCTGCATCTGAGGAGA  
 GCAATCAGGCCCTACATGTAGCCATGGAGAAGCTGCAGAGCCGCTTCTGGAGGTCATGCAGGAGAAAGT  
 GGAGCTCAAGGAGAGGAGTGAAGGAGCTTGAACATTGCTGCATTACGTTTCTGGAGAGACAGACACCATT  
 GGAGAGTACATTGCCCTTACCAAAAACAGAGGGCGGTGCTGAAGGCTCGGCATTTGGAGAAGGAAGAA  
 ACATCAGCCGGCTGGCTCAGGACAAGGAGGAGATGAAGGTGAAGCTGCTGGAGCTCCAGGAGCTGGTGT  
 GAGGCTTGTGAACGAGCGCAATGAATGGCAGGGCAAGTTCCTGGCCGCTCTCAGAACCCCTGGTACGCTG  
 CTCACCCAGTGCCACAGGCTCCAGGAATTTGGTGTGCTGACCAGCAGGATGACCTCAGGGAGGTGA  
 GCCTGGCTGACGATATAGAGCCTGCACAAGGAGAGGCAGGGGTACCTGCTCCCCATGAGAACCCTACTGC  
 ACAGCAGATCATGCAGCTGCTGCGTGAGATCCAGAACCCCGGGAGCGGCCAGGCCTGGGTAGCAACCC  
 TGCATCCCTTTTTCTACCGTGCCGATGAGAACGACGAGGTGAAGATCATGGTTGTA

**ACGCGT**ACGCGGCCGCTCGAG – GFP Tag – GTTTAA

**Protein Sequence:** >MG224240 representing NM\_001080968  
 Red=Cloning site Green=Tags(s)

```

MWPPRFPPPPRPMSEETRQSKLAAAKKKLREYQQKNSPGVPAGAKKKKKIKNGHSPERPTASDCQSPENV
PTDHIAPAPPTAATDTMFLGVTPSPDADLTQSHDAGNCSNLMEETKTFSSTESLRQLSQQLNGLVSESTS
YINGEGLTSSNMKELENRYQELAVALDSSYVTNKQLSSTIEELKQNNQDLDQLEKEKKDYQQKLAKEQG
SLREQLQVHIQTIIGILVSEKAELQTALAHQQAARQKAGESEDLASRLQSSRQRVGELERTLSTVSTQQK
QADRYNKDLTKERDALKLELYKNSKSNEDLRQQNSELEEKLRVLAEKAAAQLGVEELQKKLEMSELLLQ
QFSSQSSAAGGNEQLQHAMEERAQLETHVSQLMESLQKQVVERDQYAENLKGESAMWQQRVQQMAEQVHT
LKEEKEHRERQVQELETSLAALRSQMEEPPPEPPAGPSEAEQQLQGEVEQLHKELERLTGQLRAQVQDN
ESLSHLNREQGRLLEREQRWSEQAEEERKQILESMQSDRTTISRALSQNRELKEQLAELQNGFVRLT
NENMEITSALQSEQHVKELARKLGELQERLGELKETVELKSQEAQGLQEQRDQCLSHLQQYAAAYQHL
AAYEQLTSEKEAIHKQLLLQTQLMDQLQHEEVQKMAELARQELQEAQERLKATSQENQQLQAQLSLLV
LPGEGVDQEEDEEVPQSSLAIPEDLDSREAMVAFFNAAIARAEQQARLRVQLKEQKARCRSLHLAA
PVQSKLEKEAVVPRNVDDSAEESNQALHVAMEKLSRFLQVMEKVELKERVEELEHCCIQLSGETDTI
GEYIALYQNQRAVLKARHLEKEEYISRLAQDKEEMKVKLELQELVLRVNERNEWQGFQFLAVSQNPGDV
LTPVPTGSQEFQADQDDLREVSALDDIEPAQGEAGVPAPHENPTAQQIMQLLREIQNPRERPGLGNSP
CIPFFYRADENDEVKIMVV
  
```

TRTRPLE - GFP Tag - V


**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**



## Plasmid Map:



ACCN: NM\_001080968

ORF Size: 2997 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_001080968.1](#), [NP\\_001074437.1](#)

RefSeq Size: 4396 bp

RefSeq ORF: 3000 bp

Locus ID: 99412

UniProt ID: [Q921M4](#)

Cytogenetics: 2 B

**Gene Summary:**

Peripheral membrane component of the cis-Golgi stack that acts as a membrane skeleton that maintains the structure of the Golgi apparatus, and as a vesicle tether that facilitates vesicle fusion to the Golgi membrane (PubMed:28028212). Required for normal protein transport from the endoplasmic reticulum to the Golgi apparatus and the cell membrane (PubMed:28028212). Together with p115/USO1 and STX5, involved in vesicle tethering and fusion at the cis-Golgi membrane to maintain the stacked and inter-connected structure of the Golgi apparatus. Plays a central role in mitotic Golgi disassembly: phosphorylation at Ser-37 by CDK1 at the onset of mitosis inhibits the interaction with p115/USO1, preventing tethering of COPI vesicles and thereby inhibiting transport through the Golgi apparatus during mitosis. Also plays a key role in spindle pole assembly and centrosome organization (By similarity). Promotes the mitotic spindle pole assembly by activating the spindle assembly factor TPX2 to nucleate microtubules around the Golgi and capture them to couple mitotic membranes to the spindle: upon phosphorylation at the onset of mitosis, GOLGA2 interacts with importin-alpha via the nuclear localization signal region, leading to recruit importin-alpha to the Golgi membranes and liberate the spindle assembly factor TPX2 from importin-alpha. TPX2 then activates AURKA kinase and stimulates local microtubule nucleation. Upon filament assembly, nascent microtubules are further captured by GOLGA2, thus linking Golgi membranes to the spindle (By similarity). Regulates the meiotic spindle pole assembly, probably via the same mechanism (PubMed:21552007). Also regulates the centrosome organization (By similarity). Also required for the Golgi ribbon formation and glycosylation of membrane and secretory proteins (By similarity).[UniProtKB/Swiss-Prot Function]