


## Product datasheet for **MG224430**

### Comp (NM\_016685) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Comp (NM_016685) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Comp
Synonyms:	TSP5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
Restriction Sites:	SgfI-RsrII
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



CTATAGGGCGGCGGGAATTCTGCTGACTGGATCCGGTACCGAGGAGATCTGCCGCCGATCGCCGGCGCCAGATCT

EcoRI BamHI KpnI RBS Kozac Consensus SgfI AscI

CAAGCTTAAGTACTAGTACGGACCG ACG CGT ACG CGG CCG CTC GAG ATG GAG AGC GAC --- ---

HindIII NheI RsrII MluI NotI XhoI GFP Tag

T R T R P L E M E S D - - -

--- GAA GAA AGA GTT TAA ACGGCCGGCCGGAGCT

- - E E R V Stop


ACCN:	NM_016685
ORF Size:	2265 bp



[View online »](#)

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">NM_016685.2</a> , <a href="#">NP_057894.2</a>
<b>RefSeq Size:</b>	2447 bp
<b>RefSeq ORF:</b>	2268 bp
<b>Locus ID:</b>	12845
<b>UniProt ID:</b>	<a href="#">Q9R0G6</a>
<b>Cytogenetics:</b>	8 34.15 cM
<b>Gene Summary:</b>	May play a role in the structural integrity of cartilage via its interaction with other extracellular matrix proteins such as the collagens and fibronectin. Can mediate the interaction of chondrocytes with the cartilage extracellular matrix through interaction with cell surface integrin receptors. Could play a role in the pathogenesis of osteoarthritis. Potent suppressor of apoptosis in both primary chondrocytes and transformed cells. Suppresses apoptosis by blocking the activation of caspase-3 and by inducing the IAP family of survival proteins (BIRC3, BIRC2, BIRC5 and XIAP). Essential for maintaining a vascular smooth muscle cells (VSMCs) contractile/differentiated phenotype under physiological and pathological stimuli. Maintains this phenotype of VSMCs by interacting with ITGA7 (By similarity).[UniProtKB/Swiss-Prot Function]

## Product images:



Circular map for MG224430