

## Product datasheet for **MG224504**

### Kdr (NM\_010612) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Kdr (NM_010612) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Kdr
Synonyms:	6130401C07; Flk-1; Flk1; Krd-1; Ly73; sVEGFR-2; VEGFR-2; VEGFR2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG224504 representing NM_010612 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGAGAGCAAGGCGCTGCTAGCTGTGCTCTGTGTTCTGCGTGGAGACCCGAGCCGCTCTGTGGTT  
TGCCTGGCGATTTCTCCATCCCCCAAGCTCAGCACACAGAAAGACATACTGACAATTTGGCAAATAC  
AACCCCTCAGACTTGCAGGGGACAGCGGGACCTGGACTGGCTTTGGCCCAATGCTCAGCGTATTCT  
GAGGAAAGGGTATTGGTACTGAATGCGCGGTGGTACAGTATCTTCTGCAAAACTCACCATTCCCA  
GGGTGGTTGAAATGATACTGGAGCCTACAAGTCTCGTACCGGGACGTCGACATAGCCTCCACTGTTTA  
TGCTATGTTTCGAGATTACAGATCACCATTTCATCGCCTCTGTGAGTACCGAGCATGGCATCGTGTACATC  
ACCGAGAACAAGAACAACAACTGTGGTATCCCCTGCCGAGGGTGGATTTCAAACCTCAATGTGTCTCTTT  
GCGCTAGGTATCCAGAAAAGAGATTTGTTCCGGATGGAACAGAAATTTCTGGGACAGCGAGATAGGCTT  
TACTCTCCCCAGTTACATGATCAGCTATGCCGGCATGGTCTTCTGTGAGGCAAAGATCAATGATGAAACC  
TATCAGTCTATCATGTACATAGTTGTGGTTGTAGGATATAGGATTTATGATGTGATTCTGAGCCCCCGC  
ATGAAATTGAGCTATCTGCCGAGAAAACTTGTCTTAAATTGTACAGCGAGAACAGAGCTCAATGTGGG  
GCTTGATTTACCTGGCACTCTCCACCTCAAAGTCTCATCATAAGAAGATTGTAACCCGGATGTGAAA  
CCCTTCTGGGACTGTGGCAAGATGTTTTTGGACACCTTGACAATAGAAAGTGTGACCAAGAGTGAAC  
AAGGGGAATACACCTGTGTAGCGTCCAGTGGACGGATGATCAAGAGAAATAGAACATTTGTCGAGTTCA  
CACAAAGCCTTTTATTGCTTTTCGGTAGTGGGATGAAATCTTTGGTGAAGCCACAGTGGGCACTCAAGTC  
CGAATCCCTGTGAAGTATCTCAGTTACCCAGCTCCTGATATAAATGGTACAGAAATGGAAGGCCATTG  
AGTCCAACACACAATGATTGTTGGCGATGAACTCACCATCATGGAAGTACTGAAAGAGATGCAGGAAA  
CTACACGGTCATCCTACCAACCCATTTCATGGAGAAACAGAGCCACATGGTCTCTCTGGTTGTGAAT  
GTCCCACCCAGATCGGTGAGAAAGCCTTGATCTCGCCTATGGATTCTACCAGTATGGGACCATGCAGA  
CATTGACATGCACAGTCTACGCCAACCCCTCCCTGCACCACATCCAGTGGTACTGGCAGCTAGAAGAAGC  
CTGCTCTACAGACCCGCCAAACAAGCCGATGCTTGTAAAGAATGGAGACACGTGGAGGATTTCCAG



[View online »](#)

GGGGAAACAAGATCGAAGTCACCAAAAACCAATATGCCCTGATTGAAGGAAAAACAAAACCTGTAAGTA  
 CGCTGGTCATCCAAGCTGCCAACGTGTACAGCGTTGTACAATGTGAAGCCATCAACAAAGCGGGACGAGG  
 AGAGAGGGTCACTCCTTCCATGTGATCAGGGTCTGAAATTAAGTGTGCAACCTGCTGCCAGCCAAC  
 GAGCAGGAGAGTGTGCCTGTTGTGACTGCAGACAGAAATACGTTTGAGAACCTCACGTGGTACAAGC  
 TTGGCTCACAGGAACATCGGTCCATGCGCGAATCACTCACACCAGTTTGAAGAAGTGGATGCTCT  
 TTGAAACTGAATGGCACCATTGTTTCTAACAGCACAAATGACATCTTGATTGTGGCATTTCAGAATGCC  
 TCTCTGCAGGACCAAGGCGACTATGTTTGTCTGCTCAAGATAAGAAGACCAAGAAAAGACATTGCTGG  
 TCAAACAGCTCATCATCCTAGAGCGCATGGCACCATGATCACCGGAAATCTGGAGAATCAGACAACAAC  
 CATTGGCGAGACCATTGAAGTGACTTGGCCAGCATCTGGAATCCTACCCACACATTACATGGTTCAAA  
 GACAACGAGACCCTGGTAGAAGATTGAGCATTGTACTGAGAGATGGAAACCGAACCTGACTATCCGCA  
 GGGTGAGGAAGGAGGATGGAGGCCTCTACACCTGCCAGGCCTGCAATGTCCTTGGCTGTGAAGAGCGGA  
 GACGCTCTTCATAATAGAAGGTGCCAGGAAAAGACCAACTTGGAAAGTATTATCCTCGTCGGCACTGCA  
 GTGATTGCCATGTTCTTCTGGCTCCTTCTGTCTTGTCTACCGACCGTTAAGCGGGCCAAATGAAGGG  
 AACTGAAGACAGGCTACTGTCTATTGTATGGATCCAGATGAATTGCCCTTGGATGAGCGCTGTGAACG  
 CTTGCCTTATGATGCCAGCAAGTGGGAATTCGCCAGGACCGGCTGAAACTAGGAAAACCTTTGGCCGC  
 GGTGCCTTCGGCCAAGTATTGAGGCAGACGCTTTTGGAAATGACAAGACAGCGACTTGCAAAACAGTAG  
 CCGTCAAGATGTTGAAAGAAGGAGCAACACACAGCGAGCATCGAGCCCTCATGTCTGAACTCAAGATCCT  
 CATCCACATTGGTCACCATCTCAATGTGGTGAACCTCCTAGGCGCCTGCACCAAGCCGGGAGGGCCTCTC  
 ATGGTGATTGTGGAATTCGCAAGTTTGGAAACCTATCAACTTACTTACGGGGCAAGAGAAAATGAATTTG  
 TTCCCTATAAGAGCAAAGGGGCACGCTTCCGCCAGGGCAAGGACTACGTTGGGGAGCTCTCCGTGGATCT  
 GAAAAGACGCTTGGACAGCATCACCAGCAGCCAGAGCTCTGCCAGCTCAGGCTTTGTTGAGGAGAAATCG  
 CTCAGTGATGTAGAGGAAGAAGAAGCTTCTGAAGAAGTGTACAAGGACTTCTGACCTTGGAGCATCTCA  
 TCTGTTACAGCTTCCAAGTGGCTAAGGGCATGGAGTTCTTGGCATCAAGGAAGTGTATCCACAGGGACCT  
 GGCAGCAGGAAACATTCTCCTATCGGAGAAGAATGTGGTTAAGATCTGTGACTTCGGCTTGGCCCGGAC  
 ATTTATAAAGACCCGGATTATGTCAGAAAAGGAGATGCCCGACTCCCTTTGAAGTGGATGGCCCCGGAAA  
 CCATTTTTGACAGAGTATACACAATTCAGAGCGATGTGTGGTCTTTTCGGTGTGTTGCTCTGGGAAATATT  
 TTCCTTAGGTGCCTCCCATACCCTGGGGTCAAGATTGATGAAGAATTTGTAGGAGATTGAAAGAAGGA  
 ACTAGAATGCGGGCTCCTGACTACACTACCCAGAAATGTACCAGACCATGCTGGACTGCTGGCATGAGG  
 ACCCCAACCAGAGACCCTCGTTTTTCAGAGTTGGTGGAGCATTGGGAAACCTCCTGCAAGCAAATGCGCA  
 GCAGGATGGCAAAGACTATATTGTTCTTCCAATGTCAGAGACACTGAGCATGGAAGAGGATTCTGGACTC  
 TCCCTGCCTACCTCACCTGTTTCTGTATGGAGGAAGAGGAAGTGTGCGACCCCAATTCATTATGACA  
 ACACAGCAGGAATCAGTCATTATCTCCAGAACAGTAAGCGAAAGAGCCGGCCAGTGAGTGTAAAAACATT  
 TGAAGATATCCATTGGAGGAACCAGAAGTAAAAGTATCCAGATGACAGCCAGACAGACAGTGGGATG  
 GTCCTTGCATCAGAAGAGCTGAAAACCTCTGGAAGACAGGAACAAATATCTCCATCTTTTGGTGGAAATGA  
 TGCCAGTAAAAGCAGGGAGTCTGTGGCCTCGGAAGGCTCCAACCAGACAGTGGCTACCAGTCTGGGTA  
 TCACTCAGATGACACAGACACCACCGTGTACTCCAGCGACGAGGCAGGACTTTTAAAGATGGTGGATGCT  
 GCAGTTACGCTGACTCAGGGACCACACTGCGCTCACCTCCTGTT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


**Protein Sequence:** >MG224504 representing NM\_010612  
 Red=Cloning site Green=Tags(s)

```
MESKALLAVALWFCVETRAASVGLPGDFLHPPKLSTQKDILTILANTTLQITCRGQRDLWLWPNAQRDS
EERVLVTECGGDSIFCKTLTIPRVVGNDTGAYKCSYRDVDIASTVYVYVRDYRSPFIASVSDQHGIYVI
TENKNKTVVIPCRGISINLNVSLCARYPEKRFVPDGNRISWDSEIGFTLPSYMISYAGMVFCEAKINDET
YQSIMYIVVVVGYRIYDVILSPPHEIELSAGEKLVLNCTARTELVNGLDFTWHSPPSKSHHKKIIVNRDVK
PFPPTVAKMFLSTLTIESVTKSDQGEYTCVASSGRMIKRNRTFVRVHTKPFIAFGSGMKSLEATVGSQV
RIPVKYLSYPAPDIKWYRNGRPIESNYTMIVGDELTIMEVTERDAGNYTVILTNPISMEKQSHMVSLVFN
VPPQIGEKALISPMDSYQYQTMQTLTCTVYANPPLHHIQWYWLQEEACSYRPGQTSYACKEWHRVEDFQ
GGNKIEVTKNQYALIEGKNKTVSTLVIQAANVSALYKCEAINKAGRGERVIFSHVIRGPEITVQAAQPT
EQESVSLCTADRNTFENLTWYKLSQATSVHMGESLTPVCKNLDALWKLNGTMFSNSTNDLIVAFQNA
SLQDQGDYVCSAQDKKTKKRHCLVKQLIILERMAMPITGNLENQTTTIGETIEVTCPASGNPTPHITWFK
DNETLVEDSGIVLRDGNRNLTIIRVRKEDGGLYTCQACNVLGARAETLFIIEGAQEKTNLEVIILVGTA
VIAMFFWLLLVIIVLRTVKRANEGELKTGYLSIVMDPELPLDERCERLPYDASKWEFPRDRLLKGLKPLGR
GAFGQVIEADAFGIDKTATCKTVAVKMLKEGATHSEHRALMSELKILIHIGHHLNVVNLGACTKPGGPL
MVIVEFCKFGNLSTYLRGKRNEFVYKSKGARFRQGDYVVELSVDLKRRLDSITSSQSSASSGFVEEKS
LSDVEEEEASEELYKDFLTLEHLICYSFQVAKGMEFLASRKCIIHRDLAARNILLSEKNVVKICDFGLARD
IYKDPDYVRKGDARLPLKWMAPETIFDRVYTIQSDVWSFGVLLWEIFSLGASPYPGVKIDEEFCRRLKEG
TRMRAPDYTTPEMYQTMDCWHEDPNQRPSFSELVEHLGNLLQANAQQDGKDYIVLPMSETLSMEEDSGL
SLPTSPVSCMEEEEVCDPKFHYDNTAGISHYLQNSKRKSRPVSVKTFEDIPLPEEVKVIPDSDQSDSGM
VLASEELKTLEDNRNKLSPSFGGMPPSKSRESVASEGSNQTSGYQSGYHSDDTDTTVYSSDEAGLLKMVDA
AVHADSGTTLRSPPV
```

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**




**ACCN:** NM\_010612

**ORF Size:** 4035 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_010612.3</a>
<b>RefSeq Size:</b>	5464 bp
<b>RefSeq ORF:</b>	4038 bp
<b>Locus ID:</b>	16542
<b>UniProt ID:</b>	<a href="#">P35918</a>
<b>Cytogenetics:</b>	5 40.23 cM
<b>Gene Summary:</b>	<p>Tyrosine-protein kinase that acts as a cell-surface receptor for VEGFA, VEGFC and VEGFD. Plays an essential role in the regulation of angiogenesis, vascular development, vascular permeability, and embryonic hematopoiesis. Promotes proliferation, survival, migration and differentiation of endothelial cells. Promotes reorganization of the actin cytoskeleton. Isoforms lacking a transmembrane domain, such as isoform 2, may function as decoy receptors for VEGFA, VEGFC and/or VEGFD. Isoform 2 plays an important role as a negative regulator of VEGFA- and VEGFC-mediated lymphangiogenesis by limiting the amount of free VEGFA and/or VEGFC and by preventing their binding to FLT4. Modulates FLT1 and FLT4 signaling by forming heterodimers. Binding of vascular growth factors to isoform 1 leads to the activation of several signaling cascades. Activation of PLCG1 leads to the production of the cellular signaling molecules diacylglycerol and inositol 1,4,5-trisphosphate and the activation of protein kinase C. Mediates activation of MAPK1/ERK2, MAPK3/ERK1 and the MAP kinase signaling pathway, as well as of the AKT1 signaling pathway. Mediates phosphorylation of PIK3R1, the regulatory subunit of phosphatidylinositol 3-kinase, reorganization of the actin cytoskeleton and activation of PTK2/FAK1. Required for VEGFA-mediated induction of NOS2 and NOS3, leading to the production of the signaling molecule nitric oxide (NO) by endothelial cells. Phosphorylates PLCG1. Promotes phosphorylation of FYN, NCK1, NOS3, PIK3R1, PTK2/FAK1 and SRC.[UniProtKB/Swiss-Prot Function]</p>

Product images:



Circular map for MG224504