

Product datasheet for MG224692

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Hmga1 (NM_001166545) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Hmga1 (NM_001166545) Mouse Tagged ORF Clone

Tag: TurboGFP
Symbol: Hmga1

Synonyms: AL023995; Hmg; HMG-I(Y; Hmga; Hmga1a; Hmga1b; Hmgi; HMGI(Y; Hmgiy; Hmgy

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG224692 representing NM_001166545
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TGGAGAAGGAGGAGGAGGCATCTCCCAGGAGTCCTCTGAGGAGGAGCAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG224692 representing NM_001166545

Red=Cloning site Green=Tags(s)

MSESGSKSSQPLASKQEKDGTEKRGRGRPRKQPPVSPGTALVGSQTSLQKEPSEVPTPKRPRGRPKGSKN

KGAAKTRKVTTAPGRKPRGRPKKLEKEEEEGISQESSEEEQ


TRTRPLE - GFP Tag - V


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





Plasmid Map:



ACCN: NM_001166545

ORF Size: 333 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

Hmga1 (NM_001166545) Mouse Tagged ORF Clone - MG224692

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001166545.1</u>, <u>NP 001160017.1</u>

RefSeq Size:1691 bpRefSeq ORF:336 bpLocus ID:15361

Cytogenetics: 17 14.5 cM

Gene Summary: This locus encodes a member of the nuclear, non-histone high mobility group protein family.

This architectural transcription factor binds to A-T rich DNA sequences and participates in enhanceosome formation, chromatin remodeling and regulation of transcription. This protein functions in many cellular processes, including cell growth and differentiation. Alternatively

spliced transcript variants have been described. [provided by RefSeq, Oct 2009]