

## Product datasheet for **MG224860**

### Igsf1 (NM\_183335) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Igsf1 (NM_183335) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Igsf1
Synonyms:	5330413N23; 5530402E03; AI747649; InhBP/p120; mKIAA0364
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide  
Sequence:

>MG224860 representing NM\_183335  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGATGCTTCGGACCTTCACTCTTTTGCTCCTTTGCATTTGGCTCAATCCGGGTATGACTTCACTGGCAG  
 TGGAGTCTCAACCAGAGCTATGGATAGAGTCCAACACCCAGGCCCTTGGGAGAACATCACACTCTG  
 GTGCAAAAAGCCCTCTCGGGTATCCAGCAAGTTCTGCTTCTGAAAGGATAACTCACAGATGACCTGGATT  
 CGTCTCCTTACAAGACATTCCAAGTTTCACTTCTCATAGGTGCCCTTACTGAGTCCAATACAGGTCTTT  
 ATCGATGCTGCTACTGGAAGGAGAAAGGCTGGTCAAACCCAGTAAAATTCTAGAGCTAGAAGCACCAGG  
 CCAACTCCCTAAACCCATCTTCTGGATCCAGGCAGAGACCCCTTCTTCTGGATGCAATGTTAACATC  
 TTCTGCCATGGATGGCTCCAGGATTTGGTATTTATGCTGTTTAAAGAGGGATACACAGAGCCCGTAGATT  
 ACCAAGTCCCAACTGGGACAATGGCCATCTTCTCCATTGATAACTGGCACCCGAGAATGAAGGGTTTA  
 CATCTGCCGCACTCATATCCAGATGCTCCCACTCTGTGGTCAGAGCCAGCAATCCCTGAAGTTGGTG  
 GTAGCAGGTCTCTACCCAAACCAACTCTGACAGCCCATCTGGGCCATCTGGCACCCGAGAAAGCC  
 TGAGTCTCAGGTGTCAAGGGCCAATATATGGAATGACGTTTGGCTTAAATGAGGTTGGAAGACTTGAAGAA  
 ATCATTTTACCACAAGAAGCCAATAAAAAATGAGGCATATTTCTACTTCCAGGATCTGAAGATACAGGAT  
 ACAGGGCACTACCTCTGTTTTACTATGATGGGTACATACAGGGCTCTCTGCTTAGTGATATCCTGAAAA  
 TCTGGGTGACTGACACTTCCCTAAGACCTGGCTACTTGTTCAGCCAGTCTGTGATTCAAATGGGTCA  
 GAACGTGAGCCTGAGGTGTGGAGGACTGATGGATGGAGTGGTCTTGCCTCTACAAGAAGGAGAAGAA  
 AAGCCCTTCAGTTTCTGGATGCCTCCAGCAACTGGCAACAATTCATTCTTCTAAAGAATGTGACCT  
 ACAGGATGCTGGCATCTATAGCTGTCACTATTATCTTACTTGAAGACATCCATTAAGATGGCAACATA  
 CAACACTGTGGAGCTGATGGTTGTAGCTTGGCCAGTTCCGTGTTCAAAGTAGGAAAGACCATCACCCCT  
 CAGTGCCGAGTGTCTCATCCAGTCTTGAATTTCTTTGGAATGGGAAAGAAACAACATTCCAAAAAT  
 TCTCAGTAGATGGAGACTTCTCATCACTGACATTGAAGGGCAAGGCACAGGAACCTACAGTTGCAGCTA  
 TCGTATTGAGGCACACCCTAACACCTGGTCACATCGCAGTAAGCCTCTGAAGTTGGTGGGACCAGCAGGC  
 TTCCTCACCTGGAATCCATTCTGAATGAAGCTGTGAGGTGTCCTTAACCATGCAGCTTCTTCCCTTGC  
 TCTTGCTAGTGGTATGGATCCGGTGAAGTGTGCGGAGACTGAGGCTCAGAGAAGCCTGGTGTGGGAAC  
 AGCTCAAGGGGTGCCATGCTCTTCACTCATGGCCCTTCTTTGCTGTGGACTGTGCAATGGGGCATTG  
 ACAGAGGAGATTGAAATAGTCATGCCAACCCCTAAGCCTGAACTGTGGCAGAGACGAACTCCCTCTGG  
 CCCGTGGAAGAACTTAACCCCTGCTGTCAGAAGCCCATCTGGCTCAACTAAGGAGTTTGTGTTACTGAA  
 GGACGGGACCGGGTGGATTGCAACCCGCCCGCCCTCAGAGCAGGTCCGGGCTGCCTTCCCTCTTGGCGCC  
 CTGACCCACAGCCACACCGGGAGTTACCATTGCCATTCATGGGAGGAGATGGCTGTGTCGGAGCCTAGTG  
 AAGCGCTTGAAGTGTGGGACAGACATCCTTCCCAAACCTGTCAATTCGGCTTCCCTTCCAATCCGGGG  
 CCAGGAACTGCAGATCCGCTGTAAGGATGGCTGGAAGGTTTGGGTTTGTCTGTATAAGAAGGGAGAG  
 CAGGAACCTGTCCAGCAACTTGGTGTGTTGGGAGAGAAGCCTTCTTTACAATTCAAAGAATGGAGGATA  
 AAGATGAGGGCAATTACAGCTGCCGCACACACTGAAATGCAGCCCTTCAAGTGGTCTGAGCCAGTGA  
 GCCCTGGAGCTTGTCAAAAAGATGGGCAACCAAGGCTCAGAAC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG224860 representing NM\_183335  
 Red=Cloning site Green=Tags(s)

MMLRTFTLLLLCIWLNPGMTSLAVESQPELWIESNYPQAPWENITLWCKSPSRVSSKFLLLKDNSQMTWI  
 RPPYKTFQVSFFIGALTESNTGLYRCCYWEKEGWSKPSKILELEAPGQLPKPIFWIQAETPLPGCNVNI  
 FCHGWLQDLVFLMFKEGYTEPVDYQVPTGTMAIFSIDNLAPENEGVYICRTHIQMLPTLWSEPSNPLKLV  
 VAGLYPKPTLTAHPGPILAPGESLSLRCQGPITYGMTFALMRELDLKKSFYHKKPIKNEAYFYFDLKIQD  
 TGHYLCFYDGSYRGSLLSDILKIWVTDTFPKTWLLVQPSPIVQMGQNVSLRCGGLMDGVGLALYKKGEE  
 KPLQFLDASSNTGNSSFFLKNVTYRDAGIYSCHYYLTWKTSTIKMATYNTVELMVVAWPSSVFKVGKTITL  
 QCRVSHPVLEFSLEWEERTTFQKFSVDGDFLITDIEGGTGTYSYRIEHPNTWHSRKLKLVGPAG  
 FLTWNISILNEAVRVSLTMQLASLLLLVWIRWKCRRRLREAWLLGTAQGVAMLFILMALLCCGLCNGL  
 TEEIEIVMPTPKPELWAETNFPLAPWKNLTLWCRSPSGSTKEFVLLKDGTDGWIATRPASEQVRAAFPLGA  
 LTHSHTGSYHCHSWEEMAVSEPSEALELVGTDILPKPVIASLPIRGQELQIRCKGWLEGLGFALYKKG  
 QEPVQQLGAVGREAFFTIQRMEDKDEGNYSRTHTEMQPFKWPSEPLELVIKDGRTKAQN

TRTRPLE - GFP Tag - V

Chromatograms: [https://cdn.origene.com/chromatograms/ja1836\\_a03.zip](https://cdn.origene.com/chromatograms/ja1836_a03.zip)

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM\_183335

ORF Size: 2286 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_183335.2](#), [NP\\_899178.2](#)

**RefSeq Size:** 2513 bp

**RefSeq ORF:** 2289 bp


**Locus ID:** 209268

**UniProt ID:** [Q7TQA1](#)

**Cytogenetics:** X A5

**Gene Summary:** Seems to be a coreceptor in inhibin signaling, but seems not to be a high-affinity inhibin receptor. Antagonizes activin A signaling in the presence or absence of inhibin B. Necessary to mediate a specific antagonistic effect of inhibin B on activin-stimulated transcription (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG224860