

Product datasheet for **MG22557**

Tardbp (NM_001003898) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Tardbp (NM_001003898) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Tardbp
Synonyms: 1190002A23Rik; C85084; TDP-43; Tdp43
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG22557 representing NM_001003898
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCTGAATATATTCGGGTAACAGAAGATGAGAACGATGAACCCATTGAAATACCATCAGAAGACGATG
GGACGGTGTTCGTCCACAGTTACAGCCAGTTCCAGGGGCATGCGGCCTGCGCTACCGGAATCCCGT
GTCTCAGTGTATGAGAGGAGTCCGACTGGTGGGAAGGAATTCTGCATGCCCCAGATGCTGGCTGGGGCAAT
CTGGTATATGTTGTCAACTATCCCAAAGATAACAAAAGGAAAATGGATGAGACAGATGCTTCCTCTGCAG
TAAAAGTAAAAGAGCAGTCCAGAAAACATCTGACCTCATAGTGTGGGTCTCCCCTGAAAACAACCTGA
GCAGGATCTGAAAGACTATTTTCAGTACTTTTGGAGAGGTTCTTATGGTTCAGGTCAAGAAAGATCTTAAA
ACTGGTCACTCGAAAGGTTTGGCTTTGTTCGATTTACAGAATATGAAACCAAGTAAAAGTAAATGTCAC
AACGACATATGATAGATGGGCGATGGTGTGACTGTAAACTTCCCAACTCTAAGCAAAGCCGACGAGCC
TTTGAGAAGCAGAAAGGTGTTTGTGGACGTTGTACAGAGGACATGACTGCTGAAGAGCTTCAGCAGTTT
TTCTGTCAGTATGGAGAAGTGGTAGATGTCTTCATTCCCAAACCTTCAGAGCTTTTGCCTTCGTCACCT
TTGCAGATGATAAGGTTGCCAGTCTCTTTGTGGAGAGGATTTGATCATTAAAGGAATCAGCGTGCATAT
ATCCAATGCTGAACCTAAGCATAATAGCAATAGACAGTTAGAAAGAAGTGAAGATTTGGTGGAATCCA
GTTTCATCTCATTCAAATGTTTATGGAAGAAGCACTTCATTGAAAGTAGTGCTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >MG225557 representing NM_001003898
 Red=Cloning site Green=Tags(s)

MSEYIRVTEDEENDEPIEIPSEDDGTVLLSTVTAQFPGACGLRYRNPVSQCMRGVRLVEGILHAPDAGWGN
 LVYVVNYPKDNKRKMDETDASSAVKVKRAVQKTS DLIVLGLPWKTEQDLKDYFSTFGEVLMVQVKKDLK
 TGHSKGFVVRFT EYETQVKVMSQRHMIDGRWCDCKLPNSKQSPDEPLRSRKVFVGRCTEDMTAEELQQF
 FCQYGEVVDVFI PKPFRAFAFVTFADDKVAQSLCGEDLIIKGISVHISNAEPKHNSNRQLERSGRFGGNP
 VHLISNVYGRSTSLKVV L

TRTRPLE - GFP Tag - V

Restriction Sites:


SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



Plasmid Map:



ACCN: NM_001003898

ORF Size: 894 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001003898.3 , NP_001003898.1
RefSeq Size:	6495 bp
RefSeq ORF:	897 bp
Locus ID:	230908
Cytogenetics:	4 E2
Gene Summary:	RNA-binding protein that is involved in various steps of RNA biogenesis and processing. Preferentially binds, via its two RNA recognition motifs RRM1 and RRM2, to GU-repeats on RNA molecules predominantly localized within long introns and in the 3' UTR of mRNAs. In turn, regulates the splicing of many non-coding and protein-coding RNAs including proteins involved in neuronal survival, as well as mRNAs that encode proteins relevant for neurodegenerative diseases. Plays a role in maintaining mitochondrial homeostasis by regulating the processing of mitochondrial transcripts. Regulates also mRNA stability by recruiting CNOT7/CAF1 deadenylase on mRNA 3' UTR leading to poly(A) tail deadenylation and thus shortening. In response to oxidative insult, associates with stalled ribosomes localized to stress granules (SGs) and contributes to cell survival. Participates also in the normal skeletal muscle formation and regeneration, forming cytoplasmic myo-granules and binding mRNAs that encode sarcomeric proteins. Plays a role in the maintenance of the circadian clock periodicity via stabilization of the CRY1 and CRY2 proteins in a FBXL3-dependent manner (PubMed:27123980).[UniProtKB/Swiss-Prot Function]