

Product datasheet for MG225665

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

Srsf10 (NM_010178) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Srsf10 (NM 010178) Mouse Tagged ORF Clone

Tag: TurboGFP Symbol: Srsf10

Synonyms: Fusip1; Fusip1; Nssr; Nssr1; NssR2; Sfrs13a; Srrp40; Srsf13a; TASR; TASR1; TASR2

Mammalian Cell Neo

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >MG225665 representing NM_010178

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >MG225665 representing NM_010178

Red=Cloning site Green=Tags(s)

MSRYLRPPNTSLFVRNVADDTRSEDLRREFGRYGPIVDVYVPLDFYTRRPRGFAYVQFEDVRDAEDALHN LDRKWICGRQIEIQFAQGDRKTPNQMKAKEGRNVYSSSRYDDYDRYRRSRSRSYERRRSRSRSFDYNYRR

SYSPRNSRPTGRPRRSRSHSDNDRPNCSWNTQYSSAYYTSRKI


TRTRPLE - GFP Tag - V


Restriction Sites: Sgfl-Mlul





Cloning Scheme:





ACCN: NM_010178

ORF Size: 549 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 010178.3</u>

RefSeq Size: 3415 bp
RefSeq ORF: 552 bp
Locus ID: 14105
UniProt ID: Q9R0U0




Cytogenetics:

4 D3

Gene Summary:

Splicing factor that in its dephosphorylated form acts as a general repressor of pre-mRNA splicing. Seems to interfere with the U1 snRNP 5'-splice recognition of SNRNP70. Required for splicing repression in M-phase cells and after heat shock. Also acts as a splicing factor that specifically promotes exon skipping during alternative splicing. Interaction with YTHDC1, a RNA-binding protein that recognizes and binds N6-methyladenosine (m6A)-containing RNAs, prevents SRSF10 from binding to its mRNA-binding sites close to m6A-containing regions, leading to inhibit exon skipping during alternative splicing (By similarity). May be involved in regulation of alternative splicing in neurons (PubMed:10583508).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG225665