

Product datasheet for **MG225824**

Gnas (NM_022000) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Gnas (NM_022000) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Gnas
Synonyms:	5530400H20Rik; A930027G11Rik; C130027O20Rik; G; Ga; Galphas; Gn; Gnas1; Gnasxl; GPSA; Gs-; Gs-alpha; Gsa; GSP; N; Nes; Nesp; Nesp55; NespI; Oed; Oed-Sml; Oedsml; P; P1; P2; P3; PHP1A; PHP1B; POH; SCG; SCG6; XL
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG225824 representing NM_022000 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGATCGCAGGTCCCGGGCTCAGCAGTGGCGCCGAGCTCGCCATAATTACAACGACCTGTGCCCGCCA
TAGGCCGCGGGCTGCCACCGCTCCTCTGGCTCCTGCTCCATTGCTCTCCTCCGCGCCTAGCCTC
TTCCAACGCCCGCGCCAGCAGCGTGCTGCCAGCGCCGAGCTTCTTAACGCCACCACCGCTCCGCT
GCCGCTGCAGCTGCCGCACAGGTAATCCTGAGTCTCTGAATCTGAGTCTGATCACGAGCACGAGGAGG
TTGAGCCTGAGCTGGCCCGCCCGAGTGCTAGAGTACGATCAGGACGACTACGAGACCGAGACCGATT
TGAGACCGAGCCTGAGTCCGATATCGAATCCGAGACCGAAATCGAGACCGAGCCAGAGACCGAGCCAGAA
ACCGAGCCAGAGACCGAGCCAGAGGACGAGCGCGGCCCGGGTCCACCTTCAACCACTCACTCACTC
AGCGTCTGCACGCTCTGAAGTTGCAGAGCGCCGACGCTCCCGAGACGTGCGCAGCCACCCTCAGGA
GCCTGAGAGCGCAAGCGAGGGGGAGGAGCCCGAGGAGCCCTTAGATCAGGATCCTCGGACCCCGAG
GAGGAGCCAGAGGAGCGCAAGGAGGAAAACAGGCAGCCCGCGCTGCAAGACCAGGAGGCCAGCCCGCC
GTCGCGACCAGTCCCGGAGTCCCTCCAGAAAAGGGGCCATCCCCATCCGGCGTCAC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)


Protein Sequence: >MG225824 representing NM_022000
 Red=Cloning site Green=Tags(s)

MDRRSRAQQWRRARHNYNDLCPPIGRRAATALLWLSCSIALLRALASSNARAQQRAAQRSSFLNAHHRSA
 AAAAAAQLVPESSESESDHEHEEVEPELARPECLEYDQDDYETETDSETEPESDIESETEIETEPETEPE
 TEPETEPEDERGPARGATFNQSLTQRLHALKLQADASPRAAQTTPQEPESASEGEEPQRGPLDQDPRDPE
 EEPEERKEENRQPRRCKTRRPARRRDQSPESP RRKGPPIIRRH

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_022000

ORF Size: 759 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_022000.3](#), [NP_068840.2](#)

RefSeq Size: 2480 bp

RefSeq ORF: 762 bp


Locus ID: 14683

UniProt ID: [Q9Z0F1](#)

Cytogenetics: 2 97.89 cM

Gene Summary: This locus has a highly complex imprinted expression pattern. It gives rise to maternally, paternally, and biallelically expressed transcripts that are derived from four alternative promoters and 5' exons. Some transcripts contain a differentially methylated region (DMR) at their 5' exons, which is commonly found in imprinted genes and correlates with transcript expression. This gene has an antisense transcript. One of the transcripts produced from this locus, and the antisense transcript, are both paternally expressed noncoding RNAs, and may regulate imprinting in this region. In addition, one of the transcripts contains a second overlapping ORF, which encodes a structurally unrelated protein - Alex. Alternative splicing of downstream exons is also observed, which results in different forms of the stimulatory G-protein alpha subunit, a key element of the classical signal transduction pathway linking receptor-ligand interactions with the activation of adenylyl cyclase and a variety of cellular reponses. Additional transcript variants have been found for this gene, but the full-length nature and/or biological validity of some variants have not been determined. [provided by RefSeq, Jun 2015]

Product images:



Circular map for MG225824