

## Product datasheet for **MG225933**

### **ErbB4 (NM\_010154) Mouse Tagged ORF Clone**

#### Product data:

Product Type:	Expression Plasmids
Product Name:	ErbB4 (NM_010154) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	ErbB4
Synonyms:	c-erbB-4; Her4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG225933 representing NM_010154 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAAGCTGGCGACGGGACTCTGGGTCTGGGGAGCCTTCTGATGGCAGCGGGGACCGTCCAGCCCAGCG  
CTTCTCAGTCAGTGTGCGCAGGAACAGAGAACAACTGAGCTCTCTCTGACCTGGAACAGCAGTACCG  
AGCCTTGCCAAATACTATGAAACTGCGAGGTAGTCATGGGCAACCTGGAGATCACCAGCATCGAGCAC  
AACCGGGACCTCTCCTTCTGCGGTCTATCCGAGAAGTACAGGCTACGTCTGGTGGCCCTCAACCAGT  
TTCGTTACTTGCCTCTGGAGAATTTACGCATTATTCGTGGGACAAAATATATGAAGATCGCTATGCCTT  
AGCGATATTCTTAACTACAGGAAAGATGGCAACTTTGGACTCCAAGAATTTGGATTAAAGAACCTGACC  
GAAATACTAAATGGTGGAGTCTATGTAGACCAGAACAAATTCCTATGTTATGCTGACACTATACACTGGC  
AAGATATTGTTCCGAATCCATGGCCTTCCAACATGACTCTGGTGTCAACAAATGGAAGTTCTGGATGTGG  
AAGATGCCATAAGTCTTGCACTGGCCGATGCTGGGACCCACAGAAAATCACTGCCAGACCTTGACCAGA  
ACTGTGTGTGCTGAACAATGTGATGGCAGGTGCTATGGACCCTACGTTAGTGACTGCTGCCATCGAGAAT  
GTGCTGGAGGCTGCTCAGGACCAAGGACACTGACTGCTTTGCCTGCATGAACCTCAATGACAGTGGAGC  
CTGCGTTACTCAATGTCCCCAAACATTTGTCTACAATCCAACCACCTTTCAACTGGAACACAACCTCAAT  
GCAAAGTACAGTATGGAGCATTCTGTGTTAAGAAATGTCCACATAACTCGTGGTAGATTCCAGTTCTT  
GTGTACGAGCCTGCCCTAGTTCTAAGATGGAAGTAGAAGAAAATGGGATTAATGTGTAAGCCTTGAC  
CGATATTTGCCCAAAGCATGTGATGGAATCGGCACGGGATCACTGATGTCTGCTCAGACTGTGGATTCA  
AGTAACATTGACAAATTCATAAACTGCACAAAGATCAATGGCAATCTCATCTTTCTTGCTACTGGCATT  
ATGGAGACCCTTACAATGCTATTGACGCCATAGATCCAGAGAACTGAATGTCTTTCCGACTGTCAGAGA  
AATAACAGTTTCTGAACATACAGTCTTGCCCCCAAATATGACAGATTTCAAGTGTCTTCTCAACCTC  
GTCACAATTGGAGGAAGAGTCTCTACAGTGGTCTCTCATTGCTGATCCTCAAACAACAAGGTATCACTT  
CCCTACAGTTCCAGTCTCTGAAGGAAATCAGTGGGGCAATATCTACATCACTGACAACAGCAACCTGTG  
TTATTACCATAACCATAACTGGACAACACTCTTACGACCATAACCAGAGAATAGTGATCCGAGATAAC



[View online »](#)

AGAAGAGCTGAGAATTGTACTGCTGAAGGCATGGTATGCAACCACCTGTGTTCAAATGATGGTTGTTGGG  
GACCTGGGCCGGACCAGTGCCTGTATGTGCGCGCTTCAGCAGGGGAAAGATCTGCATAGAGTCTTGCAA  
CCTTTATGATGGGGAATTTGAGAGTGTGAAAACGGCTCCATCTGTGTTGAGTGTGACTCCCAGTGTGAG  
AAAATGGAAGATGGACTCCTCACATGCCATGGACCGGGACCTGACAACTGCACAAAGTGTCTCATTTTA  
AGGATGGTCCAACTGTGTGGAGAAATGTCAGATGGCCTACAGGGAGCAAACAGTTTCATTTTTAAGTA  
TGCAGATCAGGATCGGGAGTGCCACCCTTGCCATCCAACTGCACCCAGGGGTGTAAACGGTCCCAGTGT  
CATGACTGCATTTACTACCCATGGACGGCCATCCACTTTACCACAACACGCTAGAACTCCACTGATTG  
CAGCCGGAGTCATTGGAGGCCTTTCATCCTGGTGATCATGGCTTTGACATTTGCTGTCTATGTCAGAAG  
AAAGAGCATCAAAAAGAAACGTGCTTTGAGGAGATTCTGGAGACAGAGCTGGTAGGCCCTTAACTCCC  
AGTGGCACGGCACCCAATCAAGCTCAACTTCGCATTTTGAAGGAAACCGAACTAAAGAGGGTAAAGGTCC  
TTGGCTCGGGAGCTTTTGAACCGTTTATAAAGGTATTTGGTGCCTGAAGGTGAAACAGTGAAAATCCC  
TGTGGCTATAAAGATCCTCAATGAAACAACTGGCCCCAAAGCCAACGTGGAGTTCATGGATGAGGCTCTG  
ATCATGGCAAGTATGGATCACCCACACCTAGTTCGCCTATTGGGAGTGTGTCTGAGTCCCAGTATCCAGT  
TGGTTACGCAGCTGATGCCGCATGGCTGCCTACTGGACTATGTTTCATGAACACAAGGATAACATTGGATC  
ACAGCTGTGTTGAACTGGTGTGTCAGATTGCTAAGGGAATGATGTACCTAGAAGAAAGACGGCTTGT  
CATCGGGATCTGGCAGCCGCAATGTCTTAGTGAATCTCCAAATCATGTTAAAAACACAGATTTTGGAC  
TGGCCCGCTCTTGAAGGAGATGAAAAAGAATACAATGCTGATGGTGGCAAGATGCCAATTAATGGAT  
GGCTCTGGAATGTATACATTATAGGAAATTCACACATCAAAGTGTGTTGGAGCTATGGCGTCACTATA  
TGGGAAGTGTGACCTTTGGAGGAAAGCCCTATGATGGAATCCAACCCGAGAAATCCCCGATTTACTGG  
AGAAAGGAGAGCGTCTGCCTCAGCCTCCCATCTGCACTATTGATGTTTACATGGTGTGTTCAATGTTG  
GATGATCGATGCTGACAGCAGACCTAAATTCAAAGAACTGGTGTGAGTTTTCAAGAATGGCTAGAGAC  
CCTCAAAGATACCTAGTTATTCAGGGTGTGATCGTATGAAGCTCCCAGTCCAATGACAGCAAATCT  
TCCAGAATCTCTTGGATGAAGAGGATTTGGAAGACATGATGGATGCTGAGGAATATTTGGTCCCCAGGC  
TTTCAACATACCTCCTCCATCTACACATCCAGAACAAGAATTGACTCCAATAGGAATCAGTTTGTGTAC  
CAAGATGGGGCTTTGCTACACAACAAGGAATGCCATGCCCTACAGAGCCACAACCAGCACCATACCAG  
AGGCTCCAGTAGCTCAGGGTGAACGGCTGAGATGTTTGTGACTCCTGTGTAATGGTACCCTACGAAA  
GCCAGTGGCACCCCATGTCCAAGAGGACAGTAGCACTCAGAGGTATAGTGTGATCCCACAGTGTTCGCC  
CCAGAACGGAATCCTCGAGGAGAACTGGATGAAGAAGGCTACATGACTCCAATGCATGACAAGCCCAAAC  
AAGAATATCTGAATCCTGTGGAAGAGAACCCTTTTGTGTCCGAAGGAAGAATGGAGATCTCAAGCTTT  
AGATAATCCGGAGTATCACAGTGTTCAGCGGTCCACCCAAGGCGGAGGATGAATACGTGAATGAGCCT  
CTATACCTCAACACCTTCGCCAATGCCTTGGGGAGTGCAGAGTACATGAAAAACAGTGTACTGTCTGTGC  
CAGAGAAAGCCAAGAAAGCATTGACAACCCGACTACTGGAACCACAGCCTGCCACCCCGAGCACCCCT  
TCAGCACCCAGACTACCTGCAGGAATACAGCACAATAATTTTTATAAACAGAATGGACGGATCCGCCCC  
ATTGTGGCAGAGAATCCTGAGTACCTCTCGGAGTCTCGTGAAGCCTGGCACTATGCTGCCCCCTCCG  
CCTACAGACACCGGAATACTGTGGTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >MG225933 representing NM\_010154  
 Red=Cloning site Green=Tags(s)

```

MKLATGLVWGSLLMAAGTVQPSASQSV CAGTENKLSLSDLEQQYRALRKYENCEVVMGNLEITSIEH
NRDLSFLRSIREVTGYVLVALNQFRYLPLENLRIIRGTKLYEDRYALAIFLNRYRKDGNFGLQELGLKNLT
EILNGGVYVDQNKFLCYADTIHWQDIVRNPWPSNMTLVTNGSSGCGRCHKSGTGRCWGPTENHCQTLTR
TVCAEQCDGRGRCYGPVSDCCCHRECAGGCSGPKDTCDFACMNFNDSGACVTQCPQTFVYNPTTFQLEHNFN
AKYTYGAFVCVKKCPHNFVVDSSSVRACPSKMEVEENGIKMKCPCTDICTPKACDGI GTGSLMSAQTVDS
SNIDKFINCTKINGNLIFLVTGIHGDPYNAIDAIDPEKLNVFRTVREITGFLNIQSWPPNMTDFSVFNL
VTIGGRVLYSGLSLLILKQQGITSLSLQFQSLKEISAGNIYITDNSNLCYYHTINWTTLFSTINQRIVIRDN
RRAENCTAEGMVCNHLCSNDGCWGPDPDQCLSCRRFSRGKICIESCNLYDGEFREFENGSI CVECDSQCE
KMEDGLLTCHGPGDNTKCSHFKDGPNCVEKCPDGLQGANSFIFKYADQDRECHPCHPNTQGCGNPTS
HDCIYYPWTHSTLPQHARTPLIAAGVIGGLFILVIMALTFVYVRRKSIKKKRALRRFLETETVEPLTP
SGTAPNQAQLRILKETELKRVKVLGSGAFGTVYKGIWVPEGETVKIPVAIKILNETTGPKANVEFMDEAL
IMASMDPHLVRLLVGCLSPITQLVTQLMPHGCLLDYVHEHKDNIQSLLNWCVQIAKGM MYLEERRLV
HRDLAARNVLVKSPNHVKITDFGLARLLEGEKEYNADGGKMPIKWMALECIHYRKFTHQSDVWSYGTI
WELMTFGGKPYDGIPTREIPDLLEKGERLPQPPICTIDVYVMVKCWMIDADSRPKFKELAAEF SRMARD
PQRYLVIQGGDRMKLPSPNDSKFFQNLLEEDLEDMDAEEYLVPQAFNIPPIYTSRTRIDSNRNQFVY
QDGGFATQQGMPMPYRATTSTIPEAPVAQGATAEMFDDSCCNGLRKPVAPHVQEDSSTQRY SADPTVFA
PERNPRGELDEEGYMPMHDKPKQEYLNPEVEENPFVSRKNGDLQALDNPEYHSASSGPPKA EDEYVNEP
LYLNTFANALGSAEYMKNSVLSVPEKAKKAFDNPDYWNHSLPPRSTLQHPDYLQEYSTKYFYKQNGRIRP
IVAENPEYLSFSLKPGTMLPPPPYRHRNTVV
  
```

TRTRPLE - GFP Tag - V


**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**



## Plasmid Map:



ACCN: NM\_010154

ORF Size: 3876 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_010154.2](#), [NP\\_034284.1](#)

RefSeq Size: 4257 bp

RefSeq ORF: 3879 bp

Locus ID: 13869

UniProt ID: [Q61527](#)

Cytogenetics: 1 33.8 cM

**Gene Summary:**

Tyrosine-protein kinase that plays an essential role as cell surface receptor for neuregulins and EGF family members and regulates development of the heart, the central nervous system and the mammary gland, gene transcription, cell proliferation, differentiation, migration and apoptosis. Required for normal cardiac muscle differentiation during embryonic development, and for postnatal cardiomyocyte proliferation. Required for normal development of the embryonic central nervous system, especially for normal neural crest cell migration and normal axon guidance. Required for mammary gland differentiation, induction of milk proteins and lactation. Acts as cell-surface receptor for the neuregulins NRG1, NRG2, NRG3 and NRG4 and the EGF family members BTC, EREG and HBEGF. Ligand binding triggers receptor dimerization and autophosphorylation at specific tyrosine residues that then serve as binding sites for scaffold proteins and effectors. Ligand specificity and signaling is modulated by alternative splicing, proteolytic processing, and by the formation of heterodimers with other ERBB family members, thereby creating multiple combinations of intracellular phosphotyrosines that trigger ligand- and context-specific cellular responses. Mediates phosphorylation of SHC1 and activation of the MAP kinases MAPK1/ERK2 and MAPK3/ERK1. Isoform JM-A CYT-1 and isoform JM-B CYT-1 phosphorylate PIK3R1, leading to the activation of phosphatidylinositol 3-kinase and AKT1 and protect cells against apoptosis. Isoform JM-A CYT-1 and isoform JM-B CYT-1 mediate reorganization of the actin cytoskeleton and promote cell migration in response to NRG1. Isoform JM-A CYT-2 and isoform JM-B CYT-2 lack the phosphotyrosine that mediates interaction with PIK3R1, and hence do not phosphorylate PIK3R1, do not protect cells against apoptosis, and do not promote reorganization of the actin cytoskeleton and cell migration. Proteolytic processing of isoform JM-A CYT-1 and isoform JM-A CYT-2 gives rise to the corresponding soluble intracellular domains (4ICD) that translocate to the nucleus, promote nuclear import of STAT5A, activation of STAT5A, mammary epithelium differentiation, cell proliferation and activation of gene expression. The ERBB4 soluble intracellular domains (4ICD) colocalize with STAT5A at the CSN2 promoter to regulate transcription of milk proteins during lactation. The ERBB4 soluble intracellular domains can also translocate to mitochondria and promote apoptosis. [UniProtKB/Swiss-Prot Function]