

## Product datasheet for **MG226081**

### **Gtf2i (NM\_001080749) Mouse Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Gtf2i (NM_001080749) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Gtf2i
Synonyms:	6030441I21Rik; BAP-135; Diws1t; Gtfll-I; Spin; TFII-I; WBSCR6
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>MG226081 representing NM\_001080749  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGCCCAAGTAGTGATGTCTGCCTTGCCTGCCGAAGATGAAGAGTCTTCAGAGACAGGATGGTGGTGA  
 CCTTCCTCATGTCTGCCCTGGAGTCCATGTGTAAGAGCTGGCCAAGTCCAAGGCTGAGGTGGCCTGCAT  
 TGCTGTGTATGAGACCGACGTGTTTGTGTTGGAACCGAAAGAGGGCGTCTTTTGTCAATACCAGAAAA  
 GATTTCCAAAAAGACTTTGTGAAGTATTGTGTTGAAGAAGAAGAAAAGGCCGCCGAGATGCATAAGATGA  
 AATCTACCACCCAGGCCAATCGGATGAGTGTGGATGCTGTAGAAAATTGAAACACTCAGAAAAACGGTGG  
 GGACTATTTCTGTTTTGCTATGGGAAAGCTTTAGGCAAATCCACAGTGGTCCCTGTGCCATATGAGAAG  
 ATGCTGCGCGACCACTCGGCTGTGGTGGTGCAGGGGCTTCCCAGGGGGTTCCTTCAAGCACCCCGAAC  
 ATTACGACCTCGCAACCTTGAAGTGGATTTTGGAGAACAAGGCAGGGATTCCTTCATCATTAAAGAGACC  
 TTTCTCGAGCCGAAGAAACACCTCGGTGGTGCAGTGTGGCGGCCGAGGCTGAGAGTCCATGCTGTCT  
 CCTAGTGGAAAGTTGTGGCCCATCAAAGTGAAGTGAACCCACAGAAGATTCTGGCATTCTCTGGAAA  
 TGGCCGCTGTGACAGTGAAGGAGGAGTCAGAAGACCTGATTACTATCAGTATAACATTCAGGAAGCCA  
 TCACTCCTCAGAAGGCAACGAGGGAACGGAAGTGGAAAGTCCAGCAGAAGATGATGACTATTCTCCACCC  
 ACCAAGAGGCTAAAGAGCACGGAGCCGCCCGCCCGCCCGTCCCAGGAGCCGCCAACGCTGGCAAGC  
 GCAAAGTGAAGGAGTTCAACTTTGAGAAATGGAACGCACGCATCACTGACCTACGGAAACAAGTTGAAGA  
 GTTGTTCGAAAGAAAATATGCTCAAGCCATCAAAGCCAAAGGCCCGGTGACGATCCCGTACCCTCTTTTC  
 CAGTCCCATTGTAAGATCTTTACGTAGAAGGGCTTCTGAAGGGATTCTTTTAGAAGGCCGTGACGCT  
 ACGCGATTCTCGCCTTGAGAGGATATTGCTGGCAAGGAAAGGATCCGTTTCGTGATTAAGAAACATGA  
 GCTTCTGAACTCAACACGAGAAGATTTACAGCTTGATAAACACAGCCTCAGGAGTGAAGAAGAGTGGTAC  
 GCTCGCATCACCAACTGAGGAAGATGGTTGACCAGCTTCTGCAAGAAATTTGCCGAGCCTTGGGAA  
 GCACGGAAGCCAAGGCTGTACCGTACCAAAAAATTTGAGGCCCATCCCAATGATCTCTATGTGGAAGGACT  
 TCCAGAAAAATTCCTTTCCGAGCCCTCGTGGTATGGAATCCCAAGACTGGAAAAATCATCCAAGTG  
 GGCAATCGAATTAATTTGTTATCAAGAGACCAGAGCTGCTCACTCACAGCACAAGTGAAGTCACTCAGC  
 CACGGACAACACACCAGTCAAAGAAGATTGGAATGTCAGAATCACCAGCTCCGAAAGCAAGTGGAGA  
 GATCTTTAATTTGAAGTTTGTCTCAGGCTCTGGCCTCACAGAGGCTGTGAAGTGCCATATCCTGTGTT  
 GAATCCAACCCGAGTTTCTGTATGTGGAAGGGCTCCCCGAAGGGATCCCCTTCCGAAAGCCCTACCTGGT  
 TTGGGATTCCACGCTCGAGAGGATTGTCGGTGGCAGCAATAAGATCAAGTTTGTGTTAAAAAGCCTGA  
 GCTAGTTGTGTCCTATTTGCCTCCTGGGATGGCTAGCAAAATCAACACTAAAGCATTGCAGTCCCCAAAA  
 CGACCAGGAAGCCCTGGGAGCAACTCCAAGTTCTGAAATTGAGGTCACTGTGGAAGGCCCAACAACA  
 GCAGTCTCAGACCTCTGCGGTTGCAACTCCTACCCAGACCAATGGTTCAAATGTTCCCTTCAAGCCTCG  
 AGGGAGAGAGTTTTCTTTGAGGCCTGGAATGCTAAGATCACAGACCTGAAGCAGAAAAGTGGAGAACCTC  
 TTCAATGAAAAGTGCAGGGAAGCGCTTGGCCTTAAGCAGGCTGTGAAAGTCCCCTTTCGCTTGTTCGAGT  
 CCTTCCCAGAAGACTTCTATGTGGAAGGCTTCCCAGGGGGTGCCTTCCGAAAGCCGTCACATTTGG  
 CATTCCCAGGCTGGAGAAGATACTCCGGAACAAGGCCAAGATAAAGTTCATCATTAAAAACCTGAGATG  
 TTCGAGACGGCCATCAAAGAGAGCACCTTCCAAAAGCCCTCCAATTTTCTTTTCAGGAAAGATAAAGT  
 CATCACCAACGTTAATACTACTGCATCAGGTGTGGAAGACCTGAACATCATCCAGGTGACAATTCAGA  
 TGACGATAATGAACGACTGTCCAAAGTTGAAAAGGCCAGGCAGCTGCGGGAGCAGGTCAACGACCTCTT  
 AGTCGGAAGTTTGGTGAAGCTATTGGGATGGGCTTCCCAGTGAAGGTCCCCTACAGGAAGATCACCATCA  
 ACCCTGGCTGCGTGGTGGTGCATGGCATGCCCCCGGGGTGCTTCAAAGCCCCAGTTACCTGGAGAT  
 CAGCTCCATGAGGAGGATCTTAGACTCTGCGGAGTTTATCAAGTCACTGTCATTAGACCATTTCCAGGA  
 CTTGTGATTAATAACAGCTGGTTGATCAGAACGAGTCTGAAGGCCCTGTGATACAAGAATCAGCCGAGG  
 CAAGCCAGTTGGAAGTCCAGTAACAGAAGAAATTAAGAGACAGATGGGAGTTCACAGATCAAGCAGGA  
 GCCAGACCCACGTGG

**ACGCGTACGCGGCCGCTCGAG** – GFP Tag – GTTTAA

**Protein Sequence:** >MG226081 representing NM\_001080749  
 Red=Cloning site Green=Tags(s)

```

MAQVMSALPAEDEESSESRMVVTFLMSALESMCKELAKSKAEVACIAVYETDVFVVGTERGRAVFNTRK
DFQKDFVKYCVVEEEKAEMHKMKSTTQANRMSVDAVEIETLRKTVEDYFCFCYKALGKSTVVPVPEK
MLRDQSAAVVVQGLPEGVAFKHPEHYDLATLKWILENKAGISFIIKRPFLPEPKHLGGRVLAEEAERSMLS
PSGSCGPIKVKTEPTEDSGISLEMAAVTVKEESEDPDYQYNIQGSHSSEGNEGTEVEVPAEDDDYSPP
TKRLKSTEP PPPPPVPEPANAGKRKRVFNFEKWNARITDLRKQVEELFERKYAQAIKAKGPVTIPYPLF
QSHVEDLYVEGLPEGIPFRFPSTYGIPLRERILLAKERIRFVIKHELLNSTREDLQLDKPASGVKEEWY
ARITKLRKMDQLFCCKFAEALGSTEAKAVPYQKFEAHPNDLYVEGLPENIPFRSPSWYGIPRLEKIIQV
GNRIKFVIKRPELLTHSTTEVTQPRNTNPKEDWNVRITKLRKQVEEIFNLKFAQALGLTEAVKVPYPVF
ESNPEFLYVEGLPEGIPFRSPTWFGIPRLERIVRGSNKIKFVVKKPELVVSYLPPGMASKINTKALQSPK
RPRSPGNSKVPVEIEVTVEGPNNSPQTSAVRTPQTNGSNVPFKPRGREFSFEAWNAKITDLKQKVENL
FNEKCGEALGLKQAVKVPFALFESFPEDFYVEGLPEGVFPFRPSTFGIPRLEKILRNKAKIKFIIKKPEM
FETAIKESTSSKSPPIFLSGKINSSPNVNTTASGVEDLNIQVTIPDDNERLSKVEKARQLREQVNDLF
SRKFGEATGMGFVKVPYRKITINPGCVVVDGMPPGVFSFKAPSYLEISSMRRIILDSAEFIKFTVIRFPFG
LVINNQLVDQNESEGPVIQESAEASQLEVPVTEEIKETDGSSEQIKQEPDPTW
  
```

TRTRPLE - GFP Tag - V

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**




**ACCN:** NM\_001080749

**ORF Size:** 2886 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001080749.2</a>
<b>RefSeq Size:</b>	4347 bp
<b>RefSeq ORF:</b>	2889 bp
<b>Locus ID:</b>	14886
<b>Cytogenetics:</b>	5 74.48 cM
<b>Gene Summary:</b>	Interacts with the basal transcription machinery by coordinating the formation of a multiprotein complex at the C-FOS promoter, and linking specific signal responsive activator complexes. Promotes the formation of stable high-order complexes of SRF and PHOX1 and interacts cooperatively with PHOX1 to promote serum-inducible transcription of a reporter gene driven by the C-FOS serum response element (SRE). Acts as a coregulator for USF1 by binding independently two promoter elements, a pyrimidine-rich initiator (Inr) and an upstream E-box (By similarity). Required for the formation of functional ARID3A DNA-binding complexes and for activation of immunoglobulin heavy-chain transcription upon B-lymphocyte activation.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG226081