

## Product datasheet for **MG226175**

### Pum2 (NM\_030723) Mouse Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Pum2 (NM\_030723) Mouse Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** Pum2  
**Synonyms:** 5730503J23Rik; Pumm2  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >MG226175 representing NM\_030723  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAATCATGATTTTCAAGCTCTTGCAATTAGAATCTCGGGGAATGGGAGAGCTTTTGCCTACCAAAAAGT  
TTTGGAACTGATGATCAACAAAAGATGGACAAAAGGCATATTTCTGGGGATGATGAATGGAGAGA  
GACTGCATGGGAACTTCTCATCATTCAATGTCCAGCCTATTATGGTGCAGAGAAGATCTGGACAGAGT  
TTTCATGAAACAGTGAAGTAAATGCAATCTTTCTCCACGCTCAGAAAAGTGGAGGCCTTGGTGTGAGCA  
TGGTAGAATATGTATTAAGTTCTCTCTGCTGATAAATTGGATTCTCGATTTAGGAAGGGAACCTTTGG  
TACTAGAGATGCTGAAACAGATGGACCTGAGAAAAGGAGATCAAAAAGGCAAGGCTTCTCCATTTGAGGAG  
GACCAAAACAGAGATCTTAAACAAGATGATGAGGACTCTAAAATAAATGGCAGAGGTTTGCCAAATGGAA  
TGGATGCCGATTGCAAAGATTTTAAATCGCACTCCTGGAAGTCGCCAAGCCTCTCCAATGAAGTAGTTGA  
GCGCCTTGGCCCTAGTACTAATCCCCCAGAAGGATTGGGCCCTTCTCCTAATCCGACAGCGAATAAACCA  
CTTGTTGAAGAATTTTCAAACCTGAACTCAGAATCTGGATGCAATGGACCAAGTTGGTCTGGATTCTT  
TACAGTTTGACTATCCTGGTAATCAGGTACCATGGATTCTTTCAGGAGCTACTGTAGGCCTTTTGGACTA  
CAATCCCAACAGCAGCTCTTTCAGAGGACTAGTGCACAAACAGTTTCAGCAGTTAACTGCAGCTCAGCAG  
CAGCAGTATGCATTAGCAGCAGCTCAGCAGCCACATATAGCTGGTGTATTCTCAGCAGGCCTTGTCCAG  
CTGCATTTGTGCCAAATCCATATATTATTAGTGCTGCTCCTCCAGGGACTGACCCGTATACTGCAGCAGG  
ATTGGCTGCAGCAGCAACATTAGCAGGTCCAGCAGTGGTTCACCTCAGTATTACGGTGTCCATGGGGA  
GTGTATCCAGCCAATTTATTTTCAGCAACAAGCTGCAGCTGCGGCAAGCAACACAGCCAACCGCAAGCAG  
CATCACAAGCTCAGCCTGGACAGCAGCAGGTTCTTCGTCCTGGAGCAGGTGAGCCTTACTCCAAG  
TCAGGGCCAACAAGGCGCAGCAAGCAGAGTCACTTGCAGCAGCTGCAAACCAACTTTGGCTTTTGGTCAG  
AGTCTTGCTGCAGGCATGCCAGGCTATCAAGTACTAGCTCCAATGCCTATTATGATCAGACTGGTGCCT  
TAGTGGTTGGCCCCGGAGCAAGAACTGGCCTTGGAGCTCCAGTACGATTAATGGCTCCAACACCTGTCTT  
AATAAGTTCAACAGCAGCACAAGCTGCAGCAGCAGCAGCAGCAGCTGGAGGAACTGCAAATAGTCTTACA



[View online >](#)

```

GGCAGCACAAATGGTCTGTTTCGGCCAATTGGCACTCAGCCACCACAGCAGCAGCAGCAGCAGCAAC
CAAGCTAACTGCAGTCTAATTCATTTTATGGGAGCAGCTCTTTGACTAACAGCTCCCAGAGCAGCTC
TTTATTCTCTCATGGACCTGGCCAACCTGGAAGTGCCTCTTTGGCTTTGGAAGTGGTAGCTCTTTAGGA
GCTGCTATAGGCTCAGCTCTCAGTGGATTTGGCTCATCAGTTGGCAGTTCTGCAAGTAGTAGTCCACAA
GGAGAGAGTCTCTATCTACTAGCTCTGACTTGTACAAAAGATCTAGTAGCAGCCTAGCACCCATAGGGCA
ACCATTTTACAATAGTCTGGGATTTTCTCCTCTCCAAGTCCAATAGGCATGCCTCTGCCAACCAAACT
CCAGGACATTCACACGCCACCGCCATCACTTTCATCACATGGATCCTCATCCAGTTTGCATTTAGGAG
GACTGACAAAACGGTAGTGGTCGGTATATCTCTGCAGCACCTGGAGCAGAAGCAAAGTACCGAAGTGCCTC
AAGCACTTCCAGTCTATTTAGCTCCAGCAGCCAGCTCTTCTCCTTCTCGGCTCCGCTATAATAGATCT
GACATCATGCCCTCCGGCCGAGTAGGTTATTGGAAGATTTAGGAACAACCGCTTCCCCAACCTTCAGC
TCAGAGACTTAATTGGACATATAGTCGAGTTTTCTCAAGACCAGCATGGTTCAGATTATACAGCAAAA
GCTAGAGAGAGCTACTCCAGCTGAGCGACAAAATAGTATTTAATGAAATCTACAGGCAGCCTATCAATTA
ATGACAGATGTTTTGGAAACTATGTTATACAGAAGTTTTTGGAGTTTGGAGTTGGATCAGAAATTAG
CCCTGGCTACTCGTATTCGTGGTCATGTTCTACCATTAGCCTGCAGATGTATGGCTGCCGTGTTATTC
AAAGCGTTAGAATCTATTTCTTCTGATCAGCAGGTAATTAGTGAATGGTTAAGGAACTAGATGGCCAT
GTACTTAAATGTGTGAAAGATCAAAATGGAACCATGTTGTACAGAAATGCATTGAATGTGTTACAGCC
AGTCACTGCAGTTCATCATCGATGCTTTCAAAGGACAAGTATTTGTGCTTCAACCCATCCTTATGGCTG
CAGAGTCACTCAGCGTATCTTAGAGCACTGCACGGCAGAGCAGACCTTACCCATCTTAGAAGAATTCAC
CAACACACAGAACAGTTGGTACAGGATCAGTATGGCAATTATGTTATTCAGCATGTACTGGAACATGGTC
GACCTGAAGACAAGAGCAAAATGTTTTCCGAAATCAGAGGAAAGGCTTACGCCCTGAGTCAACACAAAT
TGCCAGCAATGTAGTAAAAAGTGTGTTACTCATGCCTCCCGTGTGAGAGAGCTTTACTGATTGATGAG
GTCTGCTGCAGAATGATGGTCTCACAGTGCCTTATACACCATGATGAAGGATCAGTATGCCAACTATG
TGTTTCAAGAGATGATTGATGGTGCCTGAGCCTGCGCAGAGAAAGATAATCATGCACAAGATTCGACCTCA
TATTACTACTTCGCAAAATACACATATGGGAAGCATATACTGGCCAAGTTGGAATACTATCTGAAA
AACAGCCAGATCTAGGGCAATTGGAGGACCACCAAAATGGGATGCTG
    
```

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:**

>MG226175 representing NM\_030723  
 Red=Cloning site Green=Tags(s)

```

MNHDFQALALESRGMGELLPTKFKWEPDDSTKDGQKGFILGDDEWRETAWGTSHHSMSQPIMVQRRSGQS
FHGNSEVNAILSPRESGGLGVSMVEYVLS SSPADKLD SRFKGTGTRDAETDGPEKGDQK GKASPFEE
DQNRDLKQDDEDSKINGRGLPNGMDADCKDFNRTPGSRQASPTVEVVERLGPSTNPPEGLGPLPNPTANKP
LVEEFSNPETQNL DAMDQVGLDSLQFDYPGNQVPM DSSGATVGLFDYNSQQQLFQRTSAL TVQQLTAAQQ
QQYALAAAQQPHIAGVFSAGLAPAAFVNPYII SAAPP GTDPYTAAGLAAAATLAGPAVVPPQYYGVPWG
VYPANLFQQQAAAAASNTANQQAASQAQPGQQQVLRPGAGQRPITPSQGGQQQAE S LAAAANPTLAFGQ
SLAAGMPGYQVLAPTAYYDQTGALVVGPGARTGLGAPVRLMAPTPVLI SSTAQAAAAAAAAGGTANSLT
GSTNGLFRPIGTQPPQQQQQQQPSTNLQSN SFYGS SSSL TNSSQSSSLF SHGPGQPGSASLGF GSGSSLG
AAIGSALSGFGSSVGS SSSS SSTRRESLSTSSDLYKRSSSLAPIGQPFYNSLGFSSSPSIGMPLPSQT
PGHSLTPPPSLSSHGSSSLHLLGGLTNGSGRYISAAPGAEAKYRSASSTSSLFSSSSQLFPPSRLRYNRS
DIMP SGRSRLLED FRNRFNQLRDLIGHIVEFSQDQHGSRFIQKLERATPAERQIVFNEILQAAYQL
MTDVFNGYVIQKFFEFGLDQKLALATRIRGHVLPALQMYGCRVIQKALESISSDQQVISEMVKELDGH
VLKCVKQDQNGNHVVQKCI ECVQPQLQF IIDAFKGVFV LSTHPYGCRVIQRILEHCTAEQTLPILEELH
QHTEQLVQDQYGNVVIQHVLEHGRPEDKSKIVSEIRGKVLALSQHKFASN VVEKCVTHASRAERALLIDE
VCCQNDGPHSALYTMKQDYANYVVQK MIDMAEPAQRKIIMHKIRPHITL RKYTYGKHILAKLEKYYLK
NSPDLGPIGGPPNGML
    
```

TRTRPLE - GFP Tag - V


**Restriction Sites:**

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM\_030723

ORF Size: 3198 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_030723.2</a></u> , <u><a href="#">NP_109648.2</a></u>
<b>RefSeq Size:</b>	6235 bp
<b>RefSeq ORF:</b>	3201 bp
<b>Locus ID:</b>	80913
<b>UniProt ID:</b>	<u><a href="#">Q80U58</a></u>
<b>Cytogenetics:</b>	12 A1.1
<b>Gene Summary:</b>	Sequence-specific RNA-binding protein that acts as a post-transcriptional repressor by binding the 3' UTR of mRNA targets. Binds to an RNA consensus sequence, the Pumilio Response Element (PRE), 5'-UGUANAUA-3', that is related to the Nanos Response Element (NRE). Mediates post-transcriptional repression of transcripts via different mechanisms: acts via direct recruitment of the CCR4-POP2-NOT deadenylase leading to translational inhibition and mRNA degradation. Also mediates deadenylation-independent repression by promoting accessibility of miRNAs. Acts as a post-transcriptional repressor of E2F3 mRNAs by binding to its 3' UTR and facilitating miRNA regulation. Plays a role in cytoplasmic sensing of viral infection. Represses a program of genes necessary to maintain genomic stability such as key mitotic, DNA repair and DNA replication factors. Its ability to repress those target mRNAs is regulated by the lncRNA NORAD (non-coding RNA activated by DNA damage) which, due to its high abundance and multitude of PUMILIO binding sites, is able to sequester a significant fraction of PUM1 and PUM2 in the cytoplasm. May regulate DCUN1D3 mRNA levels. May support proliferation and self-renewal of stem cells. Binds specifically to miRNA MIR199A precursor, with PUM1, regulates miRNA MIR199A expression at a posttranscriptional level (By similarity).[UniProtKB/Swiss-Prot Function]