

## Product datasheet for **MG226195**

### Pum2 (NM\_001160219) Mouse Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Pum2 (NM_001160219) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Pum2
Synonyms:	5730503J23Rik; Pumm2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>MG226195 representing NM_001160219 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAATCATGATTTTCAAGCTCTTGCAATTAGAATCTCGGGGAATGGGAGAGCTTTTGCCTACCAAAAAGT  
TTTGGAACTGATGATCAACAAAAGATGGACAAAAGGCATATTTCTGGGGATGATGAATGGAGAGA  
GACTGCATGGGAACTTCTCATCATTCAATGTCCAGCCTATTATGGTGCAGAGAAGATCTGGACAGAGT  
TTTCATGGAAACAGTGAAGTAAATGCAATCTTTCTCCACGCTCAGAAAAGTGGAGGCCTTGGTGTGAGCA  
TGGTAGAATATGTATTAAGTTCTCTCTGCTGATAAATTGGATTCTCGATTTAGGAAGGGAACCTTTGG  
TACTAGAGATGCTGAAACAGATGGACCTGAGAAAAGGAGATCAAAAAGGCAAGGCTTCTCCATTTGAGGAG  
GACCAAAACAGAGATCTAAACAAGATGATGAGGACTCTAAAATAAATGGCAGAGGTTTGCCAAATGGAA  
TGGATGCCGATTGCAAAGATTTAATCGCACTCCTGGAAGTCGCCAAGCCTCTCCAAGTGAAGTGTGA  
GCGCCTTGGCCCTAGTACTAATCCCCAGAAGGATTGGGCCCTTCTCCTAATCCGACAGCGAATAAACCA  
CTTGTTGAAGAATTTTCAAACCTGAACTCAGAACTGGAATGCAATGGACCAAGTTGGTCTGGATTCT  
TACAGTTTGACTATCCTGGTAATCAGGTACCATGGATTCTTTCAGGAGCTACTGTAGGCCTTTTGGACTA  
CAATCCCAACAGCAGCTCTTTCAGAGGACTAGTGCACAAACAGTTTTCAGCAGTTAACTGCAGCTCAGCAG  
CAGCAGTATGCATTAGCAGCAGCTCAGCAGCCACATATAGCTGGTGTATTCTCAGCAGGCCTTGTCCAG  
CTGCAATTTGTGCCAAATCCATATATTATTAGTGCTGCTCCTCCAGGGACTGACCCGTATACTGCAGCAGG  
ATTGGCTGCAGCAGCAACATTAGCAGGTCCAGCAGTGGTTCACCTCAGTATTACGGTGTCCATGGGGA  
GTGTATCCAGCAATTTATTTTCAGCAACAAGCTGCAGCTGCGGCAAGCAACACAGCAACAGCAAGCAG  
CATCACAAGCTCAGCCTGGACAGCAGCAGGTTCTTCGTCCTGGAGCAGGTGAGCCTTACTCCAAG  
TCAGGGCAACAAGGGCAGCAAGCAGAGTCACTGCAGCAGCTGCAAACCAACTTTGGCTTTTGGTCAG  
AGTCTTGCTGCAGGCATGCCAGGCTATCAAGTACTAGCTCCAAGTGCCTATTATGATCAGACTGGTGCCT  
TAGTGGTTGGCCCGGAGCAAGAACTGGCCTTGGAGCTCCAGTACGATTAATGGCTCCAACACCTGTCTT  
AATAAGTTCAACAGCAGCACAAGCTGCAGCAGCAGCAGCAGCAGCTGGAGGAACTGCAAATAGTCTTACA



[View online »](#)

```

GGCAGCACAAATGGTCTGTTTCGGCCAATTGGCACTCAGCCACCACAGCAGCAGCAGCAGCAGCAAC
CAAGCTAACTGCAGTCTAATTCATTTTATGGGAGCAGCTCTTTGACTAACAGCTCCCAGAGCAGCTC
TTTATTCTCTCATGGACCTGGCCAACTGGAAGTGCCTCTTTGGCTTTGGAAGTGGTAGCTCTTTAGGA
GCTGCTATAGGCTCAGCTCTCAGTGGATTTGGCTCATCAGTTGGCAGTTCTGCAAGTAGTAGTCCACAA
GGAGAGAGTCTCTATCTACTAGCTCTGACTTGTACAAAAGATCTAGTAGCAGCCTAGCACCCATAGGGCA
ACCATTTTACAATAGTCTGGGATTTTCTCCTCTCCAAGTCCAATAGGCATGCCTCTGCCAACCAAACT
CCAGGACATTCACCTACGCCACCGCCATCACTTTCATCACATGGATCCTCATCCAGTTTGCATTTAGGAG
GACTGACAAAACGGTAGTGGTCGGTATATCTCTGCAGCACCTGGAGCAGAAGCAAAGTACCGAAGTGCCTC
AAGCACTTCCAGTCTATTTAGCTCCAGCAGCCAGCTCTTTCTCCTTCTCGGCTCCGCTATAATAGATCT
GACATCATGCCCTCCGGCCGAGTAGGTTATTGGAAGATTTAGGAACAACCGCTTCCCCAACCTTCAGC
TCAGAGACTTAATTGGACATATAGTCGAGTTTTCTCAAGACCAGCATGGTTCAGATTATACAGCAAAA
GCTAGAGAGAGCTACTCCAGCTGAGCGACAAAATAGTATTTAATGAAATCTACAGGCAGCCTATCAATTA
ATGACAGATGTTTTGGAAACTATGTTATACAGAAGTTTTTGGAGTTTGGAAAGTTGGATCAGAAATTAG
CCCTGGCTACTCGTATTCGTGGTCATGTTCTACCATTAGCCTGCAGATGTATGGCTGCCGTGTTATTCA
AAAGCGTTAGAATCTATTTCTTCTGATCAGCAGGTAATTAGTGAATGGTTAAGGAACTAGATGGCCAT
GTACTTAAATGTGTGAAAGATCAAAATGGAAACCATGTTGTACAGAAATGCATTGAATGTGTTACAGCCAC
AGTCACTGCAGTTCATCATCGATGCTTTCAAAGGACAAGTATTTGTGCTTTCAACCCATCCTTATGGCTG
CAGAGTCACTCAGCGTATCTTAGAGCACTGCACGGCAGAGCAGACCTTACCCATCTTAGAAGAACTTCAC
CAACACACAGAACAGTTGGTACAGGATCAGTATGGCAATTATGTTATTCAGCATGTACTGGAACATGGTC
GACCTGAAGACAAGAGCAAAATGTTTTCCGAAATCAGAGGAAAGGCTTACGCCCTGAGTCAACACAAAT
TGCCAGCAATGTAGTAAAAAGTGTGTTACTCATGCCTCCCGTGCAGAGAGCTTTACTGATTGATGAG
GTCTGCTGCAGAATGATGGTCTCACAGTGCCTTATACACCATGATGAAGGATCAGTATGCCAACTATG
TGTTTCAAGAGATGATTGATGGTGCCTCAGCCTGCGCAGAGAAAGATAATCATGCACAAGATTCGACCTCA
TATTACTACTTCGCAAAATACACATATGGGAAGCATATACTGGCCAAGTTGGAATACTATCTGAAA
AACAGCCAGATCTAGGGCAATTTGGAGGACCACCAAAATGGGATGCTG
    
```

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

**Protein Sequence:**

>MG226195 representing NM\_001160219  
 Red=Cloning site Green=Tags(s)

```


MNHDFQALALESRGMGELLPTKFKWEPDDSTKDGQKGFILGDDEWRETAWGTSHHSMSQPIMVQRRSGQS
FHGNSEVNAILSPRESGGLGVSMVEYVLS SSPADKLD SFRKGTGTRDAETDGPEKGDQK GKASPFEE
DQNRDLKQDDEDSKINGRGLPNGMDADCKDFNRTPGSRQASPTVEVVERLGPSTNPPEGLGPLPNPTANKP
LVEEF SNPETQNL DAMDQVGLDSLQFDYPGNQVPMDSSGATVGLFDYNSQQQLFQRTSAL TVQQLTAAQQ
QQYALAAAQQPHIAGVFSAGLAPAAFVNPYII SAAPP GTDPYTAAGLAAAATLAGPAVVPPQYYGVPWG
VYPANLFQQQAAAAASNTANQQAASQAQPGQQQVLRPGAGQRPITPSQGGQQQAE S LAAAANPTLAFGQ
SLAAGMPGYQVLAPTAYYDQTGALVVGPGARTGLGAPVRLMAPTPVLI SSTAQAAAAAAAAGGTANSLT
GSTNGLFRPIGTQPPQQQQQQPSTNLQSN SFYGS SSSL TNSSQS SSLF SHGPGQPGSASLGF GSGSSLG
AAIGSALSGFGSSVGS SSSS SSTRRESLSTSSDLYKRSSSLAPIGQPFYNSLGFSSSPSPIGMPLPSQT
PGHSLTPPPSLSSHGSSSLHLLGGLTNGSGRYISAAPGAEAKYRSASSTSSLFSSSSQLFPPSRLRYNRS
DIMP SGRSRLLED FRN RFPNLQLRDLIGHIVEFSQDQHGSRFIQKLERATPAERQIVFNEILQAAYQL
MTDVF GNYVIQKFF EFGSLDQKLALATRIRGHVLPALQMYGCRVIQKALESISSDQQVISEMVKELDGH
VLKCVKQDQNGNHVVQKCI ECVQPQLQF IIDAFKGVFV LSTHPYGCRVIQRILEHCTAEQTLPILEELH
QHTEQLVQDQYGNVVIQHVLEHGRPEDKSKIVSEIRGKVLALSQHKFASN VVEKCVTHASRAERALLIDE
VCCQNDGPHSALYTMKQDYANYVVQK MIDMAEPAQRKIIMHKIRPHITL RKYTYGKHILAKLEKYYLK
NSPDLGPIGGPPNGML
    
```

TRTRPLE – GFP Tag – V


**Restriction Sites:**

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM\_001160219

ORF Size: 3198 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_001160219.1, NP_001153691.1</u>
<b>RefSeq Size:</b>	6311 bp
<b>RefSeq ORF:</b>	3201 bp
<b>Locus ID:</b>	80913
<b>UniProt ID:</b>	<u>Q80U58</u>
<b>Cytogenetics:</b>	12 A1.1
<b>Gene Summary:</b>	Sequence-specific RNA-binding protein that acts as a post-transcriptional repressor by binding the 3' UTR of mRNA targets. Binds to an RNA consensus sequence, the Pumilio Response Element (PRE), 5'-UGUANAUA-3', that is related to the Nanos Response Element (NRE). Mediates post-transcriptional repression of transcripts via different mechanisms: acts via direct recruitment of the CCR4-POP2-NOT deadenylase leading to translational inhibition and mRNA degradation. Also mediates deadenylation-independent repression by promoting accessibility of miRNAs. Acts as a post-transcriptional repressor of E2F3 mRNAs by binding to its 3' UTR and facilitating miRNA regulation. Plays a role in cytoplasmic sensing of viral infection. Represses a program of genes necessary to maintain genomic stability such as key mitotic, DNA repair and DNA replication factors. Its ability to repress those target mRNAs is regulated by the lncRNA NORAD (non-coding RNA activated by DNA damage) which, due to its high abundance and multitude of PUMILIO binding sites, is able to sequester a significant fraction of PUM1 and PUM2 in the cytoplasm. May regulate DCUN1D3 mRNA levels. May support proliferation and self-renewal of stem cells. Binds specifically to miRNA MIR199A precursor, with PUM1, regulates miRNA MIR199A expression at a posttranscriptional level (By similarity).[UniProtKB/Swiss-Prot Function]