

Product datasheet for **MG226505**

Mov10 (NM_001163440) Mouse Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Mov10 (NM_001163440) Mouse Tagged ORF Clone
Tag: TurboGFP
Symbol: Mov10
Synonyms: C77703; Mov-10
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >MG226505 representing NM_001163440
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGATCGCC

ATGTCCGGGGCTCTGCCCTTTGCTCTGCAGCTTTTCTATGTCCCGAGGCTCTGGAGAGTGGGCGTGGGAG
TAGCCCTAGCTGAGGCTCCAAGGTCTCCGGGCTGTTTAGGGGGCCCCAGGCGATATCCACGTTCCGATC
CTGGCTCGCTGCCAGGGAGGGAGCTCGGGTTTCATTTCCGCGGACCCTCCTGCCTGGGCCGAGCCGCC
GCCGCCGCGATGCCTAGCAAGTTCAGCTGCCGAAAGCTCCGGGAGACCGCCAGAGGTTTCGAGAGTTTTTC
TGGCCGAACGTGGACTGGACCTGGAGACAGATCGTGAGCGGCTGCGGACGATTTACAACCACGACTTCAA
GCCAGCTATGGGACCCCTGCCCTGGCTTCTCCTCCATGCTGTATGGAATGAAGATCGCAAATCTGGCC
TTCGTCACCAAGACTCGGGTTCAGGTTCTTCAAACCTAGACCCTGGGCTGATGTGCAGTTACCAGAAAAGA
GGCGAATAAAGCCAGGGTCAACATCAGCAAACAACAGATCACTGTTGGCCAGGATCTTTACGACAG
GGCTGAGTACCTTCATGGGAAGCATGGGGTAGACGTGGAGGTCCAGGGGCCCATGAAGCCCAGACGGG
CAACTCCTTATCCACCTGGATTTGAACCGCAAGGAGGTAACCTACGGCTTCGGAACGGCGGAAGCA
AACCTGTCACCCTCACTCACCTATCCCCTGTGCTGGACGCCCCAGTTGTCTTCTACCATGGAGAACA
GGACCTGCCCTGCCACTGGGCCCGGTGAAAGCTATGAACTCCACATCTACTGTAAGACCAGCATTGTG
GGTTACTTCCCAGCCACTGTCTCTGGAACTCCTGGGACCCGGGAGTCGGGAGCAGAAGGAGCAGAAA
CTTTCTACATTGCCGATTCTTGCGGGCTGTCCGCCACAGTCCCCTGGCTGCCAGTTGAAACCCACAAC
TCCCTTCAAACGCCCCCTCGGGTCAACAGAACTCTGTGTTGACCAACCGGATCGAGGAAGGAGAGAGG
CCCAGCCAGCCAAGGGCTATGAACTAGAGCTAAGTTGGCCCTGGGACCTATTACCCACCCATCCTCC
TCCGACAACCTGCTCCCTACCCTTCTCAGGGACCAAGTATCTTCACTGCCCAAAGGAGGTTGCTGAGAT
CAAGGCCAGCTGGAGACAACCCTGAAATCCAGGAACTATGAGGTGAACTCCGGCTGCTGCTGCACCTG
GAAGAGCTGCAGATGGAGCATGACATCCGGCACTATGACCTGGACTCGGTACCCATGACCTGGGACCCTG
TGGACCAGAATCCCAGGCTGCTCACCTGGAGGTTCTGGTGTGCGAGAGCCGTCCTCAGTGCTACG
AGGTGACCACCTTTTTGCCCTTTTGTCTCTGAGACCCAACAGGACGACCCTGTACCTACAAGGTTTC



[View online >](#)

```

GTGCACAAGGTGGAAGTGGACCGTGTCAAGCTGAGCTTTTCTACAAGCCTCCTGAGCCGATTTGTGGATG
GGCTGACTTCAAGGTGAACTTTACCTCAACCGCCAGCCCTTCGGGTCCAGCACCGGGCCCTAGAGTT
GACGGGGCGTGGGTGCTATGGCCATGCTTTTCTGTGGCCTCCCGTGGGGTCTCGTTGCTGCCCTCA
GATGTGAAGTTCAAGCTGTACGATCGGAGTCTGGAGTCAAACCTGAGCAACTGCAGGCCATGAAGCACA
TTGTGAGGGTACCACCCGGCTGCCCTACATCATCTTTGGCCTCCAGGTACCGGAAGACTGTCAC
ATTAGTGGAGGCCATCAAACAGGTAGTGAAGCATTGGCCAAAGCCACATCTGGCCTGTGCTCCATCC
AACTCAGGGCTGACCTCTGTGACGGCTCCGGGTCCACCTGCCAGCTCCATCTACCGTCTCCTGG
CCCCAGCAGGGACATCCGAATGGTGCCTGAGGACATTAAAGACCTGCTGTAAGTGGGATGCTAAGAAGGG
AGAATATGTGTATCCTGCTAAGAAGCACCTGCAGCAATATCGGGTCTTAATTACCACCCTCATCACTGCC
AGCAGGTTGGTGTGAGCCAGTTTCCCATCGATCACTTACACACATCTTCATCGATGAGGCTGGCCACT
GCATGGAGCCTGAGAGTCTGGTGGCCATAGCAGGACTGATGGATGTCAAGGAAACGGGCAATCCCGGAGG
GCAGCTGGTACTGGCAGGAGACCCTCGGCAGCTGGGGCTGTGCTGCGCTCGCCACTAGCCCTGAAGCAT
GGACTTGGCTACTCTGCTAGAGCGCCTGCTCGCCTACAACCTTGTATAAGAAGGGCCCAATGGCT
ATGACCCCGAGTTCATCACCAACTGCTCCGCACTACAGGTCTCACCCACCATCTGGACATCCCTAA
CCAGCTGTACTAGCAGGAGAGTGCAGGCCTGCGCAGATGTGGTGGATCGAGAACGGTTCTGCCGCTGG
GAGGGGCTGCCTCAGCAGGGCTTCCCCATATTTCCATGGTGTAAATGGGCAAAGATGAGAGAGAAGGCA
ATAGCCCATCCTTCTTCAACCTGAAGAGGCTGCTACAGTGACGTACATACCTGAAACAACCTCTGGCCCC
TTCTCCAAGAAGGGTAAAGCCCGCCTGAGCCCCGAAATGTGGGCGTCACTCCCCGTACCGGAAGCAG
GTAGAAAAATCCGTTACTGCATCACAACCTTGACCGAGAACTTCGCGGACTGGATGACATCAAAGATT
TGAAGGTGGGCTCTGTGGAAGAGTTCCAAGGCCAAGAACGCAGCGTCATCCTCATCTCCACCGTCCGAAG
CAGCCAGAGCTTTGTACAGCTGGATCTAGACTTAACTCGGTTTCTTAAGAACCCCAAGAGGTTCAAT
GTTGCTGTGACCCGAGCCAAGGCTTGTCTCATCGTAGTGGGCAACCCCTCTCTAGGCCACGACCCAG
ACTGGAACCGTTCCTGGAGTTCTGTAAGAAAAACGGGGGATATACCGGGTGGCCCTTCTGCCAACT
GGACCTGCAGCAGGACAGGACTTGTCTCAAGGTCTGAGCAAACTCAGCCCTCTACCTCAGGGCCCGC
CGTACCAGAATCTCCCCAGGAGCGGGAGGGTGAAGGGGCCTGCCCTACAAGTGGAGCCAGAGTGA
GAAATGAGCTC
    
```

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>MG226505 representing NM_001163440

Red=Cloning site Green=Tags(s)

```


MSGALPFAQLFYVPRWLVRVGVVALAEAPRSSGLFRGPQAISTFGSWLAARGGSSGFIADPPAWAAAA
AAAMPKSFSCRKLRETRGQRFESFLAERGLDLETRERLRIYNHDFKPSYGTAPGPFSSMLYGMKIANLA
FVTKTRVRFKFLDRWADVQLPEKRRIKPGSNISKQHRSLARIFHDRAEYLVHGKHGVDVEVQGPHEARDG
QLLIHLDLNRKEVLTLLRNGGSKPVTLTHLFLCWTQPQFVYHGEQDLPCPLPGGESYELHIYCKTSIV
GYFPATVLWELLGPGESGAEGAETFYIARFLAAVAHSPLAAQLKPTTFFKRPPRLTRNSVLTNRIEEGER
PDRAKGYELELALGTYPPILLRQLLPTLLQGPSIFTAPKEVAEIKAQLETTLKSRYEVKLRLLHL
EELQMEHDIRHYDLDSVPMTPVDQNPRLTLEVPVGAESRPSVLRGDHLLFALLSSETQQDDPVYKGF
VHKVELDRVKLSFSTSLSRFVDGLTFKVNFTFNRQPLRVQHRALELTGRWVWPMLFPVASRGVSLLPS
DVKFKLYDRSLESNPEQLQAMKHIVRGTTTRPAPYIIFGPPGTGKTVTLVEAIKQVVKHLPKAHILACAPS
NSGADLLCQRLRVHLPSIYRLLAPSRDIRMVPEDIKTCNWDKKEGYVYPAKKHLQYRVLITTLITA
SRLVSAQFPIDHFTHIFIDEAGHCMEPESLVAIAGLMDVKETGNPQQQLVLADGPRQLGPVLRSPALKH
GLGYSLLERLLAYNSLYKKGPNQYDQFITKLLRNYRSHPTILDIPNQLYYDGELQACADVDRERFCRW
EGLPQQGFPIIFHGMGKDEREGNSPFFNPEEAATVTSYLKQLLAPSSKKGKARLSPRNVGVI SPYRKQ
VEKIRYCI TKLDRELRLDLDIKDLKVGVSVEEFQGGQERSVILISTVRSSQSFVQLDLDFNLGFLKNPKRFN
VAVTRAKALLIVVGNPLLLGHDPDWKTFLEFCKENGGYTGCFFPAKLDLQQGQDLLQGLSKLSPSTSGPR
RHQNL PQEREGGGLPLQVEPEWRNEL
    
```

TRTRPLE – GFP Tag – V

Restriction Sites:

SgfI-MluI

Cloning Scheme:

Plasmid Map:


ACCN: NM_001163440

ORF Size: 3231 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001163440.1</u> , <u>NP_001156912.1</u>
RefSeq Size:	3639 bp
RefSeq ORF:	3234 bp
Locus ID:	17454
UniProt ID:	<u>P23249</u>
Cytogenetics:	3 F2.2
Gene Summary:	Probable RNA helicase. Required for miRNA-mediated gene silencing by the RNA-induced silencing complex (RISC). Required for both miRNA-mediated translational repression and miRNA-mediated cleavage of complementary mRNAs by RISC (By similarity). In cooperation with FMR1, regulates miRNA-mediated translational repression by AGO2 (By similarity). Restricts retrotransposition of long interspersed element-1 (LINE-1) in cooperation with TUT4 and TUT7 counteracting the RNA chaperone activity of L1RE1. Facilitates LINE-1 uridylation by TUT4 and TUT7 (By similarity). Required for embryonic viability and for normal central nervous system development and function. Plays two critical roles in early brain development: suppresses retroelements in the nucleus by directly inhibiting cDNA synthesis, while regulates cytoskeletal mRNAs to influence neurite outgrowth in the cytosol (PubMed:28662698). May function as a messenger ribonucleoprotein (mRNP) clearance factor (By similarity).[UniProtKB/Swiss-Prot Function]