

Product datasheet for **MG226688**

Dact1 (NM_021532) Mouse Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Dact1 (NM_021532) Mouse Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Dact1
Synonyms:	4921528D17Rik; AI115603; DAPPER; DAPPER1; Frd1; FRODO; Frodo1; MDpr1; MTNG3; THYEX3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>MG226688 representing NM_021532
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGAAGCCGGACGACGCGCGAGCCGGAGCCGCTGAGCCCCGGCCGGGGCGCGGAGGCCGAGGGGCGCT
 GGC GCGAGAGGGGCGAGGCGGACACGGAGCGGCAGCGTACCCGCGAGCGCCAGGAGGCCACGCTGGCGGG
 GCTGGCGGAGCTGGGGTACCTGCGGCAACGCCAAGAGCTGCTGGTGCGCGGTGCGCTGCGCTGCTCCGGG
 ACCGTGGGGACCGTCGCGCCGCGCTCCGGGGAGCTGCGGGGAGACGCGGCGCAGCGCAGCCGCTGGAGG
 AGAAGTTCCTGGAAGAGAACATCTTGCTGCTGCGAAGGCAGTTGAATTGTTTGAGGAGAAGAGATGCCGG
 TTTGTTGAATCAGTTGCAAGAATTGACAAGCAGATAAGTGACCTGAGACTGGATGTGGAGAAGACATCT
 GAAGAGCACCTGGAGACAGACAGCCGGCTAGCTCAGGGTTTTATGAGCTGAGTGATGGAGCTTCGGGCT
 CCCTCTCTAACTCCTCAACTCCGTGTTCAGTGAGTGTTGTCCAGTTGCCATTCAGCACCTGCTTCTG
 CAGCCCCCTTGAGGCGGCCCTTGACCATCTCAGACGGTTGCCCAAATCTGCAGATGTGAATCCTAAATAC
 CAGTGTGATCTTGCTGCTAAAAACGGGAATGACGTATATCGCTACCCAGTCCACTTCATGCTGTGGCTG
 TGCAGAGCCCAATGTTTTCTCTTTGCTGACGGGCAACACTCTGAGGGAAGAGGAGGGGCTTGGGAGCCA
 TGCCAGCGACATCTGCATTGGATCTGAACTGAACGCCACCAAAACAGACAATCCCTGCCATCTCCAAGC
 AGTTTGTGGTCCGCTTCCCATCTGCATCCAGTAAGAAAATGGATGGGTATATTTTGAGCCTCGTGAGAA
 AGAAAACACACCTGTAAGGACCAATAAACCTAGAACCAGTGTGAACGCTGACCTACCAAGGGCCTTCT
 GAGGAATGGAAGTGTGTGTGTCAGGGCCCTAGTGGCGTCCCACGGGCAGTAGTGTGAACCTTAAAGAT
 ACAAACAGATGTGTTTGCCCGCTGGGGGAATAACCTCTTTGAAAACGGGCCATTCTCCCTCCTAAGC
 AGAGGTCCAAAGACTCAAAGACAGACCAGTTAGAAAGCAAGAGGTTGGCTCTGCCGAGAGCTGCTCGGC
 AGGCGCCCATGGAACCCCAAAGCAAGCATGTGCCCAAAGCCGCAAGGCAGCCTCTCAAGAGCTCACA
 AGGTGTCAAGCCGGGCTGGGGGAATCCATGAAGGAAAGCAATCAGGCCTCCGCTGTTTCTCTAAAAACA
 GTCCTGGCAGAGGCCCTGTGCCCCCGCAGAGAGCAAAGCCCTGCAGCTCCCGAAAAAGATGTGCGAGAA
 GAACAGCCTCCAGGCTGTGCCCGCCTGGACAGGCCGGCCTTGGACTTCAAAGCGAGGGCTCATCTCAA
 AGCCTCGAGGAAGGGCATCTGGTGAAGCTCAGTTCATTCGGGGCAGCAGGGCCGCCAGGCCTCACC
 GTGCACACAGGAACCCGGGTGTCGCAAGGAGCGCCACCTGAAGGCCCGCGCCAGGCAGCCATGGAACA
 CGGCTGCCACCGTCAGGGAGAAACCGCGACAGCAGGCAAGAAGTGCCGTTTCCAGACGACTCGGAT
 ACAATAAGAAATTCAGGAAGACCTCCGCCAAGGGCCGCGCAGTGGCGGGCTGCAGGACGCTGGCCTTC
 CCGGTAGGGCCCTGGGCACCGCGGCCATCGGGCGGGTAGCAGGGCGCACGCGCATGGCCGGGAGCCCGT
 GGTGGCCAAACCGAAGCAAGCAACCGACTACCGCGGGTGGAAATCGTCAGCCGAGGTCTCTACGAA
 GAAGCCCTGCGGAGGGCCCGGAGGGCTCGCAGGGAGCACGGGGCTGCCTACCCGGTGGTGTGCGCCTGC
 CTTACGCCAGCCCTATGCCTACGTGCCAGCGACTCCGAGTACTCGGGGAGTGCAGTGCCTCTTCCA
 CTCCACGGTGGTGGACACCAGCGAGGACGAGCAGCAACTACACCACCAACTGCTTCGGCGACAGCGAG
 TCCAGCGTGAGCGAAGGGCAGTTCGTGGGCGAGAGCACCACCAGCGACTCAGAGGAGAGCGGGGTT
 TAATCTGGTCCCAGTTTGTCCAGACTCTCCCGATTCAAGCGGTACGGCCCCAGACCTCCACACCCGTC
 CACAAAAACCTTTGTCAAATCAAGCTTCGCACAACCTCAAGAAGAAGATCCTCCGTTTCCGCTCTGGC
 TCTTTGAAACTGATGACTACCGTT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


Protein Sequence: >MG226688 representing NM_021532
 Red=Cloning site Green=Tags(s)

MKPDAAREPEPLSPGRGAEAEGRWRERGEADTERQRTREERQEATLAGLAELGYLRQRQELLVRGALRCSG
 TVGTVAPRSGELRGDAAQRSRLEEKFLIENILLRRLNCLRRRDAGLLNQLQELDKQISDLRLDVEKTS
 EEHLETDSRPSSGFYELSDGASGSLSNSNSVSECLSSCHSSTCFCSPLAALTI SDGCPKSADVNPKY
 QCDLVSKNGNDVYRYPSPPLHAVAVQSPMFLLCLTGNTLREEEGLGSHASDICI GSELNATKTDNSLPSPS
 SLWSASHPASSKMDGYILSLVQKKTHPVRTNKPRTSVNADPTKGLLRNGSVCVRAPSGVPPGSSVNFKN
 TKQMCLPAGGITSLENGPFSPPKQRSKDSKTDQLESKRLALPESCSAGAAMEPQSKHVPKAAKAASQELT
 RCQAGLGESMKESNQASAVSPKTS PGRGPVAPAESKALQLPKKMSQKNSLQAVPALDRPALDFKSEGSSQ
 SLEEGHLVKAQFIPGQQAARPHRAHRNPGVARSATLKARGQAAMEHGLPTVREKPRTAGKKCRFPDDSD
 TNKKFRKTSAKGRRSGGLQDAGLPGRALGTGGHRAGSRAHAHGREPVVAKPKHKRTDYRRWKSSAEVSYE
 EALRRARRARREHGAAYPVAVALPYASPYAVPSDSEYSACEESLFHSTVVDTSEDEQSNTTNCFGDSE
 SSVSEGDVFGESTTTSDSEESGGLIWSQFVQTLPIQAVTAPDLHTRPTKTFVKIKASHNLKKKILRFRSG
 SLKLMTTV

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_021532


ORF Size: 2334 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_021532.4</u> , <u>NP_067507.2</u>
RefSeq Size:	3650 bp
RefSeq ORF:	2337 bp
Locus ID:	59036
UniProt ID:	<u>Q8R4A3</u>
Cytogenetics:	12 C3
Gene Summary:	Involved in regulation of intracellular signaling pathways during development. Specifically thought to play a role in canonical and/or non-canonical Wnt signaling pathways through interaction with DSH (Dishevelled) family proteins. The activation/inhibition of Wnt signaling may depend on the phosphorylation status. Proposed to regulate the degradation of CTNNB1/beta-catenin, thereby modulating the transcriptional activation of target genes of the Wnt signaling pathway. Its function in stabilizing CTNNB1 may involve inhibition of GSK3B activity. Promotes the membrane localization of CTNNB1. The cytoplasmic form can induce DVL2 degradation via a lysosome-dependent mechanism; the function is inhibited by PKA-induced binding to 14-3-3 proteins, such as YWHAB (By similarity). Seems to be involved in morphogenesis at the primitive streak by regulating VANGL2 and DVL2; the function seems to be independent of canonical Wnt signaling and rather involves the non-canonical Wnt/planar cell polarity (PCP) pathway. The nuclear form may prevent the formation of LEF1:CTNNB1 complex and recruit HDAC1 to LEF1 at target gene promoters to repress transcription thus antagonizing Wnt signaling (By similarity). May be involved in positive regulation of fat cell differentiation. During neuronal differentiation may be involved in excitatory synapse organization, and dendrite formation and establishment of spines.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for MG226688